

The suggested retail prices in the list are for reference only and there is no guarantee that the product is available or will be sold at the listed price. Shipping fees, postage, delivery charges, and taxes are not included in the price listed. The final price has to be confirmed and verified with the dealers.

Price List - USD



Housing Packages

Package G16/G1X and Tumax Set

HP-CN-G16G1X US \$970.0 Housing package includes:one housing for a Canon G16 or G1X and one flash housing for Canon Tumax.



Package G16/G1X and Tumax Light Set

HP-CN-G16G1X-LGT US \$1,050.0 Housing package includes:one housing for a Canon G16 or G1X, one Tumax flash and one flash housing for Tumax.



Package EOS-M

US \$1,080,0 HP-CN-M Housing package includes:one Canon EOS-M housing plus one flat port for 22mm lens plus one zoom port for 18-



Package GF2/GF3

HP-Pn-GF2/GF3 US \$980.0 Housing package includes:one Panasonic GF2 or GF3 housing plus one flat port for 14/20mm lens plus one zoom port for 14-42/14-45mm lens.



Package E-PL1/E-PL2/E-PL3/E-P3

HP-Op-EPL1/EPL2/EPL3/EP3 US \$980. 0 Housing package includes:one Olympus E-PL1, E-PL2, E-PL3 or E-P3 housing plus one flat port for 17mm lens plus one zoom port for 14-42/14-42mm II lens.



Package EPL5

HP-Op-EPL5 Housing package includes:one Olympus EPL5 housing plus one flat port for 17mm lens plus one zoom port for 14-42mm II / 14-42mm II-R lens.



Package NEX5R

HP-Sn-NEX5R IIS \$1 080 0 Housing package includes:one Sony NEX5R housing plus one flat port for 16mm lens plus one zoom port for 18-55mm lens.



10Bar Housings

Housing G10

Hs-DC-Cn-G10 US \$630.0 Housing for Canon PowerShot G10 digital camera.



Housing G11/G12

Hs-DC-Cn-G11 Housing for Canon G11/G12 digital camera.



Housing G16

Hs-DC-Cn-G16 Housing for Canon G16 digital camera.



US \$730.0

US \$730.0

Housing G1X

Hs-DC-Cn-G1X Housing for Canon G1X digital camera.



Housing M

Hs-DC-Cn-M Housing for Canon EOS-M digital camera, complete with flat port for 22mm lens.



Housing M-Z

Hs-DC-Cn-MZ US \$1,000.0 Housing for Canon EOS-M digital camera, complete with semi-dome zoom port for 18-55mm lens.



Housing S95

US \$630.0 Hs-DC-Cn-S95 Housing for Canon S95 digital camera.



Housing GF2

Hs-DC-Pn-GF2 US \$750.0 Housing for Panasonic GF2 digital camera, complete with flat port for 14-20mm lens.



Housing GF2-Z

Hs-DC-Pn-GF2Z Housing for Panasonic GF2 digital camera, complete with zoom port for 14-45/14-42mm lens.



Housing GF3

Hs-DC-Pn-GF3 US \$750, 0 Housing for Panasonic GF3 digital camera, complete with flat port for 14-20mm lens.



Housing GF3-Z

Hs-DC-Pn-GF3Z US \$900.0 Housing for Panasonic GF3 digital camera, complete with zoom port for 14-45/14-42mm lens.



Housing GH1

Hs-DC-Pn-GH1 US \$1,100.0 Housing for Panasonic GH1 digital camera, complete with flat port for 20mm lens.



Housing GH1-Z

Hs-DC-Pn-GH1Z US \$1, 250, 0 Housing for Panasonic GH1 digital camera, complete with zoom port for 14-45mm lens.





Housing GH2

Hs-DC-Pn-GH2 US \$1,100.0 Housing for Panasonic GH2 digital camera, complete with flat port for 14-20mm lens.



Housing E-P3-Z

Hs-Dc-Op-EP3Z US \$900.0 Housing for Olympus E-P3 digital camera, complete with semi-dome zoom port for 14-42mm II R lens.



Housing GH2-Z

Hs-DC-Pn-GH2Z US \$1,250.0 Housing for Panasonic GH2 digital camera, complete with zoom port for 14-42/14-45mm lens.



Housing E-PL1

Hs-Dc-Op-EPL1 US \$750.0 Housing for Olympus E-PL1 digital camera, complete with flat port for 17mm lens.



Housing GH3-Z

Hs-DC-Pn-GH3Z US \$1,300.0 Housing for Panasonic GH3 digital camera, complete with flat zoom port for 12-35mm lens.



Housing E-PL1-Z

Hs-Dc-Op-EPL1Z US \$900.0 Housing Olympus E-PL1 digital camera, complete with semi-dome zoom port for 14-42mm lens.



Housing GH4-Z

Hs-DC-Pn-GH4Z US \$1,300.0 Housing for Panasonic GH4 digital camera, complete with flat zoom port for 12-35mm lens.



Housing E-PL2

Hs-Dc-Op-EPL2 US \$750.0 Housing for Olympus E-PL2 digital camera, complete with flat port for 17mm lens.



Housing GX1

Hs-DC-Pn-GX1 US \$850.0 Housing for Panasonic Lumix DMC-GX1 digital camera.



Housing E-PL2-Z

Hs-Dc-Op-EPL2Z US \$900.0 Housing for Olympus E-PL2 digital camera, complete with semi-dome zoom port for 14-42mm II lens.



Housing GX1-Z

Hs-DC-Pn-GX1Z US \$1,000. Housing for Panasonic Lumix DMC-GX1 digital camera, complete with zoom port for 14-42 PZ lens.



Housing E-PL3

Hs-Dc-Op-EPL3 US \$750.0 Housing for Olympus E-PL3 digital camera, complete with flat port for 17mm lens.



Housing LX3

Hs-DC-Pn-LX3 US \$630.0

Housing for Panasonic LX3 digital camera.



Housing E-PL3-Z

Hs-Dc-Op-EPL3Z US \$900.0 Housing for Olympus E-PL3 digital camera, complete with semi-dome zoom port for 14-42mm II lens.



Housing LX5

Hs-DC-Pn-LX5 US \$630.0

Housing for Panasonic LX5 digital camera.



Housing E-PL5

Hs-Dc-Op-EPL5 US \$850.0 Housing for Olympus E-PL5 digital camera, complete with flat port for 17mm lens.



Housing TZ7/ZS3

Hs-DC-Pn-TZ7/ZS3 US \$480.0 Housing for Panasonic TZ7/ZS3 digital camera.



Housing E-PL5-Z

Hs-Dc-Op-EPL5Z US \$1,000.0 Housing for Olympus E-PL5 digital camera, complete with semi-dome zoom port for 14-42mm II-R lens.



Housing TZ10/ZS5/ZS7

Hs-DC-Pn-TZ10/ZS5/ZS7 US \$480.0 Housing for Panasonic TZ10/ZS5/ZS7 digital camera.



Housing OM—D

Hs-DC-Op-OMD US \$1,300.0 Housing for Olympus OM-D digital camera, complete with flat zoom port for 12-50mm lens.



Housing TZ20/ZS10

Hs-DC-Pn-TZ20 US \$480.0 Housing for Panasonic TZ20/ZS10 digital camera.



Housing XZ1

Hs-Dc-Op-XZ1 US \$630.0 Housing for Olympus XZ1 digital camera.



Housing NEX 5N-Z

Hs-DC-Sn-NEX 5NZ IIS \$900.0 Housing for Sony NEX 5N digital camera, complete with zoom port for 18-55mm lens.



Housing Tumax

Hs-St-Tm US \$280.0 Housing for Tumax DSL286AF flash with Canon, Nikon, Olympus & Panasonic versions, TTL sync cord included.



Housing NEX 5R

Hs-DC-Sn-NEX 5R US \$850, 0 Housing for Sony NEX 5R digital camera, complete with flat port for 16mm lens.



Flash Tumax

Hs-St-Tm-F Tumax DSL286AF flash with Canon, Nikon or Olympus &



Housing NEX 5R-Z

Hs-DC-Sn-NEX 5RZ US \$1,000.0 Housing for Sony NEX 5R digital camera, complete with zoom port for 18-55mm lens.



Housing Tumax with Flash

Hs-St-Tm-P US \$320, 0 Tumax DSL286AF flash and aluminium housing,compatible with Canon, Nikon or Olympus & Panasonic cameras, TTL sync cord included.



Housing NEX 5-Z

US \$900.0 Hs-DC-Sn-NEX 5Z Housing for Sony NEX 5 digital camera, complete with zoom port for 18-55mm lens.



Housing 430EX II

Hs-St-Cn-430EXII US \$360.0 Housing for Canon Speedlite 430EX II flash,TTL sync cord included.



Housing QX-100

Hs-DC-Sn-QX100 Housing for Sony QX-100. US \$360, 0



Housing 270EX

Hs-St-Cn-270EX US \$360 0 Housing for Canon Speedlite 270EX flash,TTL sync cord included



Housing 3D W1

Hs-DC-FF-3DW1 US \$630.0 Housing for FujiFilm 3D W1 digital camera.



Housing FL220

Hs-St-Pn-220 Housing for Panasonic FL-220 flash, TTL sync cord



Housing 3D W3

Hs-DC-FF-3DW3 US \$630.0

Housing for FujiFilm 3D W3 digital camera.



Additional Buckle Installation

US \$150.0 Housing additional buckle installation.



Housing GoPro

Hs-Go Aluminium housing for GoPro Hero. US \$190.0



Additional Function Service

US \$100.0 Hs-ZAF Additional function installation services.



Housing GoPro 3

Hs-Go3 Aluminium housing for GoPro Hero 3. US \$190.0



Additional Strobe Port Service

Hs-ZASP Adding one extra strobe port on housing.



Housing GoPro 3+

Hs-G03+ US \$230.0 Aluminium housing for GoPro Hero 3/3+.



Housing Annual Service

US \$54.0 $H_S = 7.S$ Annual manitenance service includes housing inspection & pressure testing (excluding parts).



Action Camera SC90 AL Plus Housing Hs-SC90AL

Aluminium housing with 1080P Action Camera SC90.



Housing Accessories





Am-Hd-L Left handle for 10Bar housings. US \$10.0



Handle R

Am-Hd-R Right handle for 10Bar housings. US \$10.0

US \$3.0



Port M62-F67 x 40

PE-P-M62F67-40 US \$90.0 Screw-on port for thread with 62mm port opening, front filter thread diameter: 67mm, length: 40mm, for ZS3/ZS5/ZS7 housing.



Universal Key

PA-KU

Key for opening all 10Bar housings.



Port M71 x 37

PE-P-M71-37 US \$150.0 Screw-on flat port for G11 housing with 71mm port

thread, length: 37mm.



Knob Adaptor

 $Am\!\!-\!\!K\!-\!A$ US \$3,0

Knob adaptor for attaching to original button on housing.



Port M71 x 43

PE-P-M71-43 US \$150, 0

Screw-on flat port for G10 housing with 71mm port thread, length: 43mm.

Lever Opener

US \$3.0 PA-LO

Lever opener for 10Bar housings.



Port M71-F67 x 17

PE-P-M71F67-17 US \$140.0

Screw-on port for G11 housing with 71mm port thread, front filter thread diameter: 67mm, length: 17mm.

Strobe Port Blank

PA-SP

Protective cover for bulkhead on housing.



Port M71-F67 x 30

PE-P-M71F67-30 US \$150.0

Screw-on port for G11 housing with 71mm Port

thread, front filter thread diameter: 67mm, length: 30mm.



Moisture Alarm Sensor I

Hs-MAS US \$60.0 Moisture alarm sensor for underwater

housing, include: PCB circuit with battery, sensor and extend sensor, spare battery, buzzer, cable retainer, double-sided sticker.



Port M77 x 17

PE-P-M77-17

Screw-on port for housing with 77mm port opening, for Panasonic 20mm;01ympus 17mm and Sony 16mm

lens, length:17mm.



Moisture Alarm Sensor II

Hs-MAS II US \$70.0

Moisture alarm sensor for underwater housing, include: low profile PCB circuit, sensor and extend sensor, battery and spare battery, buzzer, cable retainer, double-sided sticker.



Port M77 x 28

PE-P-M77-28

Screw-on port for housing with 77mm port thread, length: 28mm.



US \$150.0

IIS \$180.0

Pressure Leak Detector

US \$95.0 Hs-STH External device detects pressure leak of underwater housing with female thread M16 port (optional 1/4"-W20, M14 and custom-made available) include suction pump with gauge.



Port M77 x 74

PE-P-M77-74 US \$150.0 Screw-on port for housing with 77mm port thread, for 45mm macro lens on GF1 housing, length:74mm.



Pressure Leak Detector II

Hs-STHII US \$85, 0 External device detects pressure leak of underwater housing with female thread M16 port (optional 1/4"-W20, M14 and custom-made available) include suction pump.



Port M77 x 75

PE-P-M77-75 US \$180.0

Screw-on port for housing with 77mm port thread, length:75mm.



Port & Extension

65

Port M77 x 78 PE-P-M77-78

Screw-on port for housing with 77mm port thread, length: 78mm.

thread, for GH3, GH4 Housing, length:90mm.



Port M58-F67 x 26 PE-P-M58F67-26

US \$150.0

Screw-on port for housing with 58mm port thread, front filter thread diameter: 67mm, length: 26mm, for LX3/LX5 housing.



Port M84 x 90

PE-P-M84-90 Screw-on flat zoom port for housing with 84mm port



Port M62-F67 x 28

PE-P-M62F67-28

Screw-on port for housing with 62mm port thread, front filter thread diameter: 67mm, length: 28mm, for ZS3/ZS5/ZS7 housing.





Web site: http://www.10bar.com Fax: (852) 2811 9180





Port M77 x 100DZ

PE-P-M77-100DZ US \$300.0 Screw-on semi-dome zoom port for housing with 77mm port thread, for Panasonic 14-45/14-42/7-14mm lens;0lympus 9-18/14-42/14-42mm II lens;Sony 18-55mm



Gear Ring 9-18

PE-GR-9/18 US \$80.0 Gear ring for Olympus 9-18mm lens, used with port M77x100DZ.



Port M77 x 125D

PE-P-M77-125D US \$380.0 Screw-on dome port for housing with 77mm port thread, for GF1/GF2/GH1/GH2 and E-PL1/E-PL2 housings.



Gear Ring 12-35 Pan

PE-GR-12/35 Pan Gear ring for Panasonic 12-35mm lens.



US \$80.0

US \$80.0

Port M84 x 125D

PE-P-M84-125D US \$380.0 Screw-on dome port with 84mm port thread, for GH3, GH4 housing.dome diameter:125mm.



Gear Ring 12-50 Oly

PE-GR-12/501y Gear ring for Olympus 12-50mm lens.



Shade 80

PE-S-80 US \$80.0 Hood for 125D dome port, height: 80mm.



Gear Ring 14-42

PE-GR-14/42 US \$80.0 Gear ring for Olympus 14-42mm lens, used with port M77x100DZ.



Extension Ring M77 x 12

PE-ER-77-12 US \$52.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5 housings, length: 12mm.



Gear Ring 14-42 Oly-II

PE-GR-14/42 Oly-II US \$80.0 Gear ring for Olympus 14-42mm II lens, used with port M77x100DZ.



Extension Ring M77 x 30

PE-ER-77-30 US \$60.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5 housings, length: 30mm.



Gear Ring 14-42 Pan

PE-GR-14/42 Pan US \$80.0 Gear ring for Panasonic 14-42mm lens, used with port M77x100DZ.



Extension Ring M77 x 40

PE-ER-77-40 US \$60.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5 housings, length: 40mm.



Gear Ring 14-42 Pan-PZ

PE-GR-14/42 Pan-PZ US \$70.0 Gear ring for Panasonic 14-42mm power zoom lens.



Extension Ring M77 x 50

PE-ER-77-50 US \$60.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5 housings, length: 50mm.



Gear Ring 14-45

PE-GR-14/45 US \$80.0 Gear ring for Panasonic 14-45mm lens, used with port M77x100DZ.



Extension Ring M77 x 70

PE-ER-77-70 US \$60.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5 housings, length: 70mm.



Gear Ring 18-55

PE-GR-18/55 US \$80.0 Gear ring for Sony 18-55mm lens, used with port M77x100DZ.



Port Adaptor Ring M84-F77

PE-AR-M84F77 US \$60.0 Screw-on port adaptor ring, for M77 series ports on housing with 84mm port thread.



Gear Ring 18-55 Cn PE-GR-18/55Cn

Gear ring for Canon 18-55mm Lens.



Gear Ring 7-14

PE-GR-7/14 US \$80.0 Gear ring for Panasonic 7-14mm lens, used with port M77x100DZ.



Filter & Diffuser

JUBAK

Filter & Diffuser

50

Filter Red 34

FL-Ft-R-34 Push-on type red filter for Pixtreme 3.1 housing, diameter:34mm. US \$35.0



Filter Red 41

FL-Ft-R-41 US \$35.0

Push-On type red filter, diameter:41mm.



Filter Red 64

FL-Ft-R-64 US \$63.0 Push-On type red filter for Sea & Sea 20mm

lens, diameter:64mm.



Filter Red 43

FL-Ft-R-43 Push-On type red filter for Olympus Stylus 720SW

housing, diameter: 43mm.



Filter Red 67

FL-Ft-R-67 Push-On type red filter, diameter:67mm.

Filter Red 46

FL-Ft-R-46 US \$40.0 Push-On type red filter for Fuji WP-FXF30

housing, diameter: 46mm.



Filter Red 74

FL-Ft-R-74 US \$63.0 Push-On type red filter, diameter: 74mm.

US \$63.0

US \$63.0

US \$70.0

US \$70.0

US \$70.0

Filter Red 48

FL-Ft-R-48 US \$40.0

Push-On type red filter for CP5, Canon DC800

housing, diameter:48mm.



Filter Red 78.2

FL-Ft-R-78.2 US \$63.0 Push-On type red filter for Inon UWL105AD conversion

lens, diameter: 78.2mm.



Filter Red 49

FL-Ft-R-49 US \$40 0

Push-On type red filter for CP2 housing, diameter:49mm.



Filter Red 79.5

FL-Ft-R-79.5

Push-On type red filter for G10 housing, diameter: 79.5mm.

Filter Red 51

FL-Ft-R-51 Push-On type red filter for Sony P1, Fuji 402, Canon

S70, Pentax S4i housing, diameter:51mm.



Filter Red 80

FL-Ft-R-80 Push-On type red filter for conversion wide lens

M46, diameter:80mm.



Filter Red 52

FL-Ft-R-52

Push-On type red filter, diameter: 52mm.



US \$35.0

Filter Red 87.5

FL-Ft-R-87.5

Push-On type red filter, diameter: 87.5mm.



Filter Red 56

FL-Ft-R-56 US \$40.0

Push-On type red filter for CP4 housing, diameter:56mm.



Filter Red 89

FL-Ft-R-89 Push-On type red filter, diameter:89mm.



Filter Red 58

FL-Ft-R-58US \$40.0

Push-On type red filter for Canon WP-DC1

housing, diameter:58mm.



Filter Red 90

FL-Ft-R-90

Push-On type red filter, diameter: 90mm.



Filter Red 60

FL-Ft-R-60 IIS \$40.0 Push-On type red filter for Sea & Sea DX-1G

housing, diameter:60mm.



Filter Red 92

FL-Ft-R-92 US \$70.0 Push-On type red filter for G11 housing, diameter:92mm.



Filter Red 63

FL-Ft-R-63 US \$63.0

Push-On type red filter for Sony P10

housing, diameter:63mm.



Filter Red 95

FL-Ft-R-95

Push-on type red filter for Sea & Sea 0.56X

Lens, diameter:95mm.





Filter Red 96

FL-Ft-R-96 US \$75.0 Push-on type red filter for Epoque DCL-20 Lens, CP8800 housing, diameter:96mm.



Filter Red D170A

FL-Ft-R-D170A US \$95.0 Red filter with fine adjustment for 170mm wide dome port.



Filter Red 97

FL-Ft-R-97 Push-on type red filter, diameter:97mm.



US \$75.0

US \$85.0

US \$90.0

Filter Red Adjustable 25-50

FL-Ft-R-ADJ2550 Red filter adjustable to fit housing with port diameter 25 to 50mm.



Filter Red 100

FL-Ft-R-100 US \$75.0

Push-on type red filter, diameter:100mm.



Filter Red Adjustable 50-75

FL-Ft-R-ADJ5075 US \$65.0 Red filter adjustable to fit housing with port diameter 50 to 75mm.



Filter Red 114

US \$80.0 FL-Ft-R-114 Push-on type red filter, for wide angle lens port M58-F104, diameter:114mm.



Filter Red Adjustable 75-100

FL-Ft-R-ADJ75100 Red filter adjustable to fit housing with port diameter 75 to 100mm.



Filter Red 120

FL-Ft-R-120 US \$85, 0 Push-on type red filter, diameter:120mm.



Filter Red Adjustable R70-135

FL-Ft-R-ADJ70135 US \$110 0 Red filter adjustable to fit rectangular port with diagonal dimension 70 to 135mm and round port 60 to 100mm diameter



Filter Red 127

FL-Ft-R-127

Push-on type red filter, diameter:127mm.



Filter Red D20

FL-Ft-R-D20 Push-on type red filter for Canon D20 housing.



Filter Red 130

FL-Ft-R-130 US \$85.0 Push-on type red filter for Olympus wide conversion lens PTWC-01, diameter: 130mm.



Filter Red F100/200

FL-Ft-R-F100 US \$100.0 Push-on type red filter for Fuji FX-F80/F100/200 housing.



Filter Red 145

FL-Ft-R-145 Push-on type red filter, diameter: 145mm.



Filter Red G7/G9

FL-Ft-R-G7/G9 US \$100.0 Push-on type red filter for Canon G7/G9, DC18 housing.



Filter Red 150

FL-Ft-R-150 US \$90.0

Push-on type red filter for Olympus C8080 housing, diameter: 150mm.



Filter Red G10/G11/G12/G15

FL-Ft-R-G10 US \$100, 0 Push-on type red filter for Canon G10/G11/G12/G15 housing.



Filter Red 53 AD

FL-Ft-R-53AD IIS \$60.0 Red filter with compatible ADF and ADM mount, diameter:53mm.



Filter Red G1X

FL-Ft-R-G1X US \$100.0 Push-on type red filter for Canon G1X housing.



Filter Red D127A

FL-Ft-R-D127A Red filter with fine adjustment for 127mm wide dome port.



Filter Red S95

FL-Ft-R-S95 Push-on type red filter for Canon S95 housing.



2024-2-1

Filter Red TZ7

FL-Ft-R-TZ7 US \$100.0 Push-On type red filter for Panasonic TZ7 housing.



Filter Red M55D

FL-Ft-R-M55 US \$40.0 Screw-on type red filter, with male and internal thread diameter:55mm.



Filter Red GoPro 2

FL-Ft-R-Go2 US \$40.0 Push-on type red filter for GoPro Hero 2 housing.



Filter Red M58D

FL-Ft-R-M58 US \$45.0 Screw-on type red filter, with male and internal thread diameter:58mm.



Filter Red GoPro 3

FL-Ft-R-Go3 US \$35.0 Push-on type red filter for GoPro Hero 3 housing.



Filter Red M67D

FL-Ft-R-M67 US \$48.0 Screw-on type red filter, with male and internal thread diameter:67mm.



Filter Red GoPro 3+/4

FL-Ft-R-Go3+ US \$35.0 Push-on type red filter for GoPro Hero 3+ & 4 housing.



Filter Red M72D

FL-Ft-R-M72 US \$63.0 Screw-on type red filter, with male and internal thread diameter:72mm



Filter Red GoPro 5

FL-Ft-R-Go5 US \$35.0 Push-on type red filter for GoPro Hero 5 housing.



Filter Magenta 52

FL-Ft-M-52 US \$35.0 Push-on type magenta filter, diameter:52mm.



Filter Red GoPro 8

FL-Ft-R-Go8 US \$35.0 Push-on type red filter for GoPro Hero 8 housing.



Filter Magenta M46D

FL-Ft-M-M46 US \$35.0 Screw-on type magenta filter, with male and internal thread diameter:46mm.



Filter Red SP1

FL-Ft-R-SP1 US \$35.0

Push-on type red filter for SP1 housing.



Filter Magenta M58D

FL-Ft-M-M58 US \$45.0 Screw-on type magenta filter, with male and internal thread diameter:58mm.



Filter Red M37

FL-Ft-R-M37 US \$35.0 Screw-on type red filter, with male and internal thread diameter:37mm.



Filter Magenta M67D

FL-Ft-M-M67 US \$48.0 Screw-on type magenta filter, with male and internal thread diameter:67mm.



Filter Red M40.5

FL-Ft-R-M40.5 Screw-on type red filter, with male and internal thread diameter:40.5mm.



Filter Magenta GoPro 3

FL-Ft-M-Go3 US \$35.0 Push-on type magenta filter for GoPro Hero 3 housing.



Filter Red M46D

FL-Ft-R-M46 US \$35.0 Screw-on type red filter, with male and internal thread diameter: 46mm.



Filter Magenta GoPro 3+/4

FL-Ft-M-Go3+ US \$35.0 Push-on type magenta filter for GoPro Hero 3+ & 4 housing.



Filter Red M52D

FL-Ft-R-M52 US \$40.0 Screw-on type red filter, with male and internal thread diameter:52mm.



Filter Magenta GoPro 5

FL-Ft-M-Go5 US \$35.0 Push-on type magenta filter for GoPro Hero 5 housing.



Filter Magenta GoPro 8

FL-Ft-M-Go8 US \$35.0 Push-on type magenta filter for GoPro Hero 8 housing.



Filter Yellow GoPro 3+/4

FL-Ft-Y-Go3+/4 US \$35.0 Push-on type yellow filter for GoPro Hero 3+ & 4 housing.



Filter Magenta D127A

FL-Ft-M-D127A US \$85.0 Magenta filter with fine adjustment for 127mm wide dome port.



Filter Yellow GoPro 5

FL-Ft-Y-Go5 US \$35.0 Push-on type yellow filter for GoPro Hero 5 housing.



Filter Magenta D170A

FL-Ft-M-D170A US \$95.0 Magenta filter with fine adjustment for 170mm wide dome port.



Filter Yellow GoPro 8

FL-Ft-Y-Go8 US \$35.0 Push-on type yellow filter for GoPro Hero 8 housing.



Filter Magenta Adjustable 25-50

FL-Ft-M-ADJ2550 US \$40.0 Magenta filter adjustable to fit housing with port diameter 25 to 50mm.



Filter Yellow D127A

FL-Ft-Y-D127A US \$85.0 Yellow filter with fine adjustment for 127mm wide dome port.



Filter Magenta Adjustable 50-75

FL-Ft-M-ADJ5075 US \$65.0 Magenta filter adjustable to fit housing with port diameter 50 to 75mm.



Filter Yellow D170A

FL-Ft-Y-D170A US \$95.0 Yellow filter with fine adjustment for 170mm wide dome port.



Filter Magenta Adjustable 75-100

FL-Ft-M-ADJ75100 US \$95.(
Magenta filter adjustable to fit housing with port
diameter 75 to 100mm.



Filter Yellow Mask

FL-Ft-Y-Ma Yellow filter for mask. US \$15.0



Filter Magenta 53 AD

FL-Ft-M-53AD US \$60.0 Magenta filter with compatible ADF and ADM mount, diameter:53mm.



Filter Yellow Adjustable 25-50

FL-Ft-Y-ADJ2550 US \$40.0 Yellow filter adjustable to fit housing with port diameter 25 to 50mm.



Filter Yellow M52D

FL-Ft-Y-M52 US \$40.0 Screw-on type yellow filter, with male and internal thread diameter:52mm.



Filter Yellow Adjustable 50-75

FL-Ft-Y-ADJ5075 US \$65.0 Yellow filter adjustable to fit housing with port diameter 50 to 75mm.



Filter Yellow M55D

FL-Ft-Y-M55 US \$40.0 Screw-on type yellow filter, with male and internal thread diameter:55mm.



Filter Yellow Adjustable 75-100

FL-Ft-Y-ADJ75100 US \$95.0 Yellow filter adjustable to fit housing with port diameter 75 to 100mm.



Filter Yellow M67D

FL-Ft-Y-M67 US \$48.0 Screw-on type yellow filter, with male and internal thread diameter:67mm.



Cap WB 39

FL-Cp-WB-39 US \$7.0 Push-on type white balance filter, diameter:39mm.



Filter Yellow GoPro 3

FL-Ft-Y-Go3 US \$35.0 Push-on type yellow filter for GoPro Hero 3 housing.



Cap WB 60

FL-Cp-WB-60 US \$7. Push-on type white balance filter, diameter:60mm.





Cap WB 63

FL-Cp-WB-63 US \$7.0

Push-on type white balance filter, diameter: 63mm.



Filter Set GoPro 2

US \$80.0 FL-Ft-Set-Go2 Red/Magenta flip filter set for GoPro Hero 2 housing.



Cap WB 64

FL-Cp-WB-64 Push-on type white balance filter, diameter:64mm.



Filter Set GoPro 3

FL-Ft-Set-Go3 Red/Magenta flip filter set for GoPro Hero 3 housing.



Cap WB 67

FL-Cp-WB-67 US \$7.0 Push-on type white balance filter, diameter:67mm.



Filter Set GoPro 3+/4

FL-Ft-Set-Go3+ US \$70.0 Red/Magenta flip filter set for GoPro Hero 3+ & 4 housing.



Cap WB 89

FL-Cp-WB-89 US \$12.0

Push-on type white balance filter, diameter:89mm.



Filter Set GoPro 5

FL-Ft-Set-Go5 US \$70.0 Red/Magenta flip filter set for GoPro Hero 5 housing.



Cap WB 90

FL-Cp-WB-90 US \$12.0

Push-on type white balance filter, diameter:90mm.




Filter Set GoPro 8

FL-Ft-Set-Go8 US \$70.0 Red/Magenta flip filter set for GoPro Hero 8 housing.



Cap WB 96

FL-Cp-WB-96





Flip Filter Red Adaptor Go3 - F52

FL-Ft-R-Fp-Go3F52 Red flip filter with 52mm adaptor ring for GoPro Hero



Cap WB 120

FL-Cp-WB-120 US \$25.0

Push-on type white balance filter, diameter: 120mm.



Flip Filter Red Adaptor Go3 - F55 FL-Ft-R-Fp-Go3F55 US \$55.0

Red flip filter with 55mm adaptor ring for GoPro Hero 3 housing.



Filter Neutral Density GoPro 3

US \$35.0 FL-Ft-N-Go3 Push-on type neutral density filter for GoPro Hero 3.



Flip Filter Red Adaptor Go3 - F58 FL-Ft-R-Fp-Go3F58 US \$55.0 Red flip filter with 58mm adaptor ring for GoPro Hero

3 housing.



Filter Neutral Density SP1 FL-Ft-N-SP1

US \$30.0 Push-on type neutral density filter for SP1 housing.



Flip Filter Red Adaptor Go3 - F67

FL-Ft-R-Fp-Go3F67 US \$55.0 Red flip filter with 67mm adaptor ring for GoPro Hero 3 housing.



Filter UV GoPro 3

FL-Ft-U-Go3 US \$35.0 Push-on type uv filter for GoPro Hero 3 housing.



Flip Filter Red Adaptor Go3+ - F52 FL-Ft-R-Fn-Go3+F52 US \$55.0 Red flip filter with 52mm adaptor ring for GoPro Hero

3+ housing.



Filter UV SP1

FL-Ft-U-SP1 US \$30.0 Push-on type uv filter for SP1 housing.



Flip Filter Red Adaptor Go3+ - F55 FL-Ft-R-Fp-Go3+F55 US \$55.0 Red flip filter with 55mm adaptor ring for GoPro Hero 3+ housing.





Flip Filter Red Adaptor Go3+ - F58 US \$55. 0 FL-Ft-R-Fp-Go3+F58 Red flip filter with 58mm adaptor ring for GoPro Hero 3+ housing.



Snoot Multi Color Filters M15

FL-Ft-CSL US \$30.0 Multi Color Filters with M15 thread with rotary wheel US \$30.0 of red/blue/yellow/white/orange/green compatible with Snoot S, M, L, T(adaptor required).



Flip Filter Red Adaptor Go3+ - F67 FL-Ft-R-Fp-Go3+F67 US \$55.0

Red flip filter with 67mm adaptor ring for GoPro Hero



Dome Diffuser S2000 FL-DD-S2000

Dome diffuser for Inon S-2000.



US \$60.0

Flip Filter Red Adaptor Go5 - F52

FL-Ft-R-Fp-Go5F52 US \$55.0 Red flip filter with 52mm adaptor ring for GoPro Hero 5 housing.



Dome Diffuser YS-D1/D2

FL-DD-YSD1 US \$60.0 Dome diffuser for Sea & Sea YS-D1/YS-D2.



Flip Filter Red Adaptor Go5 - F55

FL-Ft-R-Fp-Go5F55 US \$55.0 Red flip filter with 55mm adaptor ring for GoPro Hero



Dome Diffuser Z-240 FL-DD-Z240

Dome diffuser for Inon Z-240.

US \$60.0

Flip Filter Red Adaptor Go5 - F58

FL-Ft-R-Fp-Go5F58 US \$55.0 Red flip filter with 58mm adaptor ring for GoPro Hero 5 housing.



Dome Diffuser YS110/110 Alpha

US \$60.0 FL-DD-YS110 Dome diffuser for Sea & Sea YS-110/110 Alpha.



Flip Filter Red Adaptor Go5 - F67

FL-Ft-R-Fp-Go5F67 US \$55.0 Red flip filter with 67mm adaptor ring for GoPro Hero 5 housing.



Dome Diffuser DS-125/160/161

FL-DD-125 Dome diffuser for Ikelite DS-125/DS-160/DS-161.



Flip Filter Red Adaptor Go8 - F52

FL-Ft-R-Fp-Go8F52 US \$55.0 Red flip filter with 52mm adaptor ring for GoPro Hero 8 housing.



Dome Diffuser YS01

FL-DD-UFL3 US \$60.0 Dome diffuser for Sea & Sea YSO1-3 and Olympus UFL-3.



Flip Filter Red Adaptor Go8 - F55

FL-Ft-R-Fp-Go8F55 US \$55.0 Red flip filter with 55mm adaptor ring for GoPro Hero 8 housing.



Dome Diffuser 34

FL-DD-LED34 US \$30.0 Dome Diffuser for LED flashlight, diameter: 34mm, convert the narrow and hot beam from torch to a soft, wide and diffused light source for photo and video shooting.



Flip Filter Red Adaptor Go8 - F58

FL-Ft-R-Fp-Go8F58 US \$55, 0 Red flip filter with 58mm adaptor ring for GoPro Hero 8 housing.



Dome Diffuser 38

FL-DD-LED38 US \$30.0 Dome Diffuser for LED flashlight, diameter: 38mm, convert the narrow and hot beam from torch to a soft, wide and diffused light source for photo and video shooting.



Flip Filter Red Adaptor Go8 - F67

FL-Ft-R-Fp-Go8F67 US \$55. 0 Red flip filter with 67mm adaptor ring for GoPro Hero



Dome Diffuser 39 FL-DD-LED39

US \$30.0 Dome Diffuser for LED flashlight, diameter:39mm,convert the narrow and hot beam from torch to a soft, wide and diffused light source for photo and video shooting.



Snoot Multi Color Filters M9

FL-Ft-CS Multi Color Filters with M9 thread with rotary wheel of red/blue/yellow/white/orange/green compatible with Snoot S, M, L, T(adaptor required).

Tel: (852) 2573 3228



Dome Diffuser 46

FL-DD-LED46 Dome Diffuser for LED flashlight, diameter:46mm, convert the narrow and hot beam from the torch to a soft, wide and diffused light source for photo and video shooting.





Dome Diffuser 49 BB

FL-DD-LED49

US \$38.0

Dome Diffuser for LED flashlight 3100P/3500P/6000P/6500P/8800P/SL

PV32, diameter: 49mm, convert the narrow and hot beam from torch to a soft, wide and diffused light source for photo and video shooting.



Macro Lens M58-F67 Mc-Ls-M58

US \$50.0 Single element macro lens with screw-on

type, magnification: +12, internal thread:67mm, outer thread:58mm.



Dome Diffuser 56 XA

FL-DD-LED56

Dome Diffuser for LED flashlight

M5000, diameter:56mm, convert the narrow and hot beam from torch to a soft, wide and diffused light source for photo and video shooting.



Macro Lens M58-F58

Mc-Ls-M58II

US \$50.0

Single element macro lens screw-on type, magnification: +12, internal thread:58mm, exteral thread:58mm.



Dome Diffuser Adjustable 25-50

FL-DD-LED2550

Dome Diffuser adjustable to fit light source device with front diameter 25 to 50mm, converting the narrow and hot light beam to soft, wide and diffused light



Macro Lens M58 Set

Mc-Ls-M58II

US \$90.0

Two elements macro lens screw-on type, magnification: +20, internal thread: 67mm, external thread:58mm.



Dome Diffuser Adjustable 50-75

FL-DD-LED5075

US \$50.0

Dome Diffuser adjustable to fit light source device with front diameter 50 to 75mm, converting the narrow and hot light beam to soft, wide and diffused light



Macro Lens +4 M67

Mc-Ls-4M67

US \$30.0 Single element macro lens, magnification: +4, thread diameter:67mm.



Dome Diffuser Adjustable 75-100

FL-DD-LED75100

Dome Diffuser adjustable to fit light source device with front diameter 75 to 100mm, converting the narrow and hot light beam to soft, wide and diffused light



Macro Lens +10 M67

Mc-Ls-10M67

US \$35.0 Single element macro lens, magnification: +10,thread diameter:67mm.



Lens

Macro Lens M67

Mc-Ls-M67

Two element macro lens with screw-on type, thread diameter:67mm.



Macro Lens +10 M46

Mc-Ls-10M46

US \$20.0

Single element macro lens, magnification: +10, thread diameter:46mm.



Wide-angle Conversion Lens M67

CV-WC-M67

US \$150.0 Two elemen wide-angle conversion lens with thread

diameter M67. Wide 0.45X.



Macro Lens +10 M49

Single element macro lens, magnification: +10, thread diameter:49mm.



Wide-angle Conversion Lens M67-F104 CV-WC-M67F104 US \$250.0

Two elemen wide-angle lens port, use with port M104x125FD, rear diameter:67mm, front diameter:104mm.



Macro Lens +10 M52

Mc-Ls-10M52

US \$25.0

Single element macro lens, magnification: +10, thread diameter:52mm.



Filter & Lens Accessories



Mc-Ls-4M55

Screw-on type macro lens, magnification: +4, outer thread diameter:55mm.



Adaptor Ring F28-M55

FL-AR-F28-M55

Aluminum adaptor ring, internal thread:28mm, outer



Macro Lens +10 M55

Mc-Ls-10M55

US \$30.0

Single element macro lens, magnification: +10, thread diameter:55mm.



Adaptor Ring F43-M67

FL-AR-F43-M67

US \$8.0 Aluminum adaptor ring with F43 front thread for attaching 43mm accessories to housing with 67mm port



Macro Lens +10 M58

Mc-Ls-10M58

Single element macro lens, magnification: +10, thread



Adaptor Ring F46-M40.5

FL-AR-F46-M40.5

Aluminum adaptor ring with F46 front thread for attaching 46mm accessories to housing with 40.5mm port thread.





Adaptor Ring F46-M67

FL-AR-F46-M67 US \$8.0 Aluminum adaptor ring with F46 front thread for attaching 46mm accessories to housing with 67mm port thread.



Adaptor Ring F55-M62

FL-AR-F55-M62

Aluminum adaptor ring with F55 front thread for attaching 55mm accessories to housing with 62mm port thread.



Adaptor Ring F49-M30.5

FL-AR-F49-M30.5 US \$8.0 Aluminum adaptor ring, internal thread:49mm, outer thread:30.5mm.



Adaptor Ring F55-M67

FL-AR-F55-M67 US \$8.0 Aluminum adaptor ring with F55 front thread for attaching 55mm accessories to housing with 67mm port thread.



Adaptor Ring F49-M55

FL-AR-F49-M55 US \$8.0 Aluminum adaptor ring, internal thread:49mm, outer thread:55mm.



Adaptor Ring F57-M55

FL-AR-F57-M55 US \$8.0 Aluminum adaptor ring, internal thread:57mm, outer thread:55mm.



Adaptor Ring F49-M67

FL-AR-F49-M67 US \$8.0 Aluminum adaptor ring with F49 front thread for attaching 49mm accessories to housing with 67mm port



Adaptor Ring F58-M55

FL-AR-F58-M55 US \$8.0 Aluminum adaptor ring, internal thread:58mm, outer thread:55mm.



Adaptor Ring F52-M34

FL-AR-F52-M34 US \$8.0 Aluminum adaptor ring, internal thread:52mm, outer thread:34mm.



Adaptor Ring F58-M62

FL-AR-F58-M62 US \$8.0 Aluminum adaptor ring, internal thread:58mm, outer thread:62mm.



Adaptor Ring F52-M49

FL-AR-F52-M49 US \$8.0 Aluminum adaptor ring with F52 front thread for attaching 52mm accessories to housing with 49mm port thread.



Adaptor Ring F58-M67

FL-AR-F58-M67 US \$8.0 Aluminum adaptor ring with F58 front thread for attaching 58mm accessories to housing with 67mm port thread.



Adaptor Ring F52-M55

FL-AR-F52-M55 US \$8.0 Aluminum adaptor ring with F52 front thread for attaching 52mm accessories to housing with 55mm port thread.



Adaptor Ring F60-M58

FL-AR-F60-M58 US \$8.0 Aluminum adaptor ring, internal thread:60mm, outer thread:58mm.



Adaptor Ring F52-M62

FL-AR-F52-M62 US \$8.0 Aluminum adaptor ring, internal thread:52mm, outer



Adaptor Ring F62-M67

FL-AR-F62-M67 US \$8.0 Aluminum adaptor ring, internal thread:62mm, outer thread:67mm.



Adaptor Ring F52-M67

FL-AR-F52-M67 US \$8.0 Aluminum adaptor ring, internal thread:52mm, outer thread:67mm.



Adaptor Ring F62-M72

FL-AR-F62-M72 US \$10.0 Aluminum adaptor ring, internal thread:62mm, outer thread:72mm.



Adaptor Ring F55-M46

FL-AR-F55-M46 US \$8.0 Aluminum adaptor ring with F55 front thread for attaching 55mm accessories to housing with 46mm port thread.



Adaptor Ring F67-M40.5

FL-AR-F67-M40.5 US \$8.0 Aluminum adaptor ring with F67 front thread for attaching 67mm accessories to housing with 40.5mm port thread.



Adaptor Ring F55-M52

FL-AR-F55-M52 US \$8. Aluminum adaptor ring, internal thread:55mm, outer thread:52mm.



Adaptor Ring F67-M46

FL-AR-F67-M46 US \$8.0 Aluminum adaptor ring with F67 front thread for attaching 67mm accessories to housing with 46mm port thread.



Adaptor Ring F67-M52

FL-AR-F67-M52 US \$8.0 Aluminum adaptor ring, internal thread:67mm, outer thread:52mm.



Adaptor Ring F86-M77

FL-AR-F86-M77 US \$12.0 Aluminum adaptor ring, internal thread:86mm, outer thread:77mm.



Adaptor Ring F67-M55

FL-AR-F67-M55 US \$8.0 Aluminum adaptor ring with F67 front thread for attaching 67mm accessories to housing with 55mm port thread.



Lens Holder F46

FL-Lh-F46 US \$25.0 Lens holder with F46 front thread for attaching 46mm lens.



Adaptor Ring F67-M58

FL-AR-F67-M58

US \$8.0

Aluminum adaptor ring with F67 front thread for attaching 67mm accessories to housing with 58mm port thread.



Lens Holder F52

FL-Lh-F52 US \$25.0 Lens holder with F52 front thread for attaching 46mm lens.



Adaptor Ring F67-M62

FL-AR-F67-M62 US \$8.0 Aluminum adaptor ring with F67 front thread for attaching 67mm accessories to housing with 62mm port



Lens Holder F55

FL-Lh-F55 US \$25.0 Lens holder with F55 front thread for attaching 55mm



Adaptor Ring F67-M72

FL-AR-F67-M72 US \$10.0 Aluminum adaptor ring with F67 front thread for attaching 67mm accessories to housing with 72mm port thread.



Lens Holder F58

FL-Lh-F58 US \$25.0 Lens holder with F58 front thread for attaching 58mm lens.



Adaptor Ring F72-M55

thread:55mm.

FL-AR-F72-M55 US \$10.0 Aluminum adaptor ring, internal thread:72mm, outer



Lens Holder F67

FL-Lh-F67 US \$25.0 Lens holder with F67 front thread for attaching 67mm



Adaptor Ring F72-M58

FL-AR-F72-M58 US \$10.0 Aluminum adaptor ring, internal thread:72mm, outer thread:58mm.



Lens Holder F67 S

FL-Lh-F67s US \$25.0 Lens holder with F67 front thread for attaching 67mm lens, comes with velcro tapes.



Adaptor Ring F72-M67

FL-AR-F72-M67

Aluminum adaptor ring with F72 front thread for attaching 72mm accessories to housing with 67mm port



Lens Holder U F55

FL-LhU-F55 US \$35.0 Universal lens adaptor with F55 front thread for small housing and stay slot.



Adaptor Ring F72-M74

FL-AR-F72-M74 US \$10.0 Aluminum adaptor ring, internal thread:72mm, outer thread:74mm.



Lens Holder U F67

FL-LhU-F67 US \$35.0 Universal lens adaptor with F67 front thread for small housing and stay slot.



Adaptor Ring F77-M62

FL-AR-F77-M62 US \$10.0 Aluminum adaptor ring, internal thread:77mm, outer thread:62mm.



Adaptor Ring D20-F46

FL-AR-D20-F46 US \$53.0 Push-on type adaptor ring for Canon D20 housing with F46 front thread for attaching 46mm accessories.



Adaptor Ring F77-M72

FL-AR-F77-M72 US \$10. Aluminum adaptor ring, internal thread:77mm, outer thread:72mm.



Adaptor Ring D20-F52

FL-AR-D20-F52 US \$53.0 Push-on type adaptor ring for Canon D20 housing with F52 front thread for attaching 52mm accessories.



Adaptor Ring D20-F55

FL-AR-D20-F55 US \$53.0 Push-on type adaptor ring for Canon D20 housing with F55 front thread for attaching 55mm accessories.



Adaptor Ring 50-F46

FL-AR-50-F46 US \$12.0 Push-on type adaptor ring for 50mm bezel with F46 front thread for attaching 46mm accessories.



Adaptor Ring G9-F67

FL-AR-G9-F67 US \$53.0 Adaptor ring for Canon G7/G9 housing bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring 56-F46

FL-AR-56-F46 US \$12. Push-on type adaptor ring for 56mm bezel with F46 front thread for attaching 46mm accessories.



Adaptor Ring G10-F67

FL-AR-G10-F67 US \$53.0 Adaptor ring for Canon G10/G11/G12/G15 housing bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring 56-F52

FL-AR-56-F52 US \$12.0 Push-on type adaptor ring for 56mm bezel with F52 front thread for attaching 52mm accessories.



Adaptor Ring G1X-F67

FL-AR-G1X-F67 US \$53.0 Push-on Type adaptor ring for Canon G1X housing bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring 56-F67

FL-AR-56-F67 US \$12.0 Push-on type adaptor ring for 56mm bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring S95-F67

FL-AR-S95-F67 US \$53.0 Adaptor ring for Canon S95 housing bezel with F67

front thread for attaching 67mm accessories.



Adaptor Ring 80-F67

FL-AR-80-F67 US \$25.0 Push-on type adaptor ring for 80mm bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring ADM F55

FL-AR-ADM-F55 US \$12.0 Adaptor ring with thread and ADM mount, outside



Adaptor Ring 92-F67

FL-AR-92-F67 US \$28. Push-on type adaptor ring for 92mm bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring ADM F67

FL-AR-ADM-F67 US \$12.0 Adaptor ring with thread and ADM mount, outside diameter:67mm.



Adaptor Ring Adjustable 50-75 F67

FL-AR-ADJ-5075F67 US \$25.0 Adjustable adaptor ring with F67mm front thread, for round port 50 to 75mm diameter



Adaptor Ring ADF M46

FL-AR-ADF-M46 US \$12.0

Adaptor ring with thread and ADF mount,outside diameter:46mm.



Adaptor Ring D127-F67

FL-AR-127-F67 US \$48.0 127mm adaptor ring for attaching 67mm accessories in front of Semi-dome port.



Adaptor Ring ADF M55

FL-AR-ADF-M55 US \$12.0

Adaptor ring with thread and ADF mount, outside diameter: 55mm.



Adaptor Ring Adjustable R50-75 F67 FL-AR-ADJ-R5075F67 US \$30.

FL-AR-ADJ-R5075F67 US \$30.0 Adjustable adaptor ring with F67mm front thread, for rectangular ports with diagonal 50 to 75mm and round port 35 to 45mm diameter



Adaptor Ring ADF M67

FL-AR-ADF-M67 US \$12.0

Adaptor ring with thread and ADF mount, outside diameter:67mm.



Adaptor Ring Adjustable R70-135 F67 FL-AR-ADJ-R70135F67 US \$35.0

Adjustable adaptor ring with F67mm front thread, for rectangular ports with diagonal 70 to 135mm and round port 60 to 115mm diameter



Adaptor Ring 48-F46

FL-AR-48-F46 US \$12. Push-on type adaptor ring for 48mm bezel with F46

Push—on type adaptor ring for 48mm bezel with F4 front thread for attaching 46mm accessories.



Arms

BJ Arm 12 AL Am-BJ-AL-A12

Aluminium ball joint arm, length:12cm.

US \$12.0



50



Price List - USD	
BJ Arm 15 AL Am-BJ-AL-A15 Aluminium ball joint arm, length:15cm.	BJ & YS Arm 20N AL Am-BJ-AL-A20N Aluminium arm with BJ & YS mount ends, length: 20cm.
BJ Arm 20 AL Am-BJ-AL-A20 Aluminium ball joint arm,length:20cm.	BJ & YS Arm 23N AL Am-BJ-AL-A23N Aluminium arm with BJ & YS mount ends, length:23cm.
BJ Arm 23 AL Am-BJ-AL-A23 Aluminium ball joint arm, length:23cm.	BJ Connector 7 AL Am-ABJ-AL-7 Aluminium Ball end, for fixing to arms and stay with 1/4"-W20 female thread, length:7cm.
BJ Arm 30 AL Am-BJ-AL-A30 US \$24.0 Aluminium ball joint arm, length:30cm.	BJ Connector 10 AL Am-ABJ-AL-10 Aluminium Ball end, for fixing to arms and stay with 1/4"-W20 female thread, length:10cm
BJ Arm 35 AL Am-BJ-AL-A35 US \$28.0 Aluminium ball joint arm,length:35cm.	BJ GoPro Connector 8 Am-BJG-8 Aluminium Ball end with GoPro mount, length:8cm.
BJ Arm 40 AL Am-BJ-AL-A40 US \$32.0 Aluminium ball joint arm, length:40cm.	BJ Arm E30 Am-BJM-AL-E30 Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, retracted length 20cm extended to 30cm, Custom-made sizes are also available.
BJ Arm 15N AL Am-BJ-AL-AN15 Aluminium ball joint arm with female 1/4"-W20 thread, length:15cm.	BJ Arm E50 Am-BJM-AL-E50 Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, retracted length 36cm extended to 58cm, Custom-made sizes are also available.
BJ Arm 20N AL Am-BJ-AL-AN20 Aluminium ball joint arm with two female 1/4"-W20 thread, length:20cm.	BJ Arm E60 with Two holders Am-BJM-AL-E60C Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, with two holders, retracted length 47cm extended to 60cm, Custom-made sizes are also available.
BJ Arm 23N AL Am-BJ-AL-AN23 Aluminium ball joint arm with two female 1/4"-W20 thread, length:23cm.	BJ Arm E70 Am-BJM-AL-E70 Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, retracted length 46cm extended to 78cm, Custom-made sizes are also available.
BJ Arm 30N AL Am-BJ-AL-AN30 Aluminium ball joint arm with two female 1/4"-W20 thread, length:30cm.	BJ Arm E80 with Two holders Am-BJM-AL-E80C US \$43.0 Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, with two holders, retracted length 52cm extended to 80cm, Custom-made sizes are also available.
BJ & YS Arm 15N AL Am-BJ-AL-A15N Aluminium arm with BJ & YS mount ends, length:15cm.	BJ Arm E90 Am-BJM-AL-E90 Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, retracted length 56cm extended to 98cm, Custom-made sizes are also available.



BI Kit

Am-BI-K US \$12.0 BJ kit for attaching to stay slot creating an extra

ball head for BJ system.



BI Lock 77 WM8

US \$22.0 Am-BT-LM-77 Aluminium BJ lock with M8 screw, length:77mm.



BJ Base Handle C1

Am-BJ-Bas-H-C1

Aluminium ball joint handle for attaching to T1



BJ Ball F40

Am-BJ-LF-40 Aluminium BJ Ball with female 1/4"-W20

thread, length: 40mm for direct mount on monopole pointer or 1/4"-W20 connector.



US \$10.0

US \$8.0

US \$20.0

BJ Clamp AL w/ knob AL

Am-BJ-C-ALKA US \$21.0

Aluminium ball joint clamp with aluminum knob nut, for aluminium ball joint arms.



YS Lock 40 1/4'

Am-YS-LM-40 US \$18.0 Aluminium YS connector with 1/4"-W20 screw, length: 40mm.



BJ Clamp L AL

Am-BJ-CL-ALKA US \$23.0

Aluminium ball joint clamp with extra holding strength and aluninum knob, ball centers distance:50mm.



YS Lock 60 1/4

Am-YS-LM-60 US \$20.0 Aluminium YS connector with 1/4"-W20 screw, length:60mm.



BJ Clamp 3 AL

Am-BJ-C-3AL US \$30 0

Aluminium ball joint clamp with aluminum knob nut, for connecting 3 BJ arms in a triangular shape.



BJ Lock 70 With 1/4" Connector

US \$22.0 Am-BJ-L1-70 US \$22.0 Aluminium BJ Lock With 1/4"-W20 connector. Length:70mm.



BJ Clamp 3 T

Am-BJ-C-3T

Aluminium ball joint clamp with aluminum knob nut, for connecting 3 BJ arms in a triangular shape, can be large angle adjustment.



BJ Lock 120 With 1/4" Connector

Am-B.J-L1-120 Aluminium BJ lock with 1/4"-W20

connector, length:120mm.



BJ Lock 37 1/4'

Am-BJ-L1-37 US \$18.0 Aluminium BJ lock with 1/4"-W20 screw, length:37mm.



BJ Mount 65

Am-BJ-M65 Ball joint mount,length:65mm.



BJ Lock 57 1/4"

Am-BI-L1-57 US \$20.0 Aluminium BJ lock with 1/4"-W20 screw, length:57mm.



BJ Mount 90 AL

Am-BT-MAL90 Aluminium ball joint mount, length:90mm.



BJ Lock 77 1/4"

Am-BJ-L1-77 US \$22.0 Aluminium BJ lock with 1/4"-W20 screw, length:77mm. US \$22.0



BJ Mount 150 AL

Am-BJ-MAL150 Aluminium ball joint mount,length:150mm

US \$25.0

BI Lock 37 WM8

Am-BI-LM-37 IIS \$18.0 Aluminium BJ lock with M8 screw, length:37mm.



B.I Buov 5020 N

Am-Bouy-BJ-5020 N US \$35.0

Buoyancy arm with ball joint

ends, diameter:5cm, length:20cm, buoyancy: +0.16kg.



BI Lock 57 WM8

Am-BJ-LM-57 Aluminium BJ lock with M8 screw, length:57mm.



BJ Buoy 5025 N

Am-Buoy-BJ-5025 N Buoyancy arm with ball joint

ends, diameter:5cm, length:25cm, buoyancy: +0.2kg.





BJ Buoy 5030 N

Am-Buoy-BJ-5030 N US \$40.0

Buoyancy arm with ball joint

ends. diameter:5cm, length:30cm, buoyancy: +0.24kg.



Float Stay 229660

Am-Buov-BI-229660 US \$100.0

High density foam buoyancy stay with ball joint ends, 9.6cm x 22cm x 6cm (W x L x H), buoyancy: +0.8kg.



BJ Buoy 5516 N

Am-Buoy-BJ-5516 N US \$40.0

Buoyancy arm with ball joint

ends, diameter: 5.5cm, length: 16cm, buoyancy: +0.137kg.



Float Base 2296

Am-Buoy-2296 High density foam buoyancy base with 1/4"-W20(option 3/8") W20 holding down screw, 9.6cm x 22cm x 3cm (W x

L x H), buoyancy: +0.4kg.



BJ Buoy 5520 N

Am-Buoy-BJ-5520 N US \$40.0

Buoyancy arm with ball joint

ends, diameter: 5.5cm, length: 20cm, buoyancy: +0.18kg.



Float Base 2260

Am-Buoy-2260 US \$40.0 High density foam buoyancy base with 1/4"-W20 (option 3/8") W20 holding down screw, 6cm x 22cm x 4cm (W x L

x H), buoyancy: +0.4kg.



BJ Buoy 5525 N

Am-Buoy-BJ-5525 N US \$40.0

Buoyancy arm with ball joint

ends, diameter: 5.5cm, length: 25cm, buoyancy: +0.215kg.



Float Arm 4522 HD

Am-Buoy-BJ-4522 HD US \$35.0 High density foam buoyancy arm with ball joint ends, diameter: 4.5cm, length: 22cm, buoyancy: +0.23kg.

BJ Buoy 5530 N

Am-Buoy-BJ-5530 N US \$45.0

Buoyancy arm with ball joint

ends, diameter: 5.5cm, length: 30cm, buoyancy: +0.26kg.



Float Arms 5522 HD

Am-Buoy-BJ-5522 HD US \$40 0 High density foam buoyancy arm with ball joint ends, diameter: 5.5cm, length: 22cm, buoyancy: +0.4kg.

Adjustable Buoyancy Float Arm 5530 Adj

Am-Buoy-5530Adj US \$60.0

Aluminium adjustable buoyancy float arm, adjustable buoyancy valves on both ends allow water entering the hollow body to regulate boyancy.



Float Arm 4522 HDYS

Am-Buoy-BJ-4522 HDYS High density foam buoyancy arm with BJ & YS mount ends, diameter: 4.5cm, length: 22cm, buoyancy: +0.23kg.



Buoy Tube 5520

Am-Buoy-TB-5520 Aluminium buoy



Float Arms 5522 HDYS

Am-Buoy-BJ-5522 HDYS US \$40.0 High density foam buoyancy arm with BJ & YS mount ends, diameter: 5.5cm, length:22cm, buoyancy: +0.4kg



Float Stay 2260

US \$60.0 Am-Buov-BI-2260 High density foam buoyancy stay with ball joint ends, 6cm x 22cm x 4cm (W x L x H), buoyancy:+0.4kg.



Float Arm 7016 HD

Am-Buov-BI-7016 HD US \$40.0 High density foam buoyancy arm with ball joint ends, diameter: 7cm, length: 16cm, buoyancy:+0.45kg.



Float Stay 226080

Am-Buoy-BJ-226080 High density foam buoyancy stay with ball joint ends, 6cm x 22cm x 8cm (W x L x H), buoyancy: +0.8kg.



Float Arm 7711 HD

Am-Buoy-BJ-7711 HD High density foam buoyancy arm with ball joint ends, diameter:7.7cm, length:11cm, buoyancy: +0.4kg.



Float Stay 229670

Am-Buov-B.I-229670 US \$100.0 High density foam buoyancy stay with ball joint ends, 9.6cm x 22cm x 7cm (W x L x H), buoyancy: +0.8kg.



Float Arm 8511 HD

Am-Buov-BI-8511 HD High density foam buoyancy arm with ball joint ends, diameter: 8.5cm, length: 11cm, buoyancy: +0.55kg.



Float Stay 2296

Am-Buoy-BJ-2296 High density foam buoyancy stay with ball joint ends, 9.6cm x 22cm x 3cm (W x L x H), buoyancy: +0.4kg.



Float Arm 9911 HD

Am-Buoy-BJ-9911 HD High density foam buoyancy arm with ball joint ends, diameter: 9.9cm, length:11cm, buoyancy: +0.6kg.





Float Arm 9916 HD

Am-Buoy-BJ-9916 HD US \$50.0 High density foam buoyancy arm with ball joint ends, diameter: 9.9cm, length:16cm, buoyancy:+0.8kg.



Buoyancy Float Tube 9710025

Am-Buoy-Tb-9710025 US \$35.0 Set of two high density foam buoyancy tubes, outer diameter: 9.7cm, length: 10cm, inner diameter: 2.5cm, buoyancy:+0.8kg.



Float Arm 9911 HDYS

Am-Buoy-BJ-9911 HDYS US \$40.0 High density foam buoyancy arm with BJ & YS mount ends, diameter:9.9cm, length:11cm, buoyancy:+0.6kg.



Buoyancy Float Tube 9714025

Am-Buoy-Tb-9714025 US \$45.0 Set of two high density foam buoyancy tubes, outer diameter: 9.7cm, length: 14cm, inner diameter: 2.5cm, buoyancy: +1.12kg.



Float Arm 9916 HDYS

Am-Buoy-BJ-9916 HDYS US \$50.0 High density foam buoyancy arm with BJ & YS mount ends.diameter:9.9cm, length:16cm, buoyancy:+0.8kg.



Float Ring 17583

Am-Buoy-17583 US \$35.0 High density foam buoyancy two half rings holded with o-ring for lens. Internal diameter 83mm, external diameter 175mm, thickness 52mm, buoyancy:+0.6kg.



Buoyancy Float Tube 555012

Am-Buoy-Tb-555012 US \$15.0 Set of two high density foam buoyancy tubes, outer diameter:5.5cm, length:5cm, inner diameter:1.2cm, buoyancy:+0.12kg.



Flex Arm 7

Am-FA-7 US \$10.0 Flexible arm for attaching target light. Length:7cm.



Buoyancy Float Tube 555025

Am-Buoy-Tb-555025 US \$15.0 Set of two high density foam buoyancy tubes, outer diameter:5.5cm, length:5cm, inner diameter:2.5cm, buoyancy:+0.1kg.



Flex Arm 10

Am-FA-10 US \$11.0 Flexible arm for attaching target light. Length:10cm.



Buoyancy Float Tube 557012

Am-Buoy-Tb-557012 US \$17.0 Set of two high density foam buoyancy tubes, outer diameter:5.5cm, length:7cm, inner diameter:1.2cm, buoyancy:+0.17kg.



Flex Arm 15

Am-FA-15 US \$14.0 Flexible arm for attaching target light. Length:15cm.



Buoyancy Float Tube 557025

Am-Buoy-Tb-557025 US \$17.0 Set of two high density foam buoyancy tubes, outer diameter: 5.5cm, length: 7cm, inner diameter: 2.5cm, buoyancy: +0.14kg.



Flex Arm 18

Am-FA-18 US \$16.0 Flexible arm for attaching target light. Length:18cm.



Buoyancy Float Tube 5510025

Am-Buoy-Tb-5510025 US \$20.0 Set of two high density foam buoyancy tubes, outer diameter: 5.5cm, length: 10cm, inner diameter: 2.5cm, buoyancy: +0.2kg.



Flex Arm 24

Am-FA-24 US \$20.0 Flexible arm for attaching target light.Length:24cm.



Buoyancy Float Tube 808025

Am-Buoy-Tb-808025 US \$20.0 Set of two high density foam buoyancy tubes, outer diameter:8cm, length:8cm, inner diameter:2.5cm, buoyancy:+0.3kg.



Flex Arm 30

Am-FA-30 US \$22.0 Flexible arm for attaching target light. Length:30cm.



Buovancy Float Tube 975025

Am-Buoy-Tb-975025 US \$20.0 Set of two high density foam buoyancy tubes, outer diameter:9.7cm, length:5cm, inner diameter:2.5cm, buoyancy:+0.4kg.



Flex Arm 36

Am-FA-36 US \$25.0 Flexible arm for attaching target light. Length:36cm.



Buoyancy Float Tube 977025

Am-Buoy-Tb-977025 US \$25.0 Set of two high density foam buoyancy tubes, outer diameter:9.7cm, length:7cm, inner diameter:2.5cm, buoyancy:+0.56kg.



Flex Arm 45

Am-FA-45 US \$30.0 Flexible arm for attaching target light. Length: 45cm.





Flex Arm 15 U

Am-FA-15II US \$19.0

Flexible arm with u connector. Length: 15cm.

Mini Flex Arm 10

Am-MiFA-10 Mini flexible arm. Length: 10cm. US \$11.0

Flex Arm 18 U

Am-FA-18U US \$22.0

Flexible arm with u connector. Length: 18cm.



Mini Flex Arm 13

Am-MiFA-13 Mini flexible arm. Length: 13cm. US \$14.0

Flex Arm 18B

Am-FA-18B

Flexible arm with ball head for ball joint system. Length: 18cm.

US \$22.0

Mini Flex Arm 17

Am-MiFA-17 Mini flexible arm.Length: 17cm. US \$16.0

US \$35.0

Flex Arm 30B

US \$27.0 Am-FA-30B

Flexible arm with ball head for ball joint system. Length: 30cm.

Mini Flex Arm 25

Am-MiFA-25 US \$20.0

Mini flexible arm. Length: 25cm.

Flex Arm 24F

Am-FA-24FUS \$26.0

Flexible arm for attaching target light, with EVA cover. Length: 24cm.

Mini Flex Arm 65

Am-MiFA-65 Mini flexible arm. Length: 65cm.

Flex Arm 24H

Am-FA-24H

Flexible arm with rigid handle.Length:24cm.



Mini Flex 65 BJ-1/4"

Am-MiFA-65Bj Mini flexible arm with 1/4"-W20 screw & BJ mount ends.

Length: 65cm.



Flex Arm 30H

Am-FA-30H US \$26.0 Flexible arm with rigid handle, length: 30cm.



Mini Flex 65 YS-1/4"

Am-MiFA-65CnUS \$40.0 Mini flexible arm with 1/4"-W20 screw & YS mount ends.

Length: 65cm.



Flex Arm 36H

Am-FA-36H US \$29.0 Flexible arm with rigid handle, Length: 36cm.



Mini Flex 65 Go−1/4"

US \$45.0 Am-MiFA-65Go Mini flexible arm with 1/4"-W20 screw & GoPro mount

ends. Length: 65cm.



Flex Arm Top

 $Am\!-\!FA\!-\!Tp$ Flexible arm top. US \$3.0



Mini Flex 10 U

Am-MiFA-10U US Mini flexible arm with U mount.Length: 10cm.



Flex Arm Couple

Am-FA-Cp Flexible arm couple. US \$2.0



Mini Flex 10 F1/4"

Am-MiFA-10F US \$11.0 Mini flexible arm with 1/4"-W20 mount. Length: 10cm.



Flex Arm Base

Am-FA-Bs US \$4.0 Flexible arm base.

Mini Flex 25 F1/4"

Am-MiFA-25F

Mini flexible arm with 1/4"-W20 mount. Length: 25cm.





Mini Flex 27 BJ 2X

Am-MiFA-27BJ-2X US \$25.0 Mini flexible arm with two BJ mount ends.Length: 27cm.



Mini Flex 20 with Go

Am-MiFA-20Go US \$20.0 Mini flexible arm with GoPro connector. Length: 20cm.



Mini Flex 40 BJ 2X

Am-MiFA-40BJ-2X US \$40.0 Mini flexible arm with two BJ mount ends. Length: 40cm.



Mini Flex 28 with Go

Am-MiFA-28Go US \$24.0 Mini flexible arm with GoPro connector. Length: 28cm.



Mini Flex 9 with 1/4"

Am-MiFA-9S US \$11.0 Mini flexible arm with 1/4 "-W20 screw.Length: 9cm.



Lite Coil Arm 20

Am-LA-20 US \$12.0 Lite coil arm with two female 1/4"W20 thread ends. Length: 20cm.



Mini Flex 11 with 1/4"

Am-MiFA-11S US \$13.0 Mini flexible arm with 1/4"-W20 Screw. Length: 11cm.



Lite Coil Arm 30

Am-LA-30 US \$14.0 Lite coil arm with two female 1/4"-W20 thread ends. Length: 30cm.



Mini Flex 13 with 1/4"

Am-MiFA-13S US \$15.0 Mini Flexible arm with 1/4"-W20 screw. Length: 13cm.



Lite Coil Arm 50

Am-LA-50 US \$16.0 Lite coil arm with two female 1/4"-W20 thread ends. Length: 50cm.



Mini Flex 17 with 1/4"

Am-MiFA-17S US \$17.0 Mini flexible arm with 1/4"-W20 screw.Length: 17cm.



Lite Coil Arm 80

Am-LA-80 US \$18.0 Lite coil arm with two female $1/4\mbox{"W2O}$ thread ends. Length: 80cm.



Mini Flex 19 with 1/4"

Am-MiFA-19S US \$19.0 Mini flexible arm with 1/4''-W2O screw. Length: 19cm.



Lite Coil Arm 100

Am-LA-100 US \$20.0 Lite coil arm with two female 1/4"-W20 thread ends. Length: 100cm.



Mini Flex 25 with 1/4"

Am-MiFA-25S US \$22.0 Mini flexible arm with 1/4''-W20 screw. Length: 25cm.



Lite Coil Arm mQ 20

Am-LA-20mQ US \$16.0 Lite coil arm with one male mini quick release connector end and one female 1/4"W20 thread end. Length: 20cm.



Mini Flex 11 with Go

Am-MiFA-11Go US \$15.0 Mini flexible arm with GoPro connector. Length: 11cm.



Lite Coil Arm mQ 30

Am-LA-30mQ US \$18.0 Lite coil arm with one male mini quick release connector end and one female 1/4"-W20 thread end. Length: 30cm.



Mini Flex 13 with Go

Am-MiFA-13Go US \$16.0 Mini flexible arm with GoPro connector. Length: 13cm.



Lite Coil Arm mQ 50

Am-LA-50mQ US \$20.0 Lite coil arm with one male mini quick release connector end and one female 1/4"-W20 thread end. Length: 50cm.



Mini Flex 17 with Go

Am-MiFA-17Go US \$18.0 Mini flexible arm with GoPro connector. Length: 17cm.



Lite Coil Arm mQ 80

Am-LA-80mQ US \$22.0 Lite coil arm with one male mini quick release connector end and one female 1/4"W20 thread end. Length: 80cm.



Lite Coil Arm mQ 100

Length: 100cm.

Am-I.A-100mQ US \$24.0 Lite coil arm with one male mini quick release connector end and one female 1/4"-W20 thread end.



YS Lock Connector

Am-YS-LK IIS \$8.0 YS lock plastic with 1/4"-W20 screw, for lite coil arm.



Lite Coil Arm 1 to 3 Connector

Am-LA-C US \$15.0 Lite coil arm 1 to 3 connector with 4 no. of 1/4"W20



Hot Shot Mount

Am-YS-LHS Hot Shot Mount with 1/4"-W2O screw, for lite coil arm.



Lite Coil Arm 1 to 3 Hot Shoe Connector

Am-LA-CH US \$25.0 Lite coil arm 1 to 3 hot shoe connector with 3 no. of 1/4"-W20 screws



Double 1/4" Male connector

Am-YS-LDM US \$3,0 Double 1/4"-W20 male connector with split ring , for Lite Coil Arm.



Torch Mount 25-50

Am-TM-2550 US \$15.0 Aluminium cradle with velcro and female 1/4"W20 & M5, for mounting diving light diameter 25-50mm.



Double 1/4" Male connector II

Am-YS-LDMII Double 1/4"W20 male connector, for Lite Coil Arm.



Torch Mount 50-75

Am-TM-5075 US \$17 0



Connectors

Aluminium cradle with velcro and female 1/4"-W20 & M5, for mounting diving light diameter 50-75mm.



BJ Base Connector 45T-AL

Am-BJ-BasCon-AL-45T Aluminum ball joint base connector 45°, for T1 connector and stay slim.



50

Handle Sleeve Am-HC-107

EVA handle sleeve diameter: 32mm, internal diameter 9mm, length:107mm.



BI Base Connector 45-IN

Am-BI-BasCon-AL-45IN US \$35.0 Aluminum ball joint base connector for Inon strobe.



BJ fQ Connector

Am-BJ-fQ US \$12.0 1" Ball plastic mini quick release female connector



BJ Base Connector 68-AL

Am-BJ-BasCon-AL-68 US \$40.0 Aluminum ball joint base connector, height:68mm.



BJ AL fQ Connector

Am-BJ-fQAL US \$1 Ball aluminum quick release female connector US \$18.0



BJ Base Connector 75

Am-BJ-BasCon-75 US \$12.0 Ball joint base connector, height: 75mm.



YS fQ Connector Am-YS-fQ

US \$12.0 YS plastic mini quick release female connector



BJ Plate GN

Am-BJ-PL-GN US \$35.0 Aluminum ball joint connector with circular plate and accessories for attaching to gat.



YS AL fQ Connector Am-YS-fQAL

IIS \$18.0 YS aluminum mini quick release female connector



BJ Plate GN-1-AL

Am-BT-PL-GN-1-AL US \$35.0 Aluminum ball joint connector with rectangular plate and accessories for attaching to gates arms and Stay



BJ Lock Connector

Am-BJ-LK US \$8.0 1" Ball lock plastic with 1/4"-W20 screw, for lite coil arm.



BJ U Connector

Am-BJ-UC U shape ball joint connector. US \$14.0



Connector IKQ BI

Am-Ct-IKQ-BJ US \$30.0 Connector ball joint head for Ikelite release handle and 10Bar IKQ BJ F.



Connector T-AL

Am-Ct-T AL Aluminum connector T. L - U

Connector IKQ BJ F

Am-Ct-IKQ-BJ-F US \$35.0 Connector ball joint quick release handle for IKQ BJ



Connector T1

Am-Ct-T1 US \$3.0 Connector T1 for C1, flex arm, BJ base, lens holder.



Connector IKQ T1

Am-Ct-IKQ-T1 US \$30.0 Connector T1 head for Ikelite release handle and 10Bar IKQ BJ F.



Connector T1 3/8 AL

Am-Ct-T1-3/8 AL $$\rm US\ \5.0 Aluminum connector T1 3/8 for attaching Ikelite handle.



BJ Connector CT

Am-BJ-Ct US \$15.0 Aluminium BJ connector for attaching to stay arm.



Connector T1A

Am-Ct-T1A $$\operatorname{US}$$ \$5.0 Aluminum connector combines with T1 or T1B to form a 2T connector.



BJ Lock Connector AL

Am-BJ-LkCon Ball joint with lock connector.



US \$25, 0

US \$22.0

Connector T1B

Am-Ct-T1B Aluminum connector T1. US \$5.0

US \$6.0



2BJ Lock Connector

Am-BJ-LkCon2 Two ball joints with lock connector.



Connector T1B 60

Am-Ct-T1B-60 U Connector same as T1B with 60° radial base.



2BJ Lock Connector 15

Am-BJ-LkCon2-15 US \$25.0 Two ball joints with lock connector, length:15cm.



Mini Connector T1

Am-Ct-T1M US \$3.0 Mini connector T1 for C1, flex arm, BJ base, lens holder



2BJ Lock Connector 20

Am-BJ-LkCon2-20 US \$30.0 Two ball joints with lock connector, length: 20cm.



Connector 2T Kit

Am-Ct-2T US \$8.0 Connector 2T kit for attaching lens holder, includes - connectors T1 and T1A, two stainless steel screws.



Lock Connector BJ6

Am-BJ-LkCon6-10 US \$50.0 Ball Joint connector with 2 fixed ball and 2 removable ball joints connectors. Option to extended to 6 balls. length:10cm.



Connector 2TU Kit

Am-Ct-2TU US \$8.0 Connector 2T kit for attaching lens holder to Ultralight BJ arm.



Connector IN

Am-Ct-IN US \$12.0 Connector for Inon strobe to standard mount.



Connector U1

Connector U1 for standard mount.

O

Connector T

Am-Ct-T US \$3.0 Connector T for mounting handle to 10Bar housings.



Bracket 25

Am-BK-25

Stainless steel band,diameter:25mm.





Email: service@10bar.com Web site: http://www.10bar.com
Tel: (852) 2573 3228 Fax: (852) 2811 9180

US \$5.0

US \$11.0

Torch Adaptor 25F

Am-BK-25P US \$10.0 Plastic adaptor for torch, diameter: 25mm.



Torch Mount S BJ

Am-BK-TMSB US \$30.0 Aluminium cradle with velcro and BJ ball for mounting



Bracket 26

Am-BK-26 Stainless steel band, diameter: 26mm. US \$11.0



Torch Mount S Mini Flex

diving light diameter 25-50mm.

Am-BK-TMSF Aluminium cradle with velcro and mini flex YS mount for mounting diving light 25-50mm.



Bracket 31

Am-BK-31 US \$11.0

Stainless steel band, connecting to YS mount, diameter: 31mm, use for Diving Light 38 and 53.



Torch Mount S Connector U

Am-BK-TMSU US \$30.0 Aluminium cradle with velcro and connector U for mounting diving light diameter 25-50mm.



Bracket 40

Am-BK-40 US \$11.0 Stainless steel band, for connecting lite head to YS

mount, diameter: 40mm.



Torch Mount L BJ

Am-BK-TMLB US \$32.0 Aluminium cradle with velcro and BJ ball for mounting diving light diameter 50-75mm.



Bracket 44

Am-BK-44US \$11 0 Stainless steel band, for police LED lite, diameter:

44mm.



Torch Mount L Mini Flex

Am-BK-TMLF US \$32.0 Aluminium cradle with velcro and mini flex YS mount for mounting diving light diameter 50-75mm.



Bracket 58-T1

Am-BK-58-T1

Stainless steel band with T1, diameter: 58mm.



Torch Mount L Connector U

Am-BK-TMLU Aluminium cradle with velcro and connector U for mounting diving light diameter 50-75mm.



Bracket 60

Am-BK-60 US \$13.0 Stainless steel band, for Pro-Lite torch, diameter:



Velcro 220 x 25

Am-BK-2225 US \$2.0 Velcro, L: 220mm, W: 25mm, use for torch mount.



Bracket 65.5

Am-BK-65, 5 US \$13.0

Stainless steel band, for Hartenberger torch,

diameter: 65.5mm.



Velcro 300 x 25

Am-BK-3025 US \$2.0 Velcro, L: 300mm, W: 25mm, use for torch mount.



Bracket 81

Am-BK-81 US \$13.0

Stainless steel band, for UK HID 100 torch, diameter: 81mm.



Velcro 220 x 38

Am-BK-2238 US \$3.0 Velcro, L: 220mm, W: 38mm, use for torch mount.



Bracket 83 Am-BK-83

US \$13.0 Stainless steel band, for UK C8 torch. Diameter: 83mm.



Velcro 300 x 38

Am-BK-3038 US \$3.0 Velcro, L:300mm, W:38mm, use for torch mount.



Bracket 160-IK

Am-BK-160-IK Stainless steel band for Ikelite Pca lite, diameter:

160mm.



Torch Hand Strap 25-50

Am-BK-TMLUH50

Aluminium cradle with velcro and hand strap for mounting diving light diameter 25-50mm.





Torch Hand Strap 50-75

Am-BK-TMLUH75 US \$32.0

Aluminium cradle with velcro and hand strap for mounting diving light diameter 50-75mm.



Go 1/4" Connector

Am-Ct-Go US \$10.0 Go 1/4" Connector plastic with 1/4"-W20 female thread.



Torch Mount 25-50 Mini Flex Hot Shoe 9

Am-BK-TMFS509 US \$33.0

Aluminium cradle with velcro and hand strap for mounting diving light diameter 25-50mm, connector mini flexible arm for mounting on hot shoe, length: 9cm.



Go 1/4" Connector L

Am-Ct-GoL Connector for GoPro housing for attaching to industry standard 1/4"-W20 screw.



Torch Mount 25-50 Mini Flex Hot Shoe 12

Am-BK-TMFS5012 US \$35, 0

Aluminium cradle with velcro and hand strap for mounting diving light diameter 25-50mm, connector mini flexible arm for mounting on hot shoe, length: 12cm.



Go 1/4" Al Connector

Am-Ct-GoAL US \$12.0 Go 1/4" Connector aluminum with 1/4"-W20 female thread.



Torch Mount 50-75 Mini Flex Hot Shoe 9 Am-BK-TMFS759

Aluminium cradle with velcro strap for mounting diving light diameter 50-75mm, connector mini flexible arm for mounting on hot shoe, length: 9cm.



Connector Hot Shoe ¼

Am-Ct-HS-1/4 US \$22.0 Connector with standard 1/4"-W20 screw for mounting on



Torch Mount 50-75 Mini Flex Hot Shoe 12

Am-BK-TMFS7512 US \$37.0 Aluminium cradle with velcro strap for mounting diving light diameter 50-75mm, connector mini flexible arm for mounting on hot shoe, length: 12cm.



Connector Hot Shoe Go 1/4

Am-Ct-HS-1/4Go US \$26.0 Connector for mounting GoPro housing on hot shoe.



Connector C1

Am-Ct-C1 Connector C1 for connecting to T connector.



Connector Hot Shoe Go

Am-Ct-HS-Go Aluminium connector for mounting on GoPro housing.



Connector CU

Am-Ct-CU US \$10.0 Connector CU for connecting T connector and connector standard mount.



Connector Hot Shoe T AL

Am-Ct-HS-T Aluminium connector for mounting on hot



US \$30.0

Connector Clamp 22

Am-Ct-C-22 Connector clamp for HID light.



US \$16.0

BJ Hot Shoe Connector

shoe, hength: 70mm.

US \$30.0 Am-BI-HS Aluminum ball joint connector for mounting on hot shoe.



Connector Clamp IK

Am-Ct-C-IKUS \$25.0 Connector clamp for Ikelite strobe to standard mount.



Connector BJ Hot Shoe 50

US \$30, 0 Am-HS-BJ-50 Aluminum ball joint connector for mounting on hot shoe length:50mm.



Connector Clamp NK

US \$40.0 Am-Ct-C-NK Connector clamp for Nikonos strobe to standard mount.



Connector BI Hot Shoe 75

Am-HS-BI-75 US \$33.0 Aluminum ball joint connector for mounting on hot shoe



Connector Clamp UK Am-Ct-C-UK

Connector clamp for UK Canon 100 to standard mount.

Tel: (852) 2573 3228



Connector Hot Shoe 75N AL

Am-Ct-HS-75N Aluminium connector for mounting on hot shoe, length:





Connector Hot Shoe 75C AL

US \$22.0 Am-Ct-HS-75C Aluminium connector with cap lock for mounting on hot

shoe, length: 75mm.



Connector Hot Shoe Go 14

Am-HS-MiFAG-14 US \$28.0 Connector mini flexible arm for mounting on hot shoe, compatible for both GoPro and 1/4"-W20 mount, length: 14cm.



Connector Hot Shoe 85N AL

Am-Ct-HS-85N US \$25.0 Aluminium connector for mounting on hot shoe, length:



Connector Hot Shoe Go 16

Am-HS-MiFAG-16 Connector mini flexible arm for mounting on hot shoe, compatible for both GoPro and 1/4"-W20 mount, length: 16cm.



Connector Hot Shoe 100 AL

Am-Ct-Hs-100 US \$26.0

Aluminum connector for mounting on hot shoe, length: 100mm.



Connector Hot Shoe Go 18

Am-HS-MiFAG-18 Connector mini flexible arm for mounting on hot shoe, compatible for both GoPro and 1/4"-W20 mount, length: 18cm.



Connector Hot Shoe 140 AL

Am-Ct-Hs-140 US \$28.0

Aluminum connector for mounting on hot shoe, length:



Connector Hot Shoe Go 20

Am-HS-MiFAG-20 US \$32.0 Connector mini flexible arm for mounting on hot shoe, compatible for both GoPro and 1/4"-W20 mount, length:



YS Connector F60 AL

Am-CT-YSF-60 US \$15.0 Aluminum YS connector with female 1/4"-W20 thread, for direct mount on monopole pointer or 1/4"-W20 connector, length: 60mm.



Connector Hot Shoe BJ 16

Am-HS-MiBJ-16 US \$26.0 Connector mini flexible arm for mounting on hot shoe, ball joint connector, length: 16cm.



YS Connector F45

Am-CT-YSF-45 Plastic YS connector with female 1/4"-W20 thread, for direct mount on monopole pointer or 1/4"-W20 connector, length: 45mm.



Connector Hot Shoe BJ 20

Am-HS-MiBJ-20 Connector mini flexible arm for mounting on hot shoe, ball joint connector, length: 20cm.



Connector Mini Flex Hot Shoe 7

Am-HS-MiFA-7 US \$18.0 Connector mini flexible arm for mounting on hot shoe, length: 7cm.



Flex Arm Screw Am-FA-Screw

US \$1.0 Flexible arm screw.



Connector Mini Flex Hot Shoe 9

US \$20.0 Am-HS-MiFA-9 Connector mini flexible arm for mounting on hot shoe, length: 9cm.



Knob M

Am-K-M Knob M with M8 screw. US \$5.0



Connector Mini Flex Hot Shoe 11

US \$20.0 Am-HS-MiFA-11 Connector mini flexible arm for mounting on hot shoe, length: 11cm.



Knob L Am-K-L

Knob L with M8 screw.

US \$5.0



Connector Mini Flex Hot Shoe 13

Am-HS-MiFA-13 IIS \$22.0

Connector mini flexible arm for mounting on hot shoe,



Knob Nut AL

Am-KN-AL. Aluminium knob nut. US \$5.0



Connector Hot Shoe Go 12

Am-HS-MiFAG-12 Connector mini flexible arm for mounting on hot

shoe, compatible for both GoPro and 1/4''-W20 mount, length: 12cm.

Tel: (852) 2573 3228



Lock Connector Mount

Am-LkCon-M Lock connector mount YS Male, 1/4"-W20 Male.

Lock Connector Mount 90

Am-LKCon-M90 Lock connector mount 90. US \$20.0



DIY Stay 120A 1/4"

Am-M-120A US \$5.0 DIY stay 120mm long with 1/4"-W20 dia rachet holes on alternate side compatible for flex arms, 1/4"-W20 and T1 mini mounts.



Lock connector S

Am-LkCon-S Lock connector S. US \$25.0



DIY Stay 120B 1/4"

Am-M-120B DIY stay 120mm long with 1/4''-W20 dia rachet holes on same side compatible for flex arms, 1/4''-W20 and T1 mini mounts.



Lock connector U

Am-LkCon-U Lock connector U. US \$20.0



DIY Stay 150A 1/4

Am-M-150A US \$5, 0 DIY stay 150mm long with 1/4"-W20 dia rachet holes on alternate side compatible for flex arms,1/4"-W20 and T1 mini mounts.



Lock Connector X

Am-LkCon-X Lock connector X US \$30.0



DIY Stay 150B 1/4"

Am-M-150B US \$5.0 DIY stay 150mm long with 1/4''-W20 dia rachet holes on same side compatible for flex arms,1/4"-W20 and T1 mini mounts.



Pistol Grip Mount

Am-M-PmPistol grip mount. US \$18.0

US \$20.0



Monopole 45

Am-M-GM45 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 45cm.



Pistol Grip Stay

Am-M-Ps

Pistol grip stay.



Monopole 60

Am-M-GM60 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length:60cm.



DIY Stay Kit

Am-M-DIY US \$45.0 DIY stay kit including pistol grip mount, 4 DIY stays and adaptors compatible with GoPro and 1/4"-W20 mount

cameras.



Monopole 90

Am-M-GM90 US \$35.0 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 90cm.



DIY Stay 120A 4

Am-M-120A4 US \$5.0 DIY stay 120mm long with 4mm dia rachet holes on alternate side compatible for flex arms, 1/4"-W20 and

T1 mini mounts.



Monopole 150

Am-M-GM150 US \$45.0 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 150cm.



DIY Stay 120B 4

Am-M-120B4

DIY stay 120mm long with 4mm dia rachet holes on same side compatible for flex arms, 1/4"-W20 and T1 mini



Monopole 45TL

Am-M-GM45TL Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount,legs are locked with turn and lock system, 3 extendable sections, extended length: 45cm.



DIY Stay 150A 4

Am-M-150A4 DIY stay 150mm long with 4mm dia rachet holes on alternate side compatible for flex arms, 1/4"-W20 and T1 mini mounts.



Monopole 60TL Am-M-GM60TL

Aluminium monopole, compatible with both GoPro and 1/4"-2WO screw mount, legs are locked with turn and lock system, 3 extendable sections, extended length:60cm.



DIY Stay 150B 4

Am-M-150B4 DIY stay 150mm long with 4mm dia rachet holes on same side compatible for flex arms, 1/4''-W2O and T1 mini mounts.

Tel: (852) 2573 3228



Monopole 90TL

Am-M-GM90TL Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount,legs are locked with turn and lock system, 3 extendable sections, extended length:90cm.





Monopole 150TL

Am-M-GM150TL US \$45.0 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with turn and lock system, 3 extendable sections, extended length:150cm.



Mount Adj T1

Am-Madj-T1 US \$25.0 Adjustable bicycle screw mount with T1 connector.



Monopole 500TL

Am-M-GM500TL US \$60.0
Aluminium monopole, compatible with both GoPro and 1/4"W20 screw mount, 5 extendable sections with turn and
lock system, retracted length: 1.1m extended length:5m.



Mount Adj U1

Am-Madj-U1 US \$25.0 Adjustable bicycle mount with U1 connector.



Monopole 45 with Universal Grip

Am-M-GM45W US \$50.0 Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut

system, 3 extendable sections, extended length: 45cm.



Board Mount

Am-M-Bo US \$20.0 Mount with adhesive for attaching action camera with 1/4"-W20 screw mount on surf boards.



Monopole 60 with Universal Grip

Am-M-GM60W

US \$55.0

Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length:60cm.



Phone Mount 90

Am-M-PH US \$3.0 Phone Mount grip mobile phone width from 60 to 90mm, with double 1/4''-W20 female thread, for install to tripod or 1/4''-W20 connector,



Monopole 90 with Universal Grip

Am-M-GM90UG

Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 90cm.



Chest Mount

Am-M-Cm US \$20.0 Harness for wearing action camera with 1/4"-W20 screw mount on chest.



Monopole 150 with Universal Grip Am-M-GM150UG US \$70.0

Am-M-GM150UG US \$70.0 Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length:150cm.



Camera Mount 1/4"

Am-M-CA US \$20.0 Camera mount with 1/4"-W20 screw connector, camera angle adjustable at 360 degrees.



Go Adaptor Adhesive Mount

Am-M-Adh-Go US \$40.0 Adhesive mount for GoPro housing.



Head Mount

Am-M-Hd US \$20.0 Head mount for attaching action camera housing with 1/4"-W20 screw mount to head.



Mount Adj BJ

Am-Madj-BJ US \$25.0 Adjustable bicycle mount with ball head for connecting to ball joint system.



Helmet Mount

Am-M-Ht US \$15.0 Helmet mount for attaching action camera housing with 1/4''-W20 screw mount to helmet.



Mount Adj C1

Am-Madj-C1 US \$25.0 Adjustable bicycle screw mount with C1 connector.



Light Mount

Am-M-Lm US \$20.0 Light mount for attaching flashlight to helmet.



Quick Release BJ Tripod Mount

Am-Madj-HS US \$30.0

Quick release BJ tripod mount.



Mask Hose Mount

Am-M-Mh US \$20.0 Mask and hose mount for attaching action cameras.



Mount Q BJ

Am-Madj-QBJ US \$25.0 Adjustable bicycle mount with ball head for connecting to ball joint system.

Tel: (852) 2573 3228



Facemask Mount FF

Am-M-FMFF US \$25.0 Facemask mount with flipping 1/4''-W20 female connector.



Facemask Mount F

Am-M-FMF US \$22.0 Facemask mount with fixed 1/4"-W20 female connector.



Adaptor Mount F

US \$20.0 Am-M-AMM Adaptor mount F with double 1/4"-W20 male

connector.



Facemask Mount M

Am-M-FMM Facemask mount with fixed 1/4"-W20 male connector.



Adaptor Mount

Am-M-AMF Adaptor mount F with 1/4"-W20 female connector.



Rail Mount

 $Am\!-\!M\!-\!Rm$ US \$15.0 Rail mount.



Fish Gun Mount

Am-M-FGM US \$35.0 Fish gun mount with 1/4"-W20 male connector.



Stay Mount

US \$20.0 Am-M-ST

Stay mount.



Tripod Mount

US \$8.0 Am-M-TM Tripod mount with 1/4"-W20 male connector.



Suction Mount

Suction mount.

Am-M-Su

US \$15.0



Bracket Mount

Am-M-BM

Bracket mount with 1/4"-W20 male connector, diameter:63mm.



US \$20.0

Skateboard Mount

Am-M-SBM US \$35.0 Skateboard mount with 1/4"-W20 male

connector, waterproof double-sided adhesive, for mount to the flat plane.



Stay Slot 200

St-S1-Bs-200 US \$25.0 Stay with slots and anchor bar, length: 200mm.

Stay



50

Double Sided Suction Am-M-Dsu

US \$3.0 Double sided suction, diameter: 50mm.



Stay Slot 250

St-S1-Bs-250 US \$28.0 Black stay with slots for double arm,length:250mm.



Universal Grip Am-M-UG

US \$30.0 Universal grip for rails, compatible with GoPro, 1/4"-W20 and flexible arm mount.





Stay Slot 300F

St-S1-Bs-300F US \$33, 0 Stay slot for double arms with universal slots and anchor bar, length: 300mm.



Skateboard Mount II Am-M-SBMI

US \$20.0 Skateboard mount II with 1/4"-W20 male connector.



Stay Slot 300U

St-S1-Bs-300U Black stay with slots for double arm,length:300mm.



Hand Strap Mount Am-M-HSM

US \$20.0 Hand strap mount with 1/4"-W20 male connector, strap can adjustable.



Stay Slot 300U Red

St-S1-Bs-300U-R US \$30.0 Red stay with slots for double arm, length: 300mm.



U Connector Mount Am-M-UCM

U connector mount with 1/4"-W20 male connector.



Stay Slot 350F

St-S1-Bs-350F Stay slot for double arms with universal slots and anchor bar, length: 350mm.





香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室

Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong Email: service@10bar.com Web site: http://www.10bar.com Tel: (852) 2573 3228 Fax: (852) 2811 9180

Prices valid for one month from the date printed below

Page 29 of 48

Stay Slot 350U

St-S1-Bs-350U US \$35.0

Black stay with slots for double arm, length: 350mm.



Stay Screw Step 16

St-Zscrew-ST16 Stay Screw Step 16 with 1/4"-W20

thread, material:aluminum, height:26mm, screw

length:16mm.



Multi Stay 150

St-MS-150

Multi stay 150,8 no.female 1/4"-W20 thread for attaching accessaries such as tripod legs or ball joint connectors, width: 52mm, length: 150mm.



Stay Slim MR

St-Sm-Bs-MR Extension for Stay Slim M



Multi Stay 150B

St-MS-150B Multi stay 150B,12 no.female 1/4"-W20 thread for

attaching accessaries such as tripod legs or ball joint connectors, width:59mm, length:150mm.



Stay Slim M

St-Sm-Bs-M US \$20.0 Stay for small housings, for single arm.



Tripod Mini Legs

St-MS-TL US \$7.0 Tripod legs 4 pieces including alan key with

adjustable length 25 to 45mm for attaching to Multi



St-Sm-Bs-M2 Stay for small housings, for double arm. US \$25.0

US \$7.0

US \$10.0



Space Washer

St-Sp-Ws US \$1.0

Washer for different brands small housing.

stay, complete with stainless steel screws.



Stay Slim 122

St-Sm-Bs-122 US \$15.0 Stay for small housings, for single arm, Length: 122mm.



Stay Slot Anchor Bar

St-Zfb Prevents housing movement by locking housing to



Stay Slim 180

St-Sm-Bs-180 Stay for small housing, for single arm. US \$10.0



Stay Slot Screw

St-Zscrew Screw for stay with slots. US \$3.0



Stay Slim 200 St-Sm-Bs-200

US \$10.0 Stay slim for small housing, lite coil arms, flex arms or lite handles, length: 200mm.



Stay Slot Screw E

St-Zscrew-E Screw E for stay with slots. US \$4.0



Stay Slim 250

St-Sm-Bs-250 US \$12.0 Stay slim for small housing, lite coil arms, flex arms or lite handles, length: 250mm.



Stay Screw Step 8

St-Zscrew-ST8 US \$6, 0

Stay Screw Step 8 with 1/4"-W20 thread, material:aluminum, height:18mm, screw

length:8mm.



Stay Slim 300

St-Sm-Bs-300 US \$14.0 Stay slim for small housing, lite coil arms, flex arms

or lite handles, length: 300mm.



Stay Screw Step 10 St-Zscrew-ST10

US \$6.0 Stay Screw Step 10 with 1/4"-W20

thread, material:aluminum, height:20mm,screw length:10mm.



Stay Slim 340

St-Sm-Bs-340 US \$16.0 Stay slim for small housing, lite coil arms, flex arms

or lite handles, length: 340mm.



Stay Screw Step 13 St-Zscrew-ST13

Stay Screw Step 13 with 1/4"-W20

US \$6.0 thread, material:aluminum, height:23mm,screw

length: 13mm.



Lite Handle 120

St-Sm-LH-120 Lite handle for stay slim with female 1/4"-W20

threads, length: 120mm.





Space Washer R

St-Sp-R

US \$1.0

US \$1.0

Rectangular washer for stay.



Stay Arm Adj Set

St-Am-Adj Set US \$60.0 Double stay arm with adjustable washer for small

housings, height:230mm.



Space Washer S

St-Sp-S

Washer for stay slim.



Stay Arm Adj T Mount

St-Am-Adj T US \$8.0 Stay arm tripod mount with adjustable washer.

Space Washer adj

St-Sp-Wsadj US \$2.0

Washer for different brand small housings.



Stay Lite Coil Arm S50

St-Am-SL50 US \$40.0 Lite coil arm Stay S50, stay length: 250mm, lite coil arm length: 500mm, Go 1/4 Connector, with 1/4"-W20 male

connector.

Stay Handle 100

US \$40.0 St-Am-100

Stay with single arm, Length: 140mm, height: 130mm.



Lite Coil Arm Stay S50 with YS Mount St-Am-SL50YS US \$56.0

Lite coil arm Stay S50, stay length:250mm, lite coil arm length: 500mm, Go 1/4 Connector, with YS connector.



Stay Handle 100 II

St-Am-100II US \$40.0 Stay with single arm, Length: 140mm, height: 130mm.



Lite Coil Arm Stay S50 with Torch Mount

St-Am-SL50TM US \$56.0

Lite coil arm Stay S50, stay length: 250mm, lite coil arm length: 500mm, Go 1/4 Connector, with torch mount for mounting diving light diameter 25-50/50-75mm.



50

Stay Handle 250D

St-Am-250D Stay with double arm, length: 250mm, height: 140mm.



Photo Accessories

Stay Handle 260D

St-Am-260D US \$120.0



Cleaning Pack

US \$6.0 Cleaning pack includes:small lens cloth.silicone

grease, cotton buds, silica gel & carrying bag.



Stay Handle 300D

US \$130, 0 St-Am-300D

Stay with double arm, length: 300mm, height: 130mm.

Stay with double arm, length:260mm, height:130mm.



Cleaning Pack A

Cleaning pack includes:small lens cloth,silicone

grease, sponge applicator, silica gel & carrying bag.



Stay Handle 230D

St-Am-230DUS \$100,0 Stay with double arm, length: 230mm, height: 130mm.



Cleaning Kit with Box S

Cleaning Kit with Box L

ring remover, cotton buds (10pcs), sponge

applicator(5pcs), silica gel(2g 10pcs), liquid

PA-CBS US \$10.0 Cleaning kit includes:small lens cloth,silicone

grease, cotton buds (10pcs), sponge

applicator(5pcs), silica gel(1g x 10pcs), plastic box.

Cleaning kit includes:lens cloth, silicone grease, o-



Stay Handle 290

Stay Arm Adj St-Am-Adj

housings, height: 230mm.

St-Am-290 US \$150.0 Stay with double arm, length: 290mm, height: 190mm.

Stay arm with adjustable washer for small



cleaner, brush & plastic box. Liquid Lens Cleaner

PA-CL

Liquid lens cleaner and mask defog.





Silica Gel Pack 1

PA-CP-SG1

Silica gel,1g x 20 bags.

US \$4.0

US \$15.0

US \$4.0





香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室

Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong Email: service@10bar.com Web site: http://www.10bar.com Tel: (852) 2573 3228 Fax: (852) 2811 9180

Prices valid for one month from the date printed below

2024-2-1

Page 31 of 48

Silica Gel Pack 2

PA-CP-SG2 Silica gel, 2g x 10 bags. US \$4.0

US \$7.0

US \$7.0

US \$7.0



Band 2X Bolt and Nut M8

PA-Band-2X-M8-BN IIS \$20.0 M8 nut & bolt for stainless steel twin tank band M8.



Silica Sticker

PA-CP-Ss

Silica sticker 1g x 5 bags.



Flasher

LO-FH Water contact activated flasher in blue,green,yellow



Silica Swell 2

PA-CP-Sw2

Silica packets, 2g x 10 bags.



LED Signal Marker Light

LO-LED US \$23.0

LED Signal Marker Light with 8 switchable colour combinations and wrist mount.



Silica Swell 3

PA-CP-Sw3

Silica packets,3g x 5 bags.



LED Signal Marker Light Set

LO-LEDS US \$28.0 LED Signal Marker Light with 8 switchable colour combinations. Wrist and head mount attachment included.



Grease Silicone 3G

PA-GS-03



Float Marker

LO-FM US \$25.0 High density foam marker for indicating position at sea, complete with float, 10m string, weight and counter weight, width: 9.6cm, length: 22cm.



Grease Silicone 5G

PA-GS-05 Silicone grease for NBR O-ring, weight:5g.



Diving Flag "A"

LO-DF-A Diving flag Alpha, height:92cm, width: 150cm



Grease Silicone 8G

PA-GS-08 US \$5.0 Silicone grease for NBR O-ring, weight:8g.



Diving Flag Red LO-DF-R

US \$20.0 Diving flag red, height:63cm, width: 100cm



Grease Silicone 40G

PA-GS-40 US \$15.0

Silicone grease for NBR O-ring, weight:40g.



Free Diving Floating Buoy Cover 70 LO-FBC-70 US \$60.0 Free Diving Floating Buoy cover for tyre inner

diameter: 70cm. Tyre not included.



Twin Tank Band 5/16

PA-Band-2X-5/16 Stainless steel twin tank band with 5/16" nut & bolt.



Soft Skin Lens Cover 70

PA-DC-Ls-70 US \$15.0 4mm neoprene soft skin lens cover for small lens or camera, diameter: 70mm, height: 20mm.



Twin Tank Band M8

PA-Band-2X-M8 US \$72.0 Stainless steel twin tank band with M8 nut & bolt.

Tel: (852) 2573 3228



Soft Skin Lens Cover 85

PA-DC-Ls-85 US \$20.0 4mm neoprene soft skin lens cover for small lens or camera, diameter: 85mm, height: 20mm.



Band 2X bolt and nut 5/16

PA-Band-2X-5/16-BN 5/16" nut & bolt for twin tank band 5/16.



Soft Skin Lens Pouch 90 PA-DC-Ls-90

4mm neoprene soft skin lens pouch, for lens/camera, diameter:90mm, height:150mm.





US \$20.0

Dome Port Cover 12

PA-DC-12 US \$10.0 Neoprene cover OD 120mm for small size dome

port, diameter: 120mm.



O-ring ID 30 PA-0R-30

O-ring with diametrer under 30mm.

US \$2.0



Dome Port Cover 15

PA-DC-15 US \$15.0 Neoprene cover OD 150mm for small size dome port,

diameter: 150mm.



0-ring ID 30-80 PA-OR-3080

O-ring with diameter: 30-80mm.

US \$4.0



Dome Port Cover 18

PA-DC-18 US \$18.0 Neoprene cover for small size dome port, diameter:180mm.



O-ring ID 80

PA-OR-80 O-ring with diameter over 80mm. US \$6.0



Dome Port Cover 24

PA-DC-24 US \$20.0 Neoprene cover for small size dome port, diameter:

240mm.



Rubber O-ring for 270EX Housing

PA-OR-270EX US \$6.0

Rubber o-ring for 270EX flash housing.



Strobe Cover D2

PA-SC-D2

US \$12.0 Strobe cover for SEA & SEA D1, D2.

US \$10.0



Rubber O-ring Set for 3DW1/3DW3 Housing PA-OR-3DW1 US \$12.0

Rubber o-ring set for 3DW1/3DW3 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



Strobe Cover 330

PA-SC-330 Strobe Cover 330, for Inon Z330, Z240, D2000.



Rubber O-ring for 430EXII Housing PA-OR-430EXII

Rubber o-ring for 430EXII flash housing.



Strobe Cover 330 with Rubbing Stick PA-SC-330ST US \$15.0

Strobe Cover 330 with rubbing stick, for Inon Z330, 7.240. D2000.



Rubber O-ring Set for E-PL1 Housing PA-OR-EPL1

Rubber o-ring set for E-PL1 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



Strobe Cover 2000

PA-SC-2000 Strobe Cover 2000, for Inon S-2000.



Rubber O-ring Set for E-PL2 Housing PA-OR-EPL2 US \$12.0

Rubber o-ring set for E-PL2 housing, includes:one aluminum housing o-ring & one acrylic backplate o-ring.



Mask Strap

PA-Ms US \$5.0 Mask strap for easy mask removal and put on.



Rubber O-ring Set for G10 Housing PA-OR-G10 Rubber o-ring set for G10 housing, includes:one aluminum housing o-ring & one acrylic backplate o-ring.



Mask Strap B

PA-Ms-B US \$6.0 Mask strap with quick release buckle for easy mask removal and put on.



Rubber O-ring Set for G11/12 Housing PA-OR-G11/12 US \$12.0 Rubber o-ring set for G11/G12 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



O-ring Remover

PA-OR-RM US \$2.0 O-ring remover, thick: 0.5mm.



Rubber O-ring Set for GF1 Housing PA-OR-GF1 US \$12.0 Rubber o-ring set for GF1 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.





Rubber O-ring Set for GF2 Housing

Rubber o-ring set for GF2 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



Optical Fiber NA

US \$37.0

Optic fiber cable with small diffuser, synchronized with Nauticam DSLR housing, length:2m.



Rubber O-ring Set for GH1 Housing

US \$12.0 Rubber o-ring set for GH1 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



Optical Fiber NA-IN

OF-NA-IN Optic fiber cable for Inon flashes, synchronize with



Rubber O-ring Set for GH2 Housing

PA-OR-GH2 US \$12.0

Rubber o-ring set for GH2 housing, includes:one aluminum housing o-ring & one acrylic backplate o-ring.



Optical Fiber NA-IN 2X

Nauticam DSLR housings, length:2m.

OF-NA-IN 2X Optic fiber cable for connecting two Inon

US \$70.0 flashes synchronized with Nauticam DSLR housings. length:2m.



Rubber O-ring Set for LX3 Housing

PA-OR-LX3 US \$12.0 Rubber o-ring set for LX3 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



Optical Fiber NA-SSH

US \$37.0 OF-NA-SSH Optic fiber cable for Sea & Sea flashes, synchronized with Nauticam DSLR housing, length:2m.



Rubber O-ring Set for LX5 Housing

PA-OR-LX5 Rubber o-ring set for LX5 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



Optical Fiber NA-SSH 2X

OF-NA-SSH-2X US \$70.0 Optic fiber cable for connecting two Sea & Sea

flashes, synchronized with Nauticam DSLR housings, length:2m.



Rubber O-ring Set for NEX-5 Housing PA-OR-NEX5

Rubber o-ring set for NEX-5 housing, includes: one aluminum housing o-ring & one acrylic backplate o-ring.



Optical Fiber SSH 2M

OF-SSH-2m Optic fiber cable with small diffuser, synchronized with Sea & Sea strobes, length: 2m.



Rubber O-ring set for ZS3/ZS7/ZS10 Hous PA-OR-ZS3

Rubber o-ring set for ZS3/ZS7/ZS10 housing, includes: one aluminum housing o-ring & one acrylic backplate oring.



Optical Fiber SSH IN

OF-SSH-IN

Optic fiber cable for Inon strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housings, length: 2m.



Optical Fiber

50

Optical Fiber SSHL 2M

US \$40.0 OF-SSHL-2m Optic fiber cable with small diffuser and SSHL cap, synchronized with Sea & Sea strobes, length:2m.



Optical Fiber 1m

OF-1m US \$20.0 Optic fiber cable with small diffuser for Nano

flash, length: 1m.



Optical Fiber SSHL IN

OF-SSHL-IN Optic fiber cable for Inon strobes, synchronized with

Nauticam mirrorless IL, Nauticam compact, Sea & Sea housings, length:2m.



Optical Fiber IN OF-IN

US \$37.0 Optic fiber cable for Inon flash, synchronized, length:



Optical Fiber SSH-SSH

OF-SSH-SSH

Optic fiber cable for Sea & Sea strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housing, length:2m.



Optical Fiber IN 2X OF-IN-2X

US \$70.0 Optic fiber cable with small diffuser connecting to

double sensors for Inon strobes, length: 2m.



Multi Core Optical Fiber 1m

OF-MC-1m Multi core optic fiber cable with small diffuser for Nano flash, length:1m.



Optical Fiber IN S

OF-IN-S Optic fiber cable with small diffuser for Inon

flash, synchronized, length: 2m.





Multi Core Optical Fiber IN

Multi core optic fiber cable for Inon flash, synchronized, length: 2m.

IIS \$60.0



Multi Core Optical Fiber SSHL IN

OF-MC-SSHLIN US \$60.0

Multi core optic fiber cable for Inon strobes, synchronized with Nauticam mirrorless IL. Nauticam compact, Sea & Sea housings, length:2m.



Multi Core Optical Fiber IN 2X

OF-MC-IN-2X

Multi core optic fiber cable with small diffuser connecting to double sensors for Inon strobes, length: 2m.



Multi Core Optical Fiber SSH-SSH

OF-MC-SSHSSH

Multi core optic fiber cable for Sea & Sea strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housing, length: 2m.



Multi Core Optical Fiber IN S

OF-MC-IN S US \$60.0 Multi core optic fiber cable with small diffuser for Inon flash, synchronized, length: 2m.



Optic Fiber Base Connector SS/NA

OF-BC-SS US \$8,0 Optic fiber base connector for cap SSH & cap NA.

Multi Core Optical Fiber NA

US \$60.0

Multi core optic fiber cable with small diffuser, synchronized with Nauticam DSLR housing, length: 2m.



Optic Fiber Base Connector SS 2X

OF-BC-SS-2X

US \$10.0

US \$3.0

Optic fiber base connector for two SSH caps



Multi Core Optical Fiber NA-IN

OF-MC-NAIN

US \$60.0 Multi core optic fiber cable for Inon

flashes, synchronize with Nauticam DSLR housings, length: 2m.



Optic Fiber Base Connector SSNA with Dua

OF-BC-SSW US \$10.0

Optic fiber base connector for cap SSH & cap NA with shield.



Multi Core Optical Fiber NA-IN 2X US \$110.0

OF-MC-NAIN- 2X

Multi core optic fiber cable for connecting two Inon flashes, synchronized with Nauticam DSLR housings, length: 2m.



Optic Fiber Base Connector IN

Optic fiber base connector for cap SSH & cap IN with shield and dual lock.



Multi Core Optical Fiber NA-SSH

OF-MC-NASSH US \$60.0 Multi core optic fiber cable for Sea & Sea

flashes, synchronized with Nauticam DSLR housing, length: 2m.



Optical Fiber Sticker S

OF-Stk-S

3M dual lock fastener for optical fiber cable, small size, 2 ncs.



Multi Core Optical Fiber NA-SSH 2X

OF-MC-NASSH-2X US \$110.0 Multi core optic fiber cable for connecting two Sea & Sea flashes, synchronized with Nauticam DSLR housings, length: 2m.



Optical Fiber Sticker

OF-Stk-2X

US \$3.0 3M dual lock fastener for optical fiber cable, 2 pcs.



Multi Core Optical Fiber SSH 2M

OF-MC-SSH2m

Multi core optic fiber cable with small

diffuser, synchronized with Sea & Sea strobes, length:



Optical Fiber Cap-SSH

OF-Zcap-SSH

Cap for connecting optical fiber cable to Nauticam mirrorless, Nauticam compact, Sea & Sea housings and



Multi Core Optical Fiber SSH IN

OF-MC-SSHIN

IIS \$60.0

Multi core optic fiber cable for Inon strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housings, length: 2m.



Optical Fiber Cap-SSHL

OF-Zcap-SSHL

Cap for connecting optical fiber cable to Nauticam mirrorless, Nauticam compact, Sea & Sea housings and flashes, L shape.



Multi Core Optical Fiber SSHL 2M

OF-MC-SSHL2m

Multi core optic fiber cable with small diffuser and SSHL cap.synchronized with Sea & Sea strobes, length:2



Optical Fiber Cap NA

OF-Zcap-NA

Cap for connecting optical fiber cable to Nauticam DSLR housing.



Optical Fiber Cap-IN

OF-Zcap-IN US \$4.0 Plastic cap for connecting optical fiber cable to Inon

strobe sensor.



Bulkhead SNM5

PA-BH-SNM5 Bulkhead S6 for Nikon cameras, male:5 pin.



US \$30.0

Optical Fiber Adaptor Cap-IN to SSH

OF-Zcap-INSSH US \$5.0

Plastic cap for connecting optical fiber cable with Sea & Sea connector to Inon strobe sensor.



Bulkhead SCM6 M10

PA-BH-SCM6-M10

Bulkhead S6 with M10 thread for connecting to hot shoe on Canon cameras, male: 6 pin.



Optical Fiber Clamp

OF-ZCp US \$10.0

Clamp for attaching to strobe sensor, for regular or small size housings.



Hot Shoe Bracket CN

PA-HS-Bt-CN6 US \$25.0

Hot shoe bracket for Canon cameras,6 pin.



Diffuser Bk

PA-Df-Bk US \$5.0

Black diffuser with 3M dual lock fastener for attaching to housings.



Hot Shoe Bracket NK

PA-HS-Bt-NK5 US \$25.0


Hot shoe bracket for Nikon cameras,5 pin.



Diffuser Kit S

PA-Df-K-S US \$13.0

Diffuser kit includes:diffuser S, screws, allen key and 3M dual lock fasteners.



Hot Shoe Bracket OP

PA-HS-Bt-OP5 US \$25.0 Hot shoe bracket for Olympus cameras,5 pin.



Diffuser Kit L

PA-Df-K-L

Diffuser kit includes:diffuser L,screws,allen key and 3M dual lock fasteners.



Hot Shoe Plug CN2

PA-HS-PG-CN2

Connecting 10Bar housing bulkhead to Canon camera hot shoe, 2 pin conection, Non-TTL.



Diffuser S

PA-Df-S US \$5.0 Small size diffuser with 3M dual lock fasteners for

attaching to flash housings.



Hot Shoe Plug CN6

PA-HS-PG-CN6

US \$25.0

Connecting 10Bar housing bulkhead to Canon camera hot shoe, 6 pin conection, E-TTL compatible.



Diffuser L

PA-Df-L US \$5.0 Large size diffuser with 3M dual lock fasteners for

attaching to flash housings.



Hot Shoe Plug NK2

PA-HS-PG-NK2

US \$25, 0

Connecting 10Bar housing bulkhead to Nikon camera hot shoe, 2 pin connection, Non-TTL.



Sync Cord

50

Hot Shoe Plug NK5

PA-HS-PG-NK5

US \$25.0

Connecting 10Bar housing bulkhead to Nikon camera hot shoe, 5 pin connection, I-TTL compatible.



Bulkhead CN

PA-BH-CN

6 pin bulkhead for connecting to sync cord and strobe



Hot Shoe Plug OP2

PA-HS-PG-OP2

US \$25.0 Connecting 10Bar housing bulkhead to Olympus camera

hot shoe, 2 pin connection, Non-TTL.



Bulkhead NK PA-BH-NK

US \$25.0

5 pin bulkhead for connecting to sync cord and strobe plug.



Hot Shoe Plug OP5

PA-HS-PG-OP5

Connecting 10Bar housing bulkhead to Olympus camera hot shoe, 5 pin connection, TTL compatible.



Bulkhead SCM6

PA-BH-SCM6

Bulkhead S6 for connecting to hot shoe on Canon cameras, male:6 pin.





Sync Cord OPM5-NKM5

US \$77.0

pin sync cord for connecting Nikon connector to Olympus housing.



Sync Cord Cap 2X

Sy-Z-cap-2X Sync cord cap 2X. US \$5.0



Sync Cord NKM5 2X

SyC-5P 2X

5 pin sync cord for connecting 10Bar Nikon Speedlite flash housings to 10Bar Nikon camera housings, TTL compatible.



Sync Cord Cap SSF

Sy-Z-cap-SSF US \$4.0 Sync cord cap for 10Bar Sea & Sea sync cord plug F.



Sync Cord CNM6 2X

SvC-6P US \$77.0

6 pin sync cord for connecting 10Bar Canon Speedlite flash housings to 10Bar Canon 400D camera housings, TTL compatible.



Sync Cord Cap SSM

Sy-Z-cap-SSM US \$5, 0 Sync cord cap for 10Bar, Sea & Sea sync cord plug M.



Sync Cord CNM6-NKM3(2)

US \$77.0

2 pin sync cord for connecting Nikon connector strobe to 10Bar Canon camera housing.



Lanyard & Sports Accessories

US \$2.0

Sync Cord CNM6-SSM5(2)

SyC-6P2P-SS US \$77 0

2 pin sync cord for connecting Sea & Sea / Inon strobes to 10Bar Canon 400D housings, Non-TTL.



Coil 100 SS5

PA-Co-S-100S5

US \$10.0 PU covered coil lanvard with stainless steel fitting, diameter:5mm, length:100cm.



Sync Cord OPM5-SSM5

SyC-05S5

pin sync cord for connecting Sea & Sea / Inon

strobes to Olympus camera housings.



Snap Cord PA-Ly-Sn

Quick connecting elastic cord and nylon string for attaching filter or lens to arms.



Sync Cord SHF6 2X

SvC-SHF6-2X

US \$85.0

6 pin sync cord for connecting 10Bar Canon Speedlite 580EX II flash housing to 10Bar Canon 40D housing.



Nylon Lanyard PA-Ly-Ny

Nylon lanyard for housing and flashlight.



Sync Cord SHF6-CNM6

SvC-SHF6-CN6

US \$85, 0

pin sync cord for connecting 10Bar Canon 40D,G9 camera housings to 10Bar Canon Speedlite 580EX II flash housings.



Float Lanyard

PA-Ly-Fy Float lanyard for housing and flashlight.



Sync Cord SHF6-SSM5(2)

SyC-SHF6-SS2

US \$85, 0

2 pin sync cord for connecting SCM6 connector housings to Sea & Sea / Inon strobes, Non-TTL.



Wire Strand Lanyard SS3

blue, red, green and black

PA-Lv-W-SS3

PA-Ly-W-SS3SC

US \$12.0 PU covered coil lanyard, diameter 3mm, length: 100cm, Slingshot ropes are available in blue, red, green and

Simply Constructed Wire Strand Lanyard S

Simply Constructed PU covered coil lanyard, diameter

3mm, length:100cm, Slingshot ropes are available in



Sync Cord NKM5-SSM5 SvC-SS

US \$77.0

5 pin sync cord for connecting Sea & Sea / Inon strobes to 10Bar Nikon D70, CP8800, CP8700 camera housings.



Wire Strand Lanyard SS4

PA-Lv-W-SS4

US \$15.0 Red PU covered coil lanyard, diameter 4mm, length:120cm.



Sync Cord Cap Sy-Z-cap

Sync cord cap.

US \$4.0



Wire Strand Lanyard SS5

PA-Ly-W-SS5

Blue PU covered coil lanyard with stainless steel

fittting, diameter:5mm, length:100cm.





Free Diving Safety Cable

PA-Ly-SR US \$45.0 Free diving dafety cable with stainless steel buckles, length:100cm, diameter:4mm.



Gourd Key Chain Bottle Opener

PA-KC-GD US \$2.5 Gourd key chain bottle opener, length: 55mm, assorted color.



Free Diving Safety Cable S

PA-Ly-SRB US \$48.0 Free Diving Safety Cable with swivel stainless steel buckles, length:100cm, diameter:4mm.



Monopole Pointer 200

PA-BS-200 US \$4.0 Monopole Pointer 200, anodized aluminumwith 1/4"-20 thread, length 200mm



Reef Hook Set

PA-Ly-RH US \$35.0 Stainless steel reef hook with quick release swivel buckles, PU coat stainless steel wire.length:100cm, diameter:4mm.



Monopole Pointer 350

PA-BS-350 US \$5.0 Anodized aluminum monopole pointer with 1/4"-W20 thread,length:345mm.



Sling Webbing 30

PA-Ly-HS30 US \$25.0 Sling Webbing 30cm long 25mm diameter with 2 stainless steel swivel snap hook buckles, PU coat stainless steel wire.length:100cm, diameter:4mm.



Monopole Pointer Extendable 300

PA-BS-EXT300 US \$16.0 Anodized aluminum monopole pointer with 1/4''-W20 thread, 2 extendable sections, extented length: 300mm.



Key Chain Wire Strap SS13.5

PA-KC-S13 US \$1.5 Key Chain Wire Strap, length: 13.5cm, stainless steel, assorted color.



Monopole Pointer Extendable 450

PA-BS-EXT450 US \$18.0 Anodized aluminum monopole pointer with 1/4"-W20 thread,2 extendable sections, extented length:450mm.



Key Chain Wire Strap SS15

PÄ-KC-S15 US \$1. Key Chain Wire Strap, length: 15cm, stainless steel.assorted color.



Monopole Pointer Extendable 600

PA-BS-EXT600 US \$20.0 Anodized aluminum monopole pointer with 1/4"-W20 thread,2 extendable sections, extented length:600mm.



Key Chain Wire Strap SS18

PA-KC-S18 US \$1.5 Key Chain Wire Strap, length: 18cm, stainless steel, assorted color.



Nose clip

PA-Ly-Cp-Nc Nose clip aluminum for free diving



Seahorse Key Chain Bottle Opener

PA-KC-SH US \$2.5 Seahorse key chain bottle opener, length: 76mm, assorted



Mouthpiece Retaining Strap MRS1

PA-Ly-Cp-MRS1 US \$24.0 Mouthpiece Retaining Strap with Silicone Lip Seal



Shark Key Chain Bottle Opener

 $\mbox{PA-KC-SK}$ US \$2.5 Shark key chain bottle opener, length: 70mm, assorted color.



Low Pressure Slim Hose Black 68

PA-RG-LP68 US \$19.0 Low pressure slim hose for regulator, black, length 68cm.



Turtle Key Chain Bottle Opener

PA-KC-TL US \$2.5 Turtle key chain bottle opener, length: 52mm, assorted color.



High Pressure Slim Hose Black 68

PA-RG-GTB68 US \$41.0 High pressure slim hose for pressure gauge, black, length 68cm.



Dolphin Key Chain Bottle Opener

PA-KC-DP US \$2.5 Dolphin key chain bottle opener, length: 70mm, assorted color.



High Pressure Slim Hose Black 15

PA-RG-GTB15 US \$33.0 High pressure slim hose for pressure gauge, black, length 15cm.



Tank Band Single 03

PA-BMB-S03 US \$42.0 Tank band single with adjustable webbing and stainless steel latch.



Flip Frame MF II with Adjustable Mount PA-MK-FMIT

Flip frame with adjustable mount can be attached to most framed masks. The Flip Frame can come with corrective lens from +6.5 to +10.0 at increment of 0.5. or colour filters.



Diving Knife Titanium BC6

PA-KF-BC6 US \$70.0

Diving Knife BC6, material:α +β titanium alloy, hardness: HRC 35, blade length: 2.75", suitable for fitting on BCD or Weight Belt with two optional angles.



Flip Frame Adjustable Mount

Flip frame adjustable mount can be attached to most framed masks for installing flip frame with corrective lens.



Snorkel Holder

PA-SH Snorkel holder. US \$2.0



Prescription Lens MF

PA-MK-FI US \$40.0 Prescription Lens for Mask MF -2.0, -3.0, -4.0 and -5. 0.



Fish Bone Key Chain

Su-Kc

US \$1.0 Plastic key chain.



LED MWB Light

PA-MK-LWBJ US \$30.0 Anodized aluminum mini LED super bright white light complete with Ball Swivel Mount Mimi.batteries 3*AG13/LR44.



Mask MF

PA-MK-MF US \$70.0

Mask with anodized magnetic aluminum frame for mounting multifunction accessaries and corrective lens.



LED MW Light

PA-MK-L US \$15.0 Anodized aluminum mini LED super bright white light with batteries 3*AG13/LR44.



Mask MF with Prescription Lens

PA-MK-MFPL

Mask with anodized magnetic aluminium frame for mounting multifunction accessaries, with a pair prescription lens: -2.0, -3.0, -4.0, -5.0.



LED MW Light L

PA-MK-LL Anodized aluminum mini LED Light 20 lumen with rechargable battery 16340. Charger included.



Mask MF Flip Frame

PA-MK-MFF

US \$100.0

Mask MF with flip magnetic frame and corrective lens ± 1.0 to ± 6.0 at increment of 0.5



Ball Swivel Mount Mini

PA-MK-WBJ US \$15.0 Ball Swivel Mount Mini with two 1/4"-W20 thread

connectors for mounting to housing, light, arm or stay with 1/4"-W20 thread.



Mask MF Flip Frame LED MWB

PA-MK-MFL US \$140.0

Mask MF with flip magnetic frame, corrective lens ± 1.0 to ± 6.0 at increment of 0.5 and LED MWB.



Rattle 100

PA-BZ-100 US \$8.0

Anodized aluminum rattle with 1/4"-W20 threads, length: 100mm, buoyancy: +0.08kg. for pointer or as handle for camera housings



Flip Frame MF

PA-MK-F

Flip Magnetic Frame with corrective Lens for Mask MF ± 1.0 to ± 6.0 at increment of 0.5.



Rattle 150

PA-BZ-150

Anodized aluminum rattle with 1/4"-W20 threads, length:150mm, buoyancy:+0.12kg for pointer or as handle for camera housings



Flip Frame MF II

PA-MK-FII

US \$65.0

Flip Magnetic Frame with corrective Lens for Mask MF +6.5 to +10.0 at increment of 0.5 or colour filters.



Rattle 100 P190

PA-BP-300

Anodized aluminum rattle with 1/4"-W20 thread, pointer length 190mm, total length: 300mm, buoyancy: +0.05kg. for pointer or as handle for camera housings



Flip Frame MF with Adjustable Mount PA-MK-FM US \$70.0

Flip frame can be attached to most framed masks. The

Flip Frame can come with corrective lens from ± 1.0 to ± 6.0 in 0.5 increment.



Reel 10

PA-R-10 Reel with 10m line. US \$16.0





Finger Spool Reel AL 3545 K10

PA-RFW-AL3545

Aluminium finger spool, outer diameter:35mm, width:45mm, centre hole:25mm, Kevlar cord length: 10m, with ss snap hook.



Finger Spool Reel AL 6035

PA-RFW-AL6035 IIS \$28.0 Finger Spool Reel AL 6035 with Spindle and 15m cord



Finger Spool Reel AL 4030 K10

PA-RFW-AL4030

Aluminium finger spool, outer

diameter:40mm, width:30mm, centre hole:25mm, Kevlar cord length:10m, with ss snap hook.



Inflatable Marker Buoy Round

Inflatable marker buoy diameter: 35cm. With water

filling compartment for stablising.



Finger Spool Reel AL 4040 K20

PA-RFW-AL4040 US \$20.0

Aluminium finger spool, outer

diameter:40mm, width:40mm, centre hole:25mm, Kevlar cord length:20m, with ss snap hook.



Inflatable Marker Buoy Oval

PA-FMS US \$30.0

Inflatable marker buoy width: 31cm, length: 86cm. With water filling compartment for stablising and connectors for towing and anchoring.



Finger Spool Reel AL 5530 K30

IIS \$20.0 PA-RFW-AL5530

Aluminium finger spool, outer

diameter:55mm, width:30mm, centre hole:20mm, Kevlar cord length:30m, with ss snap hook.



Surface Marker Tube

US \$35.0

Surface marker tube for diver, width: 13.5cm, length: 120cm. with finger spool and 10m Kevlar cord.



Finger Spool Reel AL 5540 K40

PA-RFW-AL5540

US \$25.0

Aluminium finger spool, outer diameter:55mm, width:40mm, centre hole:20mm, Kevlar cord

length: 40m, with ss snap hook.



Surface Marker Tube L

US \$40.0 PA-SMBL

Surface marker tube for diver, width:13.5cm, length:150cm.with finger spool and 10m Kevlar cord.



Finger Spool Reel AL 5550 K50

PA-RFW-AL5550

US \$30.0 Aluminium finger spool outer

diameter:55mm, width:50mm, centre hole:20mm, Kevlar cord length:50m, with ss snap hook.



Surface Marker Tube XL

PA-SMBXL

Surface marker tube for diver, width: 13.5cm, length:200cm. With finger spool and 10m Kevlar cord.



Finger Spool Reel AL 7030 K20

PA-RFW-AL7030

US \$30.0

Aluminium finger spool, outer

diameter:70mm.width:30mm.centre hole diameter:35mm, Kevlar cord length:20m, with ss snap hook.



Surface Marker Tube DBO

PA-SMB-D80

Surface Marker Tube DBO, L 150cm x W 18cm, with Duck Bill, LP/Oral valve & logo "Diver Below" hook.



Finger Spool Reel AL 7030C K20

PA-RFW-AL7030C

US \$35, 0

Aluminium finger spool with curves, outer

diameter:70mm, width:30mm, centre hole

diameter:35mm, Kevlar cord length:20m, with ss snap hook.



Retractor 55

PA-PB

US \$15.0 Retractor with 1m Kevlar cord, diameter:55mm.

US \$37.0



Finger Spool Reel AL 7040 K30

PA-RFW-AL7040

US \$35.0

Aluminium finger spool, outer

diameter: 70mm, width: 40mm, centre hole diameter: 35mm, Kevlar cord length: 30m with ss snap hook.



Magnetic Holder

PA-MH-HSII

US \$13.0 Magnetic holder with plastic swivel hook, ss wire strap and two split ring, static holding force approx. 2.5kg, diameter:23mm, length:32mm. Spare o-ring for tank valve stored.



Finger Spool Reel AL 7050 K50

PA-RFW-AL7050

IIS \$40.0

Aluminium finger spool, outer diameter:70mm, width:50mm, centre hole:35mm, Kevlar cord length:50m, with ss snap hook.



Magnetic Holder Elastic Cord

PA-MH-PCTT

Magnetic holder with plastic swivel hook, elastic cord, ss wire strap or split ring, static holding force approx. 2.5kg, diameter: 23mm, length: 32mm. Spare o-ring for tank valve stored.



Hand Spool Reel 9080 K100

PA-HSR-9080

Hand spool reel, outer diameter: 90mm, width:80mm, Kevlar cord length:80m, with ss snap hook and nylon lanvard.



Magnetic Hose Holder

PA-MH-HS

Magnetic holder for hose (diameter 9-12mm), with plastic swivel hook,ss wire straps and split

rings, static holding force approx. 2.5kg, diameter:23mm, length:42mm. Spare o-ring for tank valve stored.





Prices valid for one month from the date printed below

Magnetic Hose Holder Elastic Cord PA-MH-PC US \$15.0

Magnetic holder for hose(diameter 9-12mm), with elastic cord, static holding force approx. 2.5kg, diameter: 23mm, length: 42mm. Spare o-ring for tank valve stored.



Shackle U10 SS304

Shackle H5 SS316

MW-MR-U10 US \$2.2 Shackle U, bolt diameter 10mm, open max 9mm, material SS304.

Shackle Horse Shoe, bolt diameter 5mm, material SS316



OBAR

Metalwork

Tool Wrench

Su-SN-TL US \$4.0 Tool screw nut, six fix wrench sizes:5.5, 7, 8, 10, 11mm.



MW-MR-H5

Hanging Buckle 55 SS304

MW-HB-55

US \$3.5

Hanging Buckle, hole diameter:11mm, length:55mm, open
max:8mm, material:SS 304.



Tool Regulator

Su-RG-TL US \$6.0 Tool regulator, six fix wrench sizes :14, 14, 5, 16, 17, 17.5, 24mm. with two pins wrench size 2mm and 3mm diameters center to center distance from 9mm to 32mm.



Hanging Buckle 70 SS304

MW-HB-70 US \$4.0 Hanging Buckle, hole diameter:13mm,length:70mm,open max:12mm, material:SSI 304.



Split Ring 20

PA-MR-020 US \$1.0 Split Ring 20, outer diameter 20mm, inner diameter 17mm, material SS303..



Swivel Buckle 4 SS304

MW-SB-4 US \$2.0 Swivel Buckle, hole diameter 12mm, line diameter 4mm, length 47mm, material SS304.



Split Ring 25

PA-MR-020 US \$1.0 Split Ring 25, outer diameter 25mm, inner diameter 22mm, material SS303..



Swivel Buckle 5 SS304

MW-SB-5 US \$2.0 Swivel Buckle, hole diameter 12mm, line diameter 4mm, length 58mm, material SS304.



Split Ring 30

MW-MR-030 US \$1.0 Split Ring 30, outer diameter:30mm,inner diameter:25mm,material:SS 304.



Snap Hook Swivel 80 SS304

MW-SB-80 US \$4.5 Snap Hook Swivel, hole diameter:17mm, length:80mm, open max:10mm, material:SS 304.



Shackle U4 SS304

MW-MR-U4304 US \$1.3 Shackle U, bolt diameter 4mm, material SS304.



Snap Hook Double 90 SS304

MW-SB-D90 US \$3.3 Snap Hook Double, length:89mm, open max:10mm, material:SS 304.



Shackle U4 SS316

MW-MR-U4316 US \$1.4 Shackle U, bolt diameter 4mm, material SS316.



Snap Hook Double 90 SS316

MW-SB-D90S US \$3.8 Snap Hook Double,length:89mm,open max:10mm, material:SS 316.



Shackle U5 SS304

MW-MR-U5 US \$1.4

Shackle U, bolt diameter 5mm, open max 9mm, material SS304.



Snap Hook Double 100 SS304

MW-SB-D100 US \$5.0 Snap Hook Double, length 100mm, open max 10mm, material SS304



Shackle U6 SS304

MW-MR-U6 US \$1.8

Shackle U, bolt diameter 6mm, open max 9mm, material SS304.



Snap Hook Double 115 SS304

MW-SB-D115 US \$5.5 Snap Hook Double, length 115mm, open max 13mm, material SS304.



Shackle U8 SS304

MW-MR-U8

Shackle U, bolt diameter 8mm, open max 9mm, material SS304.



Trigger Swivel Hook 65 SS316

MW-TSH-65 US \$4.7 Trigger Swivel Hook, length 65mm, open max 12mm, material SS316.



Quick Release Swivel Buckles 70 SS304 MW-QR-70 US \$5.0

Quick release swivel buckles, hole diameter 13mm, length 67mm, open max:18mm, material SS304.



Lock Ring Triangle 30 SS304

MW-LT-30 US \$2.0 Lock Ring Triangle, height 30mm, line diameter 3mm, material SS304.



Quick Release Swivel Buckles 70 SS316 MW-QR-S70 US \$5.5

Quick release swivel buckles, hole diameter 13mm, length 67mm, open max:18mm, material SS316.



Lock Ring Triangle 50 SS304

MW-LT-50 US \$2.5 Lock Ring Triangle, height 50mm, line diameter 5mm, material SS304.



Reef Hook R150x2 SS316

MW-HR-R150x2 US \$4.0 Hook for Reef Hook Set, double hooks,length 150mm, material SS316



Lock Ring Ellipse 3.5 SS304

MW-LE-37 US \$2.0 Lock Ring Ellipse, width 37mm, line diameter 3.5mm, material SS304.



Reef Hook R150 SS316

MW-HR-R150 US \$3.2 Hook for Reef Hook Set, length 150mm, material SS316



Lock Ring Ellipse 4.0 SS304

MW-LE-43 US \$2.5 Lock Ring Ellipse, width 43mm, line diameter 4mm, material SS304.



Rope Clamp 6 SS316

MW-RC-6 US \$1.5 Rope Clamp for 6mm wire, material SS316



Carabina C32 SS304

MW-CB-32 US \$2.0 Carabina C, hole diameter 4mm, length 32mm, open max 8mm, material SS304.



Rope Cap 10 SS316

MW-RC-10

Rope Cap for 10mm rope, SS316



US \$5.0

Carabina D40 SS304

MW-MB-D40 US \$2.0 Carabina D, hole diameter 8mm, length 40mm, open max 8mm. material SS304.



BAR Light & Optics

75

Carabina S40 SS304

MW-CB-S40 US \$1.4 Carabina S for attaching to lanyard. length 40mm, open max 6mm, line diameter 4mm, material SS304.



Diving Light 38

LO-Led-38

US \$50.0

Diving light with rotary magnetic safety switch, 1000

lumen with progressive brightness adjustment, made of anodized aluminum, depth rating: 60m, length:138mm, bezel diameter:38mm



Carabina S60 SS316

MW-CB-S50 US \$1.5 Carabina S for attaching to lanyard. length 60mm, open max 6mm, line diameter 4mm, material SS304.



Diving Light 38 M

LO-Led-38M US \$50.0 Diving light 38 M,300 lumen.5 modes, depth rating: 60m, length:140mm, bezel diameter:38mm



Carabina S50 SS316

MW-CB-S50 US \$1.5 Carabina S for attaching to lanyard. length 50mm, open max 6mm, line diameter 4mm, material SS316.



Diving Light 53 LO-Led-53

LO-Led-53

US \$50.0

Diving light with magnetic switch, 1000 Lumen, no hot spot for taking video, 8 modes, 3 compatible battery sizes, depth rating: 60m, length: 150mm, bezel diameter:53mm.



Quick Release Buckles 50 SS304

MW-QR-50 US \$4.8 Quick release buckles, hole diameter 14mm, length 50mm, open max 12mm, material SS304.



LED Ultra Light Head

LO-LED-HEU US \$180.0 LED light head connects to LED light power pack, 10W, 800 lumen.



LED Lite LX1

LO-LED-LX1 US \$32.0 Super bright 1W LED flashlight, available in blue, magenta, yellow.





香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室

日他期間回五万街317-35555元 (大阪日安日 上 Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong Email: service@10bar.com Web site: http://www.10bar.com Tel: (852) 2573 3228 Fax: (852) 2811 9180 Prices valid for one month from the date printed below

2024-2-1

Page 42 of 48

LED Focusing Light

LO-LED-Focus US \$42.0 LED light with 8 LED, auto shut-off when strobe fires.



Underwater power cable 30

LO-LED-UB30 US \$160.0 Underwater TRVV 4x0.75mmsq power cable, depth rating:60m, length:30m.



LED UV

LO-LED-UV LED studio UV,9W,1800 lumen. US \$300.0



Underwater power cable 50

LO-LED-UB50 US \$240.0 Underwater TRVV 4x0.75mmsq power cable, depth rating:60m, length:50m.



LED 36 Studio Light

LO-LED-36 US \$300.0 Compact and light weight with 36 LED lights powerful light intensity,1000 lumens powered by 4 x 18650 built-in Li-ion batteries and included with multi voltage charger wide angle flood beam up to 160 degrees



Snoot Laser S-2000

LO-LED-SN-S2000 US \$150.0 Snoot with laser pointer for Inon S-2000.Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



LED 144 Studio Light

LO-LED-144L LED studio 144,1.5W,3000 lumen. US \$360.0



Snoot Laser Z-240

LO-LED-SN-Z240 US \$150.0 Snoot with laser pointer for Inon Z-240.Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



LED 100W

LO-LED-100W US \$360.0 LED 100W, 24V, diameter:140mm, length:100mm.



Snoot Laser Ultra Max

LO-LED-SN-UM US \$150.0 Snoot with laser pointer for Ultra Max.Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



Power Supply with Housing 8

LO-LED-MP8000 US \$300. Lithium plasma Rechargeable power supply with housing, 24V 8000mAH



Snoot Laser YS-110

LO-LED-SN-YS110 US \$150.0 Snoot with laser pointer for Sea & Sea YS-110.Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



Power Supply with Housing 16

LO-LED-MP16000 US \$350.0 Lithium plasma rechargeable power supply with underwater housing, 24V 16AH included with charger



Snoot YS-D1/2

LO-LED-SN-YSD1 US \$120.0 Snoot with target light tube for Sea & Sea YS-D1/YS-D2.Flash's built-in target light is used instead of a red laser pointer.



Underwater power cable 50 with Collector LO-LED-UB50C US \$340.0

Underwater power cable with collector, depth rating:100m, length:50m.



Laser Pointer

LO-LED-FH-LA US \$75.0 Red laser pointer for mounting on strobe, snoot, spear gun etc. Laser angle adjustable.



Underwater power cable 1

LO-LED-UB1 US \$40.0 Underwater TRVV 4x0.75mmsq power cable, depth rating:60m, length:1m.



Laser Pointer Underwater

LO-LED-FH-HLAL US \$55.0 Laser Pointer for underwater housing.Depth Rating 50m.Charger and rechargeable battery include.



Underwater power cable 10

LO-LED-UB10 US \$80.0 Underwater TRVV 4x0.75mmsq power cable, depth rating:60m, length:10m.



Snoot Center Laser S-2000

LO-LED-SN-S2000C US \$170.0 Snoot with center laser pointer for Inon S-2000.Light sensor will automatic cut-off laser when flash is fired.



Underwater power cable 20

LO-LED-UB20 US \$120.0 Underwater TRVV 4x0.75mmsq power cable, depth rating:60m, length:20m.



Snoot Center Laser Z-240

LO-LED-SN-Z240C US \$170.0 Snoot with center laser pointer for Inon Z-240.Light sensor will automatic cut-off laser when flash is fired.



Snoot Center Laser Z-330

LO-LED-SN-Z330C US \$170.0 Snoot with center laser pointer for Inon Z-330.Light sensor will automatic cut-off laser when flash is fired.



Snoot 46

FL-Ft-CL46 Snoot for torch with bezel diameter 46mm.



US \$25.0

US \$30.0

Snoot Center Laser YS-D1/2

LO-LED-SN-YSD1C US \$180.0 Snoot with center laser pointer for Sea & Sea YS-D1/2.Light sensor will automatic cut-off laser when flash is fired.



Snoot 49 BB

FL-Ft-CL49 Snoot for torch with bezel diameter 49mm.



Snoot Center Laser YS-110 Alpha

LO-LED-SN-YS110C US \$180.0 Snoot with center laser pointer for Sea & Sea YS-110 Alpha.Light sensor will automatic cut-off laser when flash is fired.



Snoot 56 XA

 $\label{eq:fl-cl56} {\rm US} \ \30.0 Snoot for torch with bezel diameter 56mm.



Snoot Center Laser DS-161

LO-LED-IK-DS161 US \$170.0 Snoot with center laser pointer for Ikelite DS-161.Light sensor will automatic cut-off laser when flash is fired.



Snoot Adjustable 25-50

FL-Ft-ADJ2550 US \$30.0 Snoot can be adjusted for torch with bezel diameter 25-50mm.



Snoot Center Laser SS-1

LO-LED-DV-SS1 US \$200.0 Snoot with center laser pointer for I-Divesite SS-1 Strobe. Laser will cut-off when flash is fired. Optional Snoot S, M, L, T for video light available.



Snoot Adjustable 50-75

 $FL\mbox{-}Ft\mbox{-}ADJ5075$ US \$40.0 Snoot can be adjusted for torch with bezel diameter 50-75mm.



Snoot Flex Fiber Optic Extension

LO-LED-FF US \$46.0 Flexible fiber optic extension for snoot with center laser pointer.Length:240mm.



Snoot Adjustable 75-100

FL-Ft-ADJ75100 US \$55.0 Snoot can be adjusted for torch with bezel diameter 75-



Laser Center Pointer 70

LO-LED-FH-LAC70 US \$90.0 Red laser pointer for mounting on snoot with 70mm diameter tube. Light sensor will automatic cut-off laser when flash is fired.



Snoot 38 Condenser F15

FL-Ft-CL38F15 US \$40.0 Snoot 38 condenser F15 with focus length 50mm, for torch with bezel diameter 38mm. For underwater macro photography.



Laser Center Pointer 90

LO-LED-FH-LAC90 US \$90.0 Red laser pointer for mounting on snoot with 90mm diameter tube. Light sensor will automatic cut-off laser when flash is fired.



Snoot 38 Condenser F35

FL-Ft-CL38F35 US \$40.0 Snoot 38 condenser F35 with focus length 25mm, for torch with bezel diameter 38mm. For underwater macro photography.



Snoot 34

FL-Ft-CL34 US \$25.0 Snoot for torch with bezel diameter 34mm.



Snoot 53 Condenser F15

FL-Ft-CL53F15 US \$40.0 Snoot 53 condenser F15 with focus length 50mm, for torch with bezel diameter 53mm. For underwater macro photography.



Snoot 38

 $\mbox{FL-Ft-CL38}$ US \$25.0 Snoot for torch with bezel diameter 38mm.



Snoot 53 Condenser F35

FL-Ft-CL53F35 US \$40.0 Snoot 53 condenser F35 with focus length 25mm, for torch with bezel diameter 53mm. For underwater macro photography.



Snoot 39

 $$\operatorname{FL-Ft-CL39}$$ US \$25.0 Snoot for torch with bezel diameter 39mm.



Snoot 38 Condenser F35 Package

FL-Ft-CL38P35 US \$130.0 Snoot 38 condenser F35 with focus length 25mm, for torch with bezel diameter 38mm. Complete with Torch Light 38, Multi Colour Filter and YS Bracket.



Snoot 53 Condenser F15 Package

FL-Ft-CL53P15 US \$120.0 Snoot 53 condenser F15 with focus length 50mm, for torch with bezel diameter 53mm. Complete with Torch 53, Multi Colour Filter and YS Bracket.



Snoot M

FL-Ft-SM US \$17.0 Snoot with 7 section.Length:90mm.For 10Bar snoots.Optional Multi Color Filters M9 and M15 available.



Snoot Adjustable 25-50 Condenser F15

FL-Ft-ADJ2550F15 US \$40.0 Snoot condenser F15 with focus length 50mm, can be adjusted for torch with bezel diameter 25-50mm. For underwater macro photography.



Snoot S

FL-Ft-SS US \$15.0 Snoot with 7 sections.Length:80mm.For 10Bar snoots.Optional Multi Color Filters M9 and M15(adaptor required) available.



Snoot Adjustable 50-75 Condenser F15

FL-Ft-ADJ5075F15 US \$55.0 Snoot condenser F15 with focus length 50mm, can be adjusted for torch with bezel diameter 50-75mm. For underwater macro photography.



Snoot Condenser 22

FL-Ft-SC22 US \$15.0 Snoot with condenser for LED light with bezel diameter 22mm.



Snoot Adjustable 25-50 Condenser F35

FL-Ft-ADJ2550F35 US \$40.0 Snoot condenser F35 with focus length 25mm, can be adjusted for torch with bezel diameter 25-50mm. For underwater macro photography.



Snoot Condenser 38

FL-Ft-SC38 US \$15.0 Snoot with condenser for torch with bezel diameter 38mm



Snoot Adjustable 50-75 Condenser F35

FL-Ft-ADJ5075F35 US \$55.0 Snoot condenser F35 with focus length 25mm, can be adjusted for torch with bezel diameter 50-75mm. For underwater macro photography.



Snoot Condenser 38 with Diving Light 38 FL-Ft-SC38DLM US \$65.0

Snoot with condenser and diving light. Snoot will fit torch with bezel diameter 38mm.



Snoot Adjustable 25-50 Condensers F15 X FL-Ft-CL2550P35 US \$85.0

Snoot with two movable F15 condensers, focus length 50mm. Adjustable to fit light source with bezel diameter 25 to 50mm. For underwater macro photography.



Snoot Condenser 22 with Filters

FL-Ft-SC22F US \$25.0 Snoot with condenser and multi color filter. For torch with bezel diameter 22mm.



Snoot Adjustable 50-75 Condensers F15 X FL-Ft-CL5075P35 US \$90.0

FL-Ft-CL5079735
US \$90.0
Snoot with two moveable F15 condensers, focus length
50mm. Adjustable to fit light source with bezel
diameter 50 to 75mm. For underwater macro photography.



Snoot Condenser 38 with Filters

FL-Ft-SC38F US \$25.0 Snoot with condenser and multi color filter.For torch with bezel diameter 38mm.



Snoot Adjustable 25-50 F15 X 2 S

FL-Ft-CL2550P15S US \$93.0 Snoot with two movable F15 condensers and snoot S, focus length 50mm. Adjustable to fit light source with bezel diameter 25 to 50mm. For underwater macro photography.



Snoot Condenser 38 Filters Torch

FL-Ft-SC38FD US \$75.0 Snoot with condenser and multi color filter and torch 38. Snoot will fit torch with bezel diameter 38mm.



Snoot Adjustable 50-75 F15 X 2 S

FL-Ft-CL5075P15S US \$98.0 Snoot with two movable F15 condensers and snoot S, focus length 50mm. Adjustable to fit light source with bezel diameter 50 to 75mm. For underwater macro photography.



Bag

Snoot T

FL-Ft-ST US \$25.0 Snoot with 3 extendable sections. Extented length:130mm. For 10Bar snoots.



Bag Soft CO1

PA-Bg-S-C01 US \$1.0 Soft bag for carrying lens. Size(Approx.):16cm(L) x 11cm(W).



Snoot L

FL-Ft-SL US \$20.0 Snoot with 7 sections.Length:160mm.For 10Bar snoots.Optional Multi Color Filters M9 and M15 available.



Bag Soft CO2

PA-Bg-S-C02 US \$2.0 Soft bag for carrying lens. Size(Approx.):18cm(L) x 14cm(W) .




Bag Soft CO3

PA-Bg-S-C03 US \$2.0 Soft bag for carrying lens. Size(Approx.):23cm(L) x 18cm(W) .





香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室 Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong



Bag Soft CO4

US \$3.0

PA-Bg-S-C04 Soft bag for carrying lens. Size(Approx.):28cm(L) x 20cm(W).



Dry Bag HD1

PA-Bg-Dry-HD1 US \$10.0 Heavy duty dry bag with buckle. Size(Approx.):30cm(L) x 20cm(W).



Bag Soft XS

PA-Bg-S-XS Soft bag for equipment storage. Size(Approx.):12cm(L)



Dry Bag HD2

PA-Bg-Dry-HD2 Heavy duty dry bag with buckle. Size(Approx.):45cm(L)



Bag Soft S

PA-Bg-S-S US \$4.0 Soft bag for equipment storage. Size(Approx.):20cm(L) x 18cm(W).



Dry Bag HD3

PA-Bg-Dry-HD3 US \$20.0 Heavy duty dry bag with buckle. Size(Approx.):55cm(L) x 40cm(W).



Bag Soft M

PA-Bg-S-M US \$4.0 Soft bag for equipment storage. Size(Approx.):25cm(L) x 22cm(W).



Dry Bag UL2

PA-Bg-Dry-UL2 US \$10.0 Ultra light dry bag with buckle and carabina. Size(Approx.):45cm(L) x 30cm(W).



Bag Soft L

PA-Bg-S-L US \$5.0 Soft bag for equipment storage. Size(Approx.):35cm(L) x 30cm(W).



Dry Bag DB

PA-Bg-Dry-HDB US \$20.0 Blue dry bag with buckle. Size(Approx.):60cm(L) x 39cm(W) x 5cm(D).



Bag Soft Inner Pockets S

PA-Bg-S-LI Soft bag with two inner pockets. Size(Approx.):21.5cm(L) x 15.5cm(W).



US \$4.0

Folder Bag 2525

PA-Bg-FB-2525 Folder bag with mesh partition. Size(Approx.):25cm(L) x 25cm(W).



Bag Soft Inner Pockets L

PA-Bg-L-LI US \$5.0 Soft bag with two inner pockets, interlayer. Size(Approx.):31cm(L) x 23cm(W).



Folder Bag 2533

diameter:22cm.

PA-Bg-FB-2533 US \$7.0 Folder bag with mesh partition. Size(Approx.):25cm(L) x 33cm(W).



Mini Dry Bag

PA-Bg-Dry-MI US \$3,0 Mini dry bag. Size(Approx.):6cm(L) x 6cm(W).



Mesh Carrying Bag S with SS Handle PA-Bg-Carr-MES US \$20.0 Mesh carrying bag s with SS handle and frame. Openning



Dry Bag MO3

PA-Bg-Dry-M03 Dry bag. Size(Approx.):17cm(L) x 11cm(W).



Mesh Carrying Bag SL with SS Handle PA-Bg-Carr-MESL Mesh carrying bag with stainless steel handle and



Dry Bag MO8

PA-Bg-Drv-M08 US \$5.0 Dry bag. Size(Approx.):23.5cm(L) x 14.5cm(W).



Bag Carrying Z

frame. Opening diameter:27cm.

PA-Rg-Carr-Z US \$12.0 Carry bag with shoulder strap. Size(Approx.):20cm(W) x 20cm(H) x 13cm(D).



Dry Bag M09

PA-Bg-Dry-M09 Dry bag. Size(Approx.):21cm(L) x 14cm(W).



Bag Carrying ZL

PA-Bg-Carr-ZL US \$15.0 Carry bag ZL with shoulder strap. Size(Approx.):20cm(W) x 23cm(H) x 15cm(D).





Bag Carrying M

PA-Bg-Carr-M US \$25.0 Neoprene hand carry bag. Size(Approx.):35cm(W) x 30cm(H).



Adhesive Mount

SP-ADMT US \$10.0 Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others. Quick release mount, pivot point. Comes with large, small, flat and curved adhesive pads.



Air Photo Bag

PA-Bg-Ab Inflatable Photo bag for storage, carrying or washing camera housing and accessories. Size:45cm(L) x 35cm(W) x 35cm(H).



Helmet Mount 3

Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others.Adjustable straps,quick release mount,pivot point, large, small, flat and curved adhesive pads.



Carrying Bag 45

PA-Bg-CB45 US \$20.0 Carrying bag 45, size: 45cm(L) x 35cm(W) x 35cm(H), for air photo bag.



Mini Flex Arm

SP-SP1FA For mounting video light or flashlight. May require optional adapter. 25 cm long mini flex arm for SP1 base tray(SP1-BT) and other compatible base tray



Weight Belt Pocket 1

PA-Bg-WPI US \$5.0 Weight Belt Pocket . Size 12cm(L) x 8cm(W).



Magenta Filter for Sport HD

SP-IFMAG-SP1 IIS \$20.0 52mm slip-on magenta filter for Intova Sport Pro



Weight Belt Pocket 2

PA-Bg-WPII US \$10.0 Weight Belt Pocket with 2 compartments. Each compartment size (Approx.): 12cm(L) x 8cm(W).



Red Filter for Sport HD

SP-IFRd-SP1 US \$20.0 52mm slip-on red filter for Intova Sport Pro Camera SP1.



Weight Belt Procket 3

PA-Bg-WPIII Weight Belt Pocket with 3 compartments. Each compartment size(Approx.): 12cm(L) x 8cm(W).



UV Filter for Sport HD

52mm slip-on UV filter for Intova Sport HD camera SP1. For lens protection.



Soft Pocket M

PA-Bg-SP-M Soft Pocket M for weights or storage. Size(Approx.):12cm(L) x 11cm(W).




Neutral Density Filter for Sport HD

52mm slip-on neutral density(2 stops) filter for Intova Sport HD Camera SP1. For use in bright sunlight.



Sport Supplies

US \$6.0



US \$12.0 SP-FMTA Adjustable strap for attaching torch to face mask.

Adapter is secured to face mask with face mask strap passing through sleeve on adapter.



Camera Hand Strap

SP-CHS Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others. Adjustable strap, pivot point, comfortable.



50

Sport HD Surf Plug Mount

SP-SPPM Surfboard mount compatible with FCS/TM box systems.Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others.



Hand Grip Soft Handle QR

US \$18.0 Hand grip soft handle with quick release for lighthead or torch with with 1/4"-20 screw and lock disc



Camera U Connector

SP-CUC Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others. For attaching camera to flex arm.



Goodman Handle AS

SP-HAS US \$18.0 Hand grip handle adjustable for height and angle with 1/4"-20 screw and lock disc.



Surf Board Mount

Secure adhesive mounting system for cameras with standard tripod mount thread (fits most cameras). Adjustable angle.



Helmet Mount with Trap and Quick Releas US \$15.0

Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others.



BAR/Pole Mount

SP-HBM US \$18.0 Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others. Adjustable pivot point.



Go Cam Adapter Mount

Compatible with mounts that have standard tripod

thread screw. Adapter that allows cameras with GoPro type mount base to be attached to standard tripod

US \$3.0

SP-GMA

mount.

Chest Strap

SP-CS US \$18.0 Multi adjustable body straps. Standard tripod mount thread (fits most cameras).



Speargun Mount

SP-SGM US \$32.0 Compatible with standard tripod mount thread base.



Torch Adaptor Mount

SP-TAM Mini torch adaptor. Diameter: 22mm.

Adjustable clamp and mounting configurations.



US \$8.0

Tripod Mount Adapter

SP-TMA US \$5.0 For attaching cameras with standard tripod thread to GoPro type mounts.



Flex Arm Pod

SP-POD US \$20.0 Compatible with standard tripod thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others. Mount flashlight or video light with optional adapter. Length: 50cm.



Floating Multi Grip

SP-FMG01 US \$12.

Foam rubber encased flexible grip with wrist lanyard and flex arm head for attaching light. For cameras with standard tripod mount thread.



Suction Cup Mount

SP-SCM US \$10.0

For cameras with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others. Adjustable pivot points.



Face Mask Mount

SP-FMMT US \$10.0

Attaches underwater camera with standard tripod mount thread to face masks with frame. Adjustable clamp and pivot point.



Body Board Mount

SP-BBMT US \$15.0

Allows action cam to be mounted on body board.Compatible with standard tripod mount thread or GoPro style mounts.Adjustable angle.



Tripod to Tripod Mount

SP-TTM US \$7.

Compatible with standard tripod mount thread like Canon, Nikon, Sony, Fuji, Pentax, Olympus, Intova and others. Allows flexibility in mix and matching mount accessories.

Tel: (852) 2573 3228



