

The suggested retail prices in the list are for reference only and there is no guarantee that the product is available or will be sold at the listed price. Shipping fees, postage, delivery charges, and taxes are not included in the price listed. The final price has to be confirmed and verified with the dealers.

Price List - USD



10Bar Housings

Housing G10

US \$630, 0 Hs-DC-Cn-G10 Housing for Canon PowerShot G10 digital camera.



Housing G11/G12

US \$630.0

Housing for Canon G11/G12 digital camera.



Housing G16

US \$730.0 Hs-DC-Cn-G16

Housing for Canon G16 digital camera.



Housing G1X

Hs-DC-Cn-G1X US \$730.0

Housing for Canon G1X digital camera.



Housing M

US \$850.0 Hs-DC-Cn-M

Housing for Canon EOS-M digital camera, complete with flat port for 22mm lens.



Housing M-Z

Hs-DC-Cn-MZ

Housing for Canon EOS-M digital camera, complete with semi-dome zoom port for 18-55mm lens.



Housing S95

Hs-DC-Cn-S95 Housing for Canon S95 digital camera. US \$630, 0



Housing GF2

Hs-DC-Pn-GF2 Housing for Panasonic GF2 digital camera, complete with

flat port for 14-20mm lens.



Housing GF2-Z

US \$900.0 Hs-DC-Pn-GF2Z Housing for Panasonic GF2 digital camera, complete with

zoom port for 14-45/14-42mm lens.



Housing GF3

Hs-DC-Pn-GF3 US \$750, 0 Housing for Panasonic GF3 digital camera, complete with

flat port for 14-20mm lens.



Housing GF3-Z

US \$900.0 Hs-DC-Pn-GF3Z Housing for Panasonic GF3 digital camera, complete with zoom port for 14-45/14-42mm lens.



Housing GH1

Hs-DC-Pn-GH1 US \$1, 100, 0 Housing for Panasonic GH1 digital camera, complete with

flat port for 20mm lens.



Housing GH1-Z

Hs-DC-Pn-GH1Z IIS \$1, 250, 0

Housing for Panasonic GH1 digital camera, complete with zoom port for 14-45mm lens.



Housing GH2

Hs-DC-Pn-GH2 US \$1,100.0 Housing for Panasonic GH2 digital camera, complete with

flat port for 14-20mm lens.



Housing GH2-Z

Hs-DC-Pn-GH2Z US \$1,250.0 Housing for Panasonic GH2 digital camera, complete with

zoom port for 14-42/14-45mm lens.



Housing GH3-Z

Hs-DC-Pn-GH3Z

Housing for Panasonic GH3 digital camera, complete with flat zoom port for 12-35mm lens.



Housing GX1

Hs-DC-Pn-GX1 Housing for Panasonic Lumix DMC-GX1 digital camera.



Housing GX1-Z

Hs-DC-Pn-GX1Z

US \$1,000.0 Housing for Panasonic Lumix DMC-GX1 digital

camera, complete with zoom port for 14-42 PZ lens.



Housing LX3

Hs-DC-Pn-LX3 US \$630.0 Housing for Panasonic LX3 digital camera.



Housing LX5

US \$630.0

Housing for Panasonic LX5 digital camera.



Housing TZ7/ZS3

Hs-DC-Pn-TZ7/ZS3 US \$480.0 Housing for Panasonic TZ7/ZS3 digital camera.



香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室 Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong

Email: service@10bar.com Web site: http://www.10bar.com Tel: (852) 2573 3228 Fax: (852) 2811 9180

Prices valid for one month from the date printed below

2025-3-21

Page 1 of 50

Housing TZ10/ZS5/ZS7

Hs-DC-Pn-TZ10/ZS5/ZS7 US \$480.0 Housing for Panasonic TZ10/ZS5/ZS7 digital camera.



Housing OM-D

Hs-DC-Op-OMD US \$1,300.0 Housing for Olympus OM-D digital camera, complete with flat zoom port for 12-50mm lens.



Housing TZ20/ZS10

Hs-DC-Pn-TZ20 US \$480.0 Housing for Panasonic TZ20/ZS10 digital camera.



Housing XZ1

Hs-Dc-Op-XZ1 US \$630.0 Housing for Olympus XZ1 digital camera.



Housing E-P3-Z

Hs-Dc-Op-EP3Z US \$900.0 Housing for Olympus E-P3 digital camera, complete with semi-dome zoom port for 14-42mm II R lens.



Housing NEX 5N-Z

Hs-DC-Sn-NEX 5NZ US \$900.0 Housing for Sony NEX 5N digital camera, complete with zoom port for 18-55mm lens.



Housing E-PL1

Hs-Dc-Op-EPL1 US \$750.0 Housing for Olympus E-PL1 digital camera, complete with flat port for 17mm lens.



Housing NEX 5R

Hs-DC-Sn-NEX 5R US \$850.0 Housing for Sony NEX 5R digital camera, complete with flat port for 16mm lens.



Housing E-PL1-Z

Hs-Dc-Op-EPL1Z US \$900.0 Housing Olympus E-PL1 digital camera, complete with semi-dome zoom port for 14-42mm lens.



Housing NEX 5R-Z

Hs-DC-Sn-NEX 5RZ US \$1,000.0 Housing for Sony NEX 5R digital camera,complete with zoom port for 18-55mm lens.



Housing E-PL2

 $$\rm Hs\mbox{-}Dc\mbox{-}Op\mbox{-}EPL2}$$ US \$750.0 Housing for Olympus E-PL2 digital camera, complete with flat port for 17mm lens.



Housing NEX 5-Z

Hs-DC-Sn-NEX 5Z US \$900.(Housing for Sony NEX 5 digital camera,complete with zoom port for 18-55mm lens.



Housing E-PL2-Z

Hs-Dc-Op-EPL2Z US \$900.0 Housing for Olympus E-PL2 digital camera, complete with semi-dome zoom port for 14-42mm II lens.



Housing 3D W1

Hs-DC-FF-3DW1 US \$630.0 Housing for FujiFilm 3D W1 digital camera.



Housing E-PL3

Hs-Dc-Op-EPL3 US \$750.0 Housing for Olympus E-PL3 digital camera, complete with flat port for 17mm lens.



Housing GoPro

Hs-Go Aluminium housing for GoPro Hero.



Housing E-PL3-Z

Hs-Dc-Op-EPL3Z US \$900.0 Housing for Olympus E-PL3 digital camera, complete with semi-dome zoom port for 14-42mm II lens.



Housing GoPro 3

Hs-Go3 Aluminium housing for GoPro Hero 3. US \$190.0

Housing E-PL5

Hs-Dc-Op-EPL5 US \$850.0 Housing for Olympus E-PL5 digital camera, complete with flat port for 17mm lens.



Housing GoPro 3+

Hs-G03+ US \$230.0 Aluminium housing for GoPro Hero 3/3+.



Housing E-PL5-Z

Hs-Dc-Op-EPL5Z US \$1,000.0 Housing for Olympus E-PL5 digital camera, complete with semi-dome zoom port for 14-42mm II-R lens.



Housing Tumax

Hs-St-Tm US \$280.0 Housing for Tumax DSL286AF flash with Canon, Nikon, Olympus & Panasonic versions,TTL sync cord included.



Flash Tumax

Hs-St-Tm-F US \$60.0 Tumax DSL286AF flash with Canon, Nikon or Olympus & Panasonic versions.



Lever Opener PA-LO

Lever opener for 10Bar housings.



US \$3.0

Housing Tumax with Flash

Hs-St-Tm-P Tumax DSL286AF flash and aluminium housing, compatible with Canon, Nikon or Olympus & Panasonic cameras, TTL svnc cord included.



Strobe Port Blank

PA-SP US \$5.0 Protective cover for bulkhead on housing.



Housing FL220

Hs-St-Pn-220 US \$360, 0 Housing for Panasonic FL-220 flash, TTL sync cord included.



Moisture Alarm Sensor I

Hs-MAS US \$60.0 Moisture alarm sensor for underwater housing,include:PCB circuit with battery,sensor and extend sensor, spare battery, buzzer, cable retainer, double-sided sticker.



Additional Buckle Installation

US \$150.0 Housing additional buckle installation.



Moisture Alarm Sensor

US \$70.0 Hs-MAS II Moisture alarm sensor for underwater housing, include: low profile PCB circuit, sensor and extend sensor, battery and spare battery, buzzer, cable retainer, double-sided sticker.



Additional Function Service

US \$100.0 Hs-ZAF Additional function installation services.



Pressure Leak Detector

Hs-STH US \$95.0 External device detects pressure leak of underwater housing with female thread M16 port (optional 1/4"-W20, M14 and custom-made available) include suction pump with gauge.



Additional Strobe Port Service

US \$120.0 Adding one extra strobe port on housing.



Pressure Leak Detector II

Hs-STHII External device detects pressure leak of underwater housing with female thread M16 port (optional 1/4"-W20, M14 and custom-made available) include suction pump.



Housing Annual Service

US \$54.0 Annual manitenance service includes housing inspection & pressure testing (excluding parts).



Port & Extension



Housing Accessories



PE-P-M71-37 Screw-on flat port for G11 housing with 71mm port thread, length: 37mm.



Handle L

Am-Hd-L Left handle for 10Bar housings. US \$10.0



50

Port M71 x 43

Port M71 x 37

PE-P-M71-43 US \$150, 0 Screw-on flat port for G10 housing with 71mm port thread, length: 43mm.



Handle R Am-Hd-R

Right handle for 10Bar housings.

US \$10.0



Port M77 x 17

PE-P-M77-17 US \$150.0 Screw-on port for housing with 77mm port opening, for Panasonic 20mm;01ympus 17mm and Sony 16mm lens, length:17mm.



Universal Key

PA-KU Key for opening all 10Bar housings. US \$3.0



Port M77 x 28

PE-P-M77-28

Screw-on port for housing with 77mm port thread.length:28mm.



Knob Adaptor

Am-K-A Knob adaptor for attaching to original button on



Port M77 x 74

PE-P-M77-74

Screw-on port for housing with 77mm port thread, for 45mm macro lens on GF1 housing, length:74mm.





香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室

Email: service@10bar.com Tel: (852) 2573 3228

Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong Web site: http://www.10bar.com Fax: (852) 2811 9180

Prices valid for one month from the date printed below

Page 3 of 50 2025-3-21

US \$150.0



Port M77 x 75

PE-P-M77-75 US \$180.0

Screw-on port for housing with 77mm port thread, length:75mm.



Port Adaptor Ring M84-F77

PE-AR-M84F77 US \$60.0

Screw-on port adaptor ring, for M77 series ports on housing with 84mm port thread.



Port M77 x 78

PE-P-M77-78 US \$180.0

Screw-on port for housing with 77mm port thread, length: 78mm.



Gear Ring 7-14

PE-GR-7/14 Gear ring for Panasonic 7-14mm lens, used with port

M77x100DZ.

Port M84 x 90

PE-P-M84-90 US \$180.0

Screw-on flat zoom port for housing with 84mm port thread, for GH3, GH4 Housing, length: 90mm.



Gear Ring 9-18

PE-GR-9/18 US \$80.0

Gear ring for Olympus 9-18mm lens,used with port M77x100DZ.



Port M77 x 100DZ

PE-P-M77-100DZ US \$300.0 Screw-on semi-dome zoom port for housing with 77mm port

thread, for Panasonic 14-45/14-42/7-14mm lens; Olympus 9-18/14-42/14-42mm II lens; Sony 18-55mm lens.



Gear Ring 12-35 Pan

PE-GR-12/35 Pan US \$80.0

Gear ring for Panasonic 12-35mm lens.



Port M77 x 125D

PE-P-M77-125D US \$380.0

Screw-on dome port for housing with 77mm port thread, for GF1/GF2/GH1/GH2 and E-PL1/E-PL2 housings.



Gear Ring 12-50 Oly

PE-GR-12/501y Gear ring for Olympus 12-50mm lens. US \$80.0



Shade 80

PE-S-80 Hood for 125D dome port, height:80mm.



Gear Ring 14-42

PE-GR-14/42 Gear ring for Olympus 14-42mm lens, used with port



Extension Ring M77 x 12

PE-ER-77-12 US \$52.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5

housings, length: 12mm.



Gear Ring 14-42 Oly-II PE-GR-14/42 01y-II

US \$80.0 Gear ring for Olympus 14-42mm II lens,used with port



Extension Ring M77 x 30

PE-ER-77-30 US \$60.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5

housings, length: 30mm.



Gear Ring 14-42 Pan

PE-GR-14/42 Pan US \$80.0 Gear ring for Panasonic 14-42mm lens, used with port

M77x100DZ.



Extension Ring M77 x 40

PE-ER-77-40 US \$60.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5

housings, length: 40mm.



Gear Ring 14-42 Pan-PZ

PE-GR-14/42 Pan-PZ US \$70.0 Gear ring for Panasonic 14-42mm power zoom lens.



Extension Ring M77 x 50

PE-ER-77-50 IIS \$60.0 Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5

housings, length: 50mm.



Gear Ring 14-45

PE-GR-14/45 IIS \$80.0 Gear ring for Panasonic 14-45mm lens, used with port



Extension Ring M77 x 70

PE-ER-77-70

US \$80.0

Extension ring with 77mm thread for GF1, GH1; E-PL1; NEX-5 housings, length:70mm.



Gear Ring 18-55

PE-GR-18/55 Gear ring for Sony 18-55mm lens,used with port

M77x100DZ.





Gear Ring 18-55 Cn

PE-GR-18/55Cn Gear ring for Canon 18-55mm Lens. IIS \$80.0



Filter Red 97

FL-Ft-R-97 Push-on type red filter, diameter:97mm. US \$65.0



Filter & Diffuser

US \$35, 0

ilter Red 52

FL-Ft-R-52 Push-On type red filter, diameter: 52mm.



Filter Red 60

FL--Ft--R--60

Push-On type red filter for Sea & Sea DX-1G housing, diameter: 60mm.



Filter Red 67

US \$53.0 FL-Ft-R-67

Push-On type red filter, diameter: 67mm.



Filter Red 74

FL-Ft-R-74 Push-On type red filter, diameter: 74mm.



US \$60.0



Filter Red 80

FL-Ft-R-80 US \$60.0 Push-On type red filter for conversion wide lens

M46, diameter:80mm.



Filter Red 89

Push-On type red filter, diameter:89mm.



Filter Red 90

FL-Ft-R-90 Push-On type red filter, diameter:90mm.



Filter Red 92

FL-Ft-R-92 US \$60.0 Push-On type red filter for G11 housing, diameter:92mm.



Filter Red 95

FL-Ft-R-95 US \$65.0

Push-on type red filter for Sea & Sea 0.56X Lens, diameter: 95mm.



Filter Red 96

FL-Ft-R-96 Push-on type red filter for Epoque DCL-20 Lens, CP8800

housing, diameter:96mm.



Filter Red 100

FL-Ft-R-100 Push-on type red filter, diameter: 100mm. US \$65.0

US \$80.0

Filter Red 114

FL-Ft-R-114 US \$70.0 Push-on type red filter, for wide angle lens port M58-

F104. diameter:114mm.



Filter Red 120

FL-Ft-R-120 US \$75.0 Push-on type red filter, diameter:120mm.

Filter Red 127

FL-Ft-R-127 US \$75.0 Push-on type red filter, diameter: 127mm.



Filter Red 130

FL-Ft-R-130 Push-on type red filter for Olympus wide conversion

lens PTWC-01, diameter: 130mm.



Filter Red 145 FL-Ft-R-145

Push-on type red filter, diameter: 145mm.



Filter Red 150

FL-Ft-R-150 US \$80.0 Push-on type red filter for Olympus C8080

housing, diameter:150mm.



Filter Red D127A

FL-Ft-R-D127A US \$75.0 Red filter with fine adjustment for 127mm wide dome

port.



Filter Red D170A

FL-Ft-R-D170A US \$85.0 Red filter with fine adjustment for 170mm wide dome



Filter Red Adjustable 25-50

FL-Ft-R-ADJ2550 US \$40.0 Red filter adjustable to fit housing with port diameter 25 to 50mm.





Filter Red Adjustable 50-75

FL-Ft-R-ADJ5075 US \$65.0 Red filter adjustable to fit housing with port diameter 50 to 75mm.



Filter Red GoPro 5

FL-Ft-R-Go5 US \$35.0 Push-on type red filter for GoPro Hero 5 housing.



Filter Red Adjustable 75-100

FL-Ft-R-ADJ75100 US \$85.0 Red filter adjustable to fit housing with port diameter 75 to 100mm.



Filter Red GoPro 8

FL-Ft-R-Go8 US \$35.0 Push-on type red filter for GoPro Hero 8 housing.



Filter Red Adjustable R70-135

FL-Ft-R-ADJ70135 US \$90.0 Red filter adjustable to fit rectangular port with diagonal dimension 70 to 135mm and round port 60 to 100mm diameter



Filter Red M37

FL-Ft-R-M37 US \$35.0 Screw-on type red filter, with male and internal thread diameter:37mm.



Filter Red F100/200

FL-Ft-R-F100 US \$90.0 Push-on type red filter for Fuji FX-F80/F100/200



Filter Red M40.5

FL-Ft-R-M40.5 US \$35.0 Screw-on type red filter, with male and internal thread diameter: $40.5 \, \text{mm}$.



Filter Red G7/G9

FL-Ft-R-G7/G9 US \$90.0 Push-on type red filter for Canon G7/G9,DC18 housing.



Filter Red M46D

FL-Ft-R-M46 US \$35.0 Screw-on type red filter, with male and internal thread diameter: 46mm.



Filter Red G10/G11/G12/G15

FL-Ft-R-G10 US \$90.0 Push-on type red filter for Canon G10/G11/G12/G15 housing.



Filter Red M52D

FL-Ft-R-M52 US \$40.0 Screw-on type red filter, with male and internal thread diameter:52mm.



Filter Red G1X

 $\begin{array}{lll} FL-Ft-R-G1X & & US & \$90.0 \\ Push-on & type & red & filter & for & Canon & G1X & housing. \end{array}$



Filter Red M55D

FL-Ft-R-M55 US \$40.0 Screw-on type red filter, with male and internal thread diameter:55mm.



Filter Red S95

FL-Ft-R-S95 US \$90.0 Push-on type red filter for Canon S95 housing.



Filter Red M58D

FL-Ft-R-M58 US \$45.0 Screw-on type red filter, with male and internal thread diameter:58mm.



Filter Red GoPro 2

FL-Ft-R-Go2 US \$40.0 Push-on type red filter for GoPro Hero 2 housing.



Filter Red M67D

FL-Ft-R-M67 US \$48.0 Screw-on type red filter, with male and internal thread diameter:67mm.



Filter Red GoPro 3

 $\mbox{FL-Ft-R-Go3}$ US \$35.0 Push-on type red filter for GoPro Hero 3 housing.



Filter Red M72D

FL-Ft-R-M72 US \$53.0 Screw-on type red filter, with male and internal thread diameter:72mm



Filter Red GoPro 3+/4

FL-Ft-R-Go3+ $$\rm US\ \35.0 Push-on type red filter for GoPro Hero 3+ & 4 housing.



Filter Magenta 52

FL-Ft-M-52 US \$35.0 Push-on type magenta filter, diameter:52mm.



Filter Magenta M46D

FL-Ft-M-M46 US \$35.0 Screw-on type magenta filter, with male and internal thread diameter: 46mm.



Filter Magenta Adjustable 75-100

FL-Ft-M-ADJ75100 US \$85.0 Magenta filter adjustable to fit housing with port diameter 75 to 100mm.



Filter Magenta M58D

FL-Ft-M-M58 US \$45.0 Screw-on type magenta filter, with male and internal thread diameter:58mm.



Filter Yellow M52D

FL-Ft-Y-M52 US \$40.0 Screw-on type yellow filter, with male and internal thread diameter:52mm.



Filter Magenta M67D

FL-Ft-M-M67 US \$48.0 Screw-on type magenta filter, with male and internal thread diameter:67mm.



Filter Yellow M55D

FL-Ft-Y-M55 US \$40.0 Screw-on type yellow filter, with male and internal thread diameter:55mm.



Filter Magenta GoPro 3

FL-Ft-M-Go3 US \$35.0 Push-on type magenta filter for GoPro Hero 3 housing.



Filter Yellow M67D

FL-Ft-Y-M67 US \$48.0 Screw-on type yellow filter, with male and internal thread diameter:67mm.



Filter Magenta GoPro 3+/4

FL-Ft-M-Go3+ US \$35.0 Push-on type magenta filter for GoPro Hero 3+ & 4 housing.



Filter Yellow GoPro 3

FL-Ft-Y-Go3 US \$35.0 Push-on type yellow filter for GoPro Hero 3 housing.



Filter Magenta GoPro 5

FL-Ft-M-Go5 US \$35.0 Push-on type magenta filter for GoPro Hero 5 housing.



Filter Yellow GoPro 3+/4

FL-Ft-Y-Go3+/4 US \$35.0 Push-on type yellow filter for GoPro Hero 3+ & 4 housing.



Filter Magenta GoPro 8

FL-Ft-M-Go8 US \$35.0 Push-on type magenta filter for GoPro Hero 8 housing.



Filter Yellow GoPro 5

FL-Ft-Y-Go5 US \$35.0 Push-on type yellow filter for GoPro Hero 5 housing.



Filter Magenta D127A

FL-Ft-M-D127A US \$75.0 Magenta filter with fine adjustment for 127mm wide dome port.



Filter Yellow GoPro 8

FL-Ft-Y-Go8 $$\rm US\ \35.0 Push-on type yellow filter for GoPro Hero 8 housing.



Filter Magenta D170A

FL-Ft-M-D170A US \$85.0 Magenta filter with fine adjustment for 170mm wide dome port.



Filter Yellow D127A

FL-Ft-Y-D127A US \$75.0 Yellow filter with fine adjustment for 127mm wide dome port.



Filter Magenta Adjustable 25-50

FL-Ft-M-ADJ2550 US \$40.0 Magenta filter adjustable to fit housing with port diameter 25 to 50mm.



Filter Yellow D170A

FL-Ft-Y-D170A US \$85.0 Yellow filter with fine adjustment for 170mm wide dome port.



Filter Magenta Adjustable 50-75

FL-Ft-M-ADJ5075 US \$65.0 Magenta filter adjustable to fit housing with port diameter 50 to 75mm.



Filter Yellow Mask

FL-Ft-Y-Ma Yellow filter for mask. US \$15.0



Filter Yellow 38

FL-Ft-Y-38 US \$40.0 Push-on type yellow filter for diving

light, diameter: 38mm.



Flip Filter Red Adaptor Go3 - F55 FL-Ft-R-Fp-Go3F55 US \$50.0 Red flip filter with 55mm adaptor ring for GoPro Hero 3 housing.



Filter Yellow 65

FL-Ft-Y-65 Push-on type yellow filter for diving

light, diameter:65mm.



US \$50.0

Flip Filter Red Adaptor Go3 - F58 FL-Ft-R-Fp-Go3F58 US \$50.0 Red flip filter with 58mm adaptor ring for GoPro Hero 3

Filter Yellow Adjustable 25-50

FL-Ft-Y-ADJ2550 US \$40.0 Yellow filter adjustable to fit housing with port diameter 25 to 50mm.



Flip Filter Red Adaptor Go3 - F67 FL-Ft-R-Fp-Go3F67 US \$50.0 Red flip filter with 67mm adaptor ring for GoPro Hero 3 housing.



Filter Yellow Adjustable 50-75

FL-Ft-Y-ADJ5075 US \$65. Yellow filter adjustable to fit housing with port US \$65.0 diameter 50 to 75mm.



Flip Filter Red Adaptor Go3+ - F52 FL-Ft-R-Fp-Go3+F52 US \$50.0 Red flip filter with 52mm adaptor ring for GoPro Hero



Filter Yellow Adjustable 75-100

FL-Ft-Y-ADJ75100 US \$85. Yellow filter adjustable to fit housing with port US \$85.0 diameter 75 to 100mm.



Flip Filter Red Adaptor Go3+ - F55 FL-Ft-R-Fp-Go3+F55 US \$50.0 Red flip filter with 55mm adaptor ring for GoPro Hero IIS \$50.0 3+ housing.



Filter Set GoPro 2

FL-Ft-Set-Go2 Red/Magenta flip filter set for GoPro Hero 2 housing.



Flip Filter Red Adaptor Go3+ - F58 FL-Ft-R-Fp-Go3+F58 US \$50.0 Red flip filter with 58mm adaptor ring for GoPro Hero



Filter Set GoPro 3

FL-Ft-Set-Go3 US \$60.0 Red/Magenta flip filter set for GoPro Hero 3 housing.



Flip Filter Red Adaptor Go3+ - F67 FL-Ft-R-Fp-Go3+F67 US \$50.0 Red flip filter with 67mm adaptor ring for GoPro Hero 3+ housing.



Filter Set GoPro 3+/4

FL-Ft-Set-Go3+ US \$60, 0 Red/Magenta flip filter set for GoPro Hero 3+ & 4



Flip Filter Red Adaptor Go5 - F52 FL-Ft-R-Fp-Go5F52 US \$50.0 Red flip filter with 52mm adaptor ring for GoPro Hero 5 housing.



Filter Set GoPro 5

FL-Ft-Set-Go5 US \$60, 0 Red/Magenta flip filter set for GoPro Hero 5 housing.



Flip Filter Red Adaptor Go5 - F55 FL-Ft-R-Fp-Go5F55 US \$50.0 Red flip filter with 55mm adaptor ring for GoPro Hero 5 housing.



Filter Set GoPro 8

FL-Ft-Set-Go8 US \$60.0 Red/Magenta flip filter set for GoPro Hero 8 housing.



Flip Filter Red Adaptor Go5 - F58 FL-Ft-R-Fp-Go5F58 US \$50 US \$50.0 Red flip filter with 58mm adaptor ring for GoPro Hero 5



Flip Filter Red Adaptor Go3 - F52 FL-Ft-R-Fp-Go3F52 US \$50.0 Red flip filter with 52mm adaptor ring for GoPro Hero 3



Flip Filter Red Adaptor Go5 - F67 FL-Ft-R-Fp-Go5F67 US \$50.0 Red flip filter with 67mm adaptor ring for GoPro Hero 5 housing.



housing.

Flip Filter Red Adaptor Go8 - F52

FL-Ft-R-Fp-Go8F52 US \$50.0 Red flip filter with 52mm adaptor ring for GoPro Hero 8 housing.



Flip Filter Red Adaptor Go8 - F55

FL-Ft-R-Fp-Go8F55 US \$50.0 Red flip filter with 55mm adaptor ring for GoPro Hero 8 housing.



Flip Filter Red Adaptor Go8 - F58

FL-Ft-R-Fp-Go8F58 US \$50.0

Red flip filter with 58mm adaptor ring for GoPro Hero 8 housing.



Flip Filter Red Adaptor Go8 - F67

FL-Ft-R-Fp-Go8F67 US \$50.0 Red flip filter with 67mm adaptor ring for GoPro Hero 8 housing.



Dome Diffuser S2000

FL-DD-S2000 Dome diffuser for Inon S-2000.



US \$60.0

US \$60.0

US \$60.0

Dome Diffuser YS-D1/D2

FL-DD-YSD1 Dome diffuser for Sea & Sea YS-D1/YS-D2.



Dome Diffuser Z-240

FL-DD-Z240 Dome diffuser for Inon Z-240.



Dome Diffuser YS110/110 Alpha

FL-DD-YS110 US \$60.0 Dome diffuser for Sea & Sea YS-110/110 Alpha.



Dome Diffuser DS-125/160/161

FL-DD-125 US \$60.0 Dome diffuser for Ikelite DS-125/DS-160/DS-161.



Dome Diffuser YS01

FL-DD-UFL3 US \$30.0 Dome diffuser for Sea & Sea YS01-3 and Olympus UFL-3.



Dome Diffuser Adjustable 25-50

FL-DD-LED2550

US \$28.0

Dome Diffuser adjustable to fit light source device with front diameter 25 to 50mm, converting the narrow and hot light beam to soft. wide and diffused light



Dome Diffuser Adjustable 50-75

FL-DD-LED5075 US \$30.0

Dome Diffuser adjustable to fit light source device with front diameter 50 to 75mm, converting the narrow and hot light beam to soft, wide and diffused light



Dome Diffuser Adjustable 75-100

FL-DD-LED75100 US \$30.0 Dome Diffuser adjustable to fit light source device with front diameter 75 to 100mm, converting the narrow and hot light beam to soft, wide and diffused light



OBAR

Lens

Macro Lens +10 M52

Mc-Ls-10M52 US \$25.0 Single element macro lens, magnification: +10, thread diameter:52mm.



Macro Lens +10 M58

diameter:58mm.

Mc-Ls-10M58 US \$30.0 Single element macro lens, magnification: +10, thread



Macro Lens M58-F67

Mc-Ls-M58 US \$50.0 Single element macro lens with screw-on

Single element macro lens with screw on type, magnification: +12, internal thread:67mm, outer thread:58mm.



Macro Lens M58-F58

Mc-Ls-M58II US \$50.0 Single element macro lens screw-on type, magnification: +12,internal thread:58mm, exteral thread:58mm.



Macro Lens M58 Set

Mc-Ls-M58II US \$90.0

Two elements macro lens screw-on type, magnification:+20, internal thread:67mm, external thread:58mm.



Macro Lens +4 M67

Mc-Ls-4M67 US \$30.0 Single element macro lens, magnification: +4, thread diameter:67mm.



Macro Lens +10 M67

Mc-Ls-10M67 US \$35.0 Single element macro lens, magnification: +10, thread diameter:67mm.



SAR "

Filter & Lens Accessories

50

Adaptor Ring F52-M67


FL-AR-F52-M67 US \$8.0 Aluminum adaptor ring, internal thread:52mm, outer thread:67mm.





香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室 Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong

Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Ko Email: service@10bar.com Web site: http://www.10bar.com Tel: (852) 2573 3228 Fax: (852) 2811 9180



Adaptor Ring F58-M62

FL-AR-F58-M62 US \$8.0 Aluminum adaptor ring, internal thread:58mm, outer thread:62mm.



Adaptor Ring G9-F67

FL-AR-G9-F67 US \$40.0 Adaptor ring for Canon G7/G9 housing bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring F58-M67

FL-AR-F58-M67 US \$8.0 Aluminum adaptor ring with F58 front thread for attaching 58mm accessories to housing with 67mm port thread.



Adaptor Ring G10-F67

FL-AR-G10-F67 US \$40.0 Adaptor ring for Canon G10/G11/G12/G15 housing bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring F67-M52

FL-AR-F67-M52 US \$8.0 Aluminum adaptor ring, internal thread:67mm, outer thread:52mm.



Adaptor Ring G1X-F67

FL-AR-G1X-F67 US \$40.0 Push-on Type adaptor ring for Canon G1X housing bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring F67-M58

FL-AR-F67-M58

US \$8.0

Aluminum adaptor ring with F67 front thread for attaching 67mm accessories to housing with 58mm port



Adaptor Ring S95-F67

FL-AR-S95-F67 US \$40.0 Adaptor ring for Canon S95 housing bezel with F67 front thread for attaching 67mm accessories.



Adaptor Ring F86-M77

FL-AR-F86-M77 US \$12.0 Aluminum adaptor ring, internal thread:86mm, outer thread:77mm.



Adaptor Ring ADM F55

FL-AR-ADM-F55 US \$12.0 Adaptor ring with thread and ADM mount,outside diameter:55mm.



Lens Holder F46

FL-Lh-F46 US \$25.0 Lens holder with F46 front thread for attaching 46mm Lens



Adaptor Ring ADM F67

FL-AR-ADM-F67 US \$12 Adaptor ring with thread and ADM mount,outside



Lens Holder F52

FL-Lh-F52 US \$25.0 Lens holder with F52 front thread for attaching 46mm lens.



Adaptor Ring ADF M67

FL-AR-ADF-M67 US \$12.0 Adaptor ring with thread and ADF mount, outside diameter:67mm.



Lens Holder F55

FL-Lh-F55 US \$25.0 Lens holder with F55 front thread for attaching 55mm lens.



Adaptor Ring 80-F67

FL-AR-80-F67 US \$25.0 Push-on type adaptor ring for 80mm bezel with F67 front thread for attaching 67mm accessories.



Lens Holder F58

FL-Lh-F58 US \$25.0 Lens holder with F58 front thread for attaching $58\mathrm{mm}$ lens.



Adaptor Ring 92-F67

FL-AR-92-F67 US \$28.0 Push-on type adaptor ring for 92mm bezel with F67 front thread for attaching 67mm accessories.



Lens Holder F67

FL-Lh-F67 US \$25.0 Lens holder with F67 front thread for attaching $67\,\mathrm{mm}$ lens.



Adaptor Ring Adjustable 50-75 F67

FL-AR-ADJ-5075F67 US \$25.0 Adjustable adaptor ring with F67mm front thread, for round port 50 to 75mm diameter



Lens Holder F67 S

FL-Lh-F67s $$\rm US\ \25.0 Lens holder with F67 front thread for attaching 67mm lens, comes with velcro tapes.



Adaptor Ring D127-F67

FL-AR-127-F67 US \$30.0 127mm adaptor ring for attaching 67mm accessories in front of Semi-dome port.





Adaptor Ring Adjustable R50-75 F67

FL-AR-ADJ-R5075F67 Adjustable adaptor ring with F67mm front thread, for rectangular ports with diagonal 50 to 75mm and round port 35 to 45mm diameter



BJ Arm 23N AL

Am-BJ-AL-AN23 US \$22.0 Aluminium ball joint arm with two female 1/4"-W20

thread, length: 23cm.



Adaptor Ring Adjustable R70-135 F67

FL-AR-ADJ-R70135F67 Adjustable adaptor ring with F67mm front thread, for rectangular ports with diagonal 70 to 135mm and round port 60 to 115mm diameter



BJ Arm 30N AL

Am-BJ-AL-AN30 Aluminium ball joint arm with two female 1/4"-W20 thread, length: 30cm.



Arms

BJ & YS Arm 15N AL

Am-BJ-AL-A15N US \$18.0 Aluminium arm with BJ & YS mount ends, length:15cm.



Am-BJ-AL-A12Aluminium ball joint arm, length:12cm. US \$12.0

BJ & YS Arm 20N AL

US \$20.0 Am-B.T-AL-A20N Aluminium arm with BJ & YS mount ends, length:20cm.



BI Arm 15 AL

Am-BI-AL-A15 Aluminium ball joint arm.length:15cm.

IIS \$16.0

BJ & YS Arm 23N AL

Am-BJ-AL-A23N US \$22.0 Aluminium arm with BJ & YS mount ends, length:23cm.



BJ Arm 20 AL

Am-BJ-AL-A20 Aluminium ball joint arm,length:20cm. US \$20.0

BJ Arm E30

Am-BJM-AL-E30

Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, retracted length 20cm extended to 30cm, Custommade sizes are also available.



BI Arm 23 AL Am-BT-AL-A23

Aluminium ball joint arm, length:23cm.

US \$22.0

BJ Arm E50

Am-BJM-AL-E50 US \$30.0 Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, retracted length 36cm extended to 58cm, Custommade sizes are also available.



BJ Arm 30 AL

Am-B.I-AL-A30 Aluminium ball joint arm, length:30cm. US \$24.0

BJ Arm E60 with Two holders

Am-BIM-AL-E60C US \$33, 0 Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, with two holders, retracted length 47cm

BJ Arm 35 AL

Am-BI-AL-A35 Aluminium ball joint arm, length: 35cm. US \$28.0

BJ Arm E70

extended to 60cm, Custom-made sizes are also available.

Am-BJM-AL-E70 US \$35.0
Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, retracted length 46cm extended to 78cm, Custommade sizes are also available.



BJ Arm 40 AL Am-BJ-AL-A40

Aluminium ball joint arm, length: 40cm.

US \$32.0

BI Arm E80 with Two holders

Am-B.TM-AL-E80C Ball joint arm with extendable length to provide better modulability for the light setting and compact for handling, with two holders, retracted length 52cm extended to 80cm, Custom-made sizes are also available.



BJ Arm 15N AL

US \$18.0

Am-BT-AL-AN15 Aluminium ball joint arm with female 1/4"-W20 thread, length: 15cm.

BJ Arm E90

Am-BJM-AL-E90 Ball joint arm with extendable length to provide better

modulability for the light setting and compact for handling,retracted length 56cm extended to 98cm,Custommade sizes are also available.



BJ Arm 20N AL

Am-BJ-AL-AN20 Aluminium ball joint arm with two female 1/4"-W20

thread, length: 20cm.

BJ Base Handle C1

Am-BJ-Bas-H-C1 US \$30.0 Aluminium ball joint handle for attaching to T1 connector.



Float Arms 5522 HDYS

Am-Buoy-BJ-5522 HDYS US \$40.0 High density foam buoyancy arm with BJ & YS mount ends, diameter: 5.5cm, length:22cm, buoyancy: +0.4kg.



Float Stay 2260

Am-Buoy-BJ-2260 US \$35.0 High density foam buoyancy stay with ball joint ends, 6cm x 22cm x 4cm (W x L x H), buoyancy:+0.4kg.



Float Arm 7016 HD

Am-Buoy-BJ-7016 HD US \$40.0 High density foam buoyancy arm with ball joint ends, diameter: 7cm,length: 16cm, buoyancy:+0.45kg.



Float Stay 226080

Am-Buoy-BJ-226080 US \$40.0 High density foam buoyancy stay with ball joint ends, 6cm x 22cm x 8cm (W x L x H), buoyancy: +0.8kg.



Float Arm 7711 HD

Am-Buoy-BJ-7711 HD US \$40.0 High density foam buoyancy arm with ball joint ends, diameter:7.7cm, length:11cm, buoyancy: +0.4kg.



Float Stay 229670

Am-Buoy-BJ-229670 US \$40.0 High density foam buoyancy stay with ball joint ends, 9.6cm x 22cm x 7cm (W x L x H), buoyancy: +0.8kg.



Float Arm 8511 HD

Am-Buoy-BJ-8511 HD US \$40.0 High density foam buoyancy arm with ball joint ends, diameter: 8.5cm, length: 11cm, buoyancy: +0.55kg.



Float Stay 2296

Am-Buoy-BJ-2296 US \$35.0 High density foam buoyancy stay with ball joint ends, 9.6cm x 22cm x 3cm (W x L x H), buoyancy: +0.4kg.



Float Arm 9911 HD

Am-Buoy-BJ-9911 HD US \$40.0 High density foam buoyancy arm with ball joint ends, diameter: 9.9cm, length:11cm, buoyancy: +0.6kg.



Float Stay 229660

Am-Buoy-BJ-229660 US \$40.0 High density foam buoyancy stay with ball joint ends, 9.6cm x 22cm x 6cm (W x L x H), buoyancy: +0.8kg.



Float Arm 9916 HD

Am-Buoy-BJ-9916 HD US \$50.0 High density foam buoyancy arm with ball joint ends, diameter: 9.9cm, length:16cm, buoyancy:+0.8kg.



Float Base 2296

Am-Buoy-2296 US \$25.0 High density foam buoyancy base with 1/4"-W20(option 3/8") W20 holding down screw, 9.6cm x 22cm x 3cm (W x L x H), buoyancy:+0.4kg.



Float Arm 9911 HDYS

Am-Buoy-BJ-9911 HDYS US \$40.0 High density foam buoyancy arm with BJ & YS mount ends, diameter:9.9cm, length:11cm, buoyancy:+0.6kg.



Float Base 2260

Am-Buoy-2260 US \$25.0 High density foam buoyancy base with 1/4"-W20 (option 3/8") W20 holding down screw, 6cm x 22cm x 4cm (W x L x H), buoyancy: +0.4kg.



Float Arm 9916 HDYS

Am-Buoy-BJ-9916 HDYS US \$50.0 High density foam buoyancy arm with BJ & YS mount ends, diameter:9.9cm, length:16cm, buoyancy:+0.8kg.



Float Arm 4522 HD

Am-Buoy-BJ-4522 HD US \$35.0 High density foam buoyancy arm with ball joint ends, diameter: 4.5cm, length: 22cm, buoyancy: +0.23kg.



Buoyancy Float Tube 555012

Am-Buoy-Tb-555012 US \$15.0 Set of two high density foam buoyancy tubes, outer diameter:5.5cm, length:5cm, inner diameter:1.2cm, buoyancy:+0.12kg.



Float Arms 5522 HD

Am-Buoy-BJ-5522 HD US \$40.0 High density foam buoyancy arm with ball joint ends, diameter: 5.5cm, length: 22cm, buoyancy: +0.4kg.



Buoyancy Float Tube 555025

Am-Buoy-Tb-555025 US \$15.0 Set of two high density foam buoyancy tubes, outer diameter:5.5cm, length:5cm, inner diameter:2.5cm, buoyancy:+0.1kg.



Float Arm 4522 HDYS

Am-Buoy-BJ-4522 HDYS US \$35.0 High density foam buoyancy arm with BJ & YS mount ends, diameter: 4.5cm, length: 22cm, buoyancy: +0.23kg.



Buoyancy Float Tube 557012

Am-Buoy-Tb-557012 US \$17.0 Set of two high density foam buoyancy tubes, outer diameter:5.5cm, length:7cm, inner diameter:1.2cm, buoyancy:+0.17kg.





Buoyancy Float Tube 557025

Am-Buoy-Tb-557025 US \$17.0 Set of two high density foam buoyancy tubes, outer

diameter: 5.5cm, length: 7cm, inner diameter: 2.5cm, buoyancy: +0.14kg.



Flex Arm 18

Am-FA-18 US \$16.0 Flexible arm for attaching target light. Length:18cm.



Buoyancy Float Tube 5510025

Am-Buoy-Tb-5510025 US \$:
iet of two high density foam buoyancy tubes, out

Set of two high density foam buoyancy tubes, outer diameter: 5.5cm, length: 10cm, inner diameter: 2.5cm, buoyancy: +0.2kg.



Flex Arm 24

Am-FA-24 US \$20.0 Flexible arm for attaching target light.Length:24cm.



Buoyancy Float Tube 808025

Am-Buoy-Tb-808025 US \$20.0 Set of two high density foam buoyancy tubes, outer diameter:8cm, length:8cm,inner diameter:2.5cm, buoyancy:+0.3kg.



Flex Arm 30

Am-FA-30 US \$22.0 Flexible arm for attaching target light. Length:30cm.



Buoyancy Float Tube 975025

Am-Buoy-Tb-975025 US \$20.0

Set of two high density foam buoyancy tubes, outer diameter: 9.7cm, length: 5cm, inner diameter: 2.5cm, buoyancy: +0.4kg.



Flex Arm 36

Am-FA-36 US \$25.0 Flexible arm for attaching target light. Length:36cm.



Buoyancy Float Tube 977025

Am-Buoy-Tb-977025 US \$25.0 Set of two high density foam buoyancy tubes, outer diameter: 9.7cm, length: 7cm, inner diameter: 2.5cm,



Flex Arm 45

Am-FA-45 US \$30.0 Flexible arm for attaching target light. Length: 45cm.



Buoyancy Float Tube 9710025

Am-Buoy-Tb-9710025 US \$35.0 Set of two high density foam buoyancy tubes, outer diameter: 9.7cm, length: 10cm, inner diameter: 2.5cm, buoyancy:+0.8kg.



Flex Arm 15 U

Am-FA-15U US \$19.0 Flexible arm with u connector. Length: 15cm.



Buoyancy Float Tube 9714025

Am-Buoy-Tb-9714025 US \$45.0 Set of two high density foam buoyancy tubes, outer diameter: 9.7cm, length: 14cm, inner diameter: 2.5cm, buoyancy: +1.12kg.



Flex Arm 18 U

 $$\operatorname{Am-FA}-18U$$ US \$22.0 Flexible arm with u connector. Length: 18cm.



Float Ring 17583

buovancy:+0.56kg.

Am-Buoy-17583 US \$35.0 High density foam buoyancy two half rings holded with oring for lens. Internal diameter 83mm, external diameter 175mm, thickness 52mm, buoyancy:+0.6kg.



Flex Arm 18B

Am-FA-18B US \$22.0 Flexible arm with ball head for ball joint system. Length: 18cm.



Flex Arm 7

Am-FA-7 US \$10.0 Flexible arm for attaching target light. Length:7cm.



Flex Arm 30B

Am-FA-30B US \$27.0 Flexible arm with ball head for ball joint system. Length: 30cm.



Flex Arm 10

Am-FA-10 US \$11.0 Flexible arm for attaching target light. Length:10cm.



Flex Arm 24F

Am-FA-24F US \$26.0 Flexible arm for attaching target light, with EVA cover. Length: 24cm.



Flex Arm 15

Am-FA-15 US \$14.0 Flexible arm for attaching target light. Length:15cm.



Flex Arm 24H

Am-FA-24H US \$24.0 Flexible arm with rigid handle.Length:24cm.



2025-3-21 Page 1

Page 13 of 50

Flex Arm 30H

Am-FA-30H US \$26.0

Flexible arm with rigid handle, length: 30cm.



Mini Flex 65 YS-1/4"

US \$30.0 Am-MiFA-65Cn Mini flexible arm with 1/4"-W20 screw & YS mount ends.

Length: 65cm.

Flex Arm 36H

Am-FA-36H US \$29.0

Flexible arm with rigid handle, Length: 36cm.



Mini Flex 65 Go-1/4"

Am-MiFA-65Go US \$30.0 Mini flexible arm with 1/4"-W2O screw & GoPro mount

ends. Length: 65cm.



Flex Arm Top

Am-FA-Tp Flexible arm top. US \$3.0



Mini Flex 10 U

Am-MiFA-10U US \$11.0

Mini flexible arm with U mount.Length: 10cm.



Flex Arm Couple

Am-FA-Cp Flexible arm couple. US \$2.0



Mini Flex 10 F1/4"

Am-MiFA-10F US \$11.0 Mini flexible arm with 1/4"-W20 mount. Length: 10cm.



Flex Arm Base

Am-FA-Bs Flexible arm base. US \$4,0



Mini Flex 25 F1/4"

Am-MiFA-25F US \$16.0 Mini flexible arm with 1/4"-W20 mount. Length: 25cm.



Mini Flex Arm 10

Am-MiFA-10 Mini flexible arm. Length: 10cm. US \$11.0



Mini Flex 27 BJ 2X

Am-MiFA-27BJ-2X Mini flexible arm with two BJ mount ends. Length: 27cm.



Mini Flex Arm 13

Am-MiFA-13 Mini flexible arm. Length: 13cm. US \$14.0

US \$16.0



Mini Flex 40 BJ 2X

Am-MiFA-40BJ-2X US \$30.0 Mini flexible arm with two BJ mount ends. Length: 40cm.



Mini Flex Arm 17

Am-MiFA-17

Mini flexible arm. Length: 17cm.



Mini Flex 9 with 1/4"

Am-MiFA-9S US \$11.0 Mini flexible arm with 1/4"-W20 screw.Length: 9cm.



Mini Flex Arm 25

Am-MiFA-25 Mini flexible arm. Length: 25cm.

US \$20.0



Mini Flex 11 with 1/4"

Am-MiFA-11S US \$13.0 Mini flexible arm with 1/4"-W20 Screw. Length: 11cm.



Mini Flex Arm 65 Am-MiFA-65

US \$28.0 Mini flexible arm. Length: 65cm.



Mini Flex 13 with 1/4"

Am-MiFA-13S US \$15.0 Mini Flexible arm with 1/4"-W20 screw. Length: 13cm.



Mini Flex 65 BJ-1/4"

Am-MiFA-65Bj Mini flexible arm with 1/4"-W20 screw & BJ mount ends.

Length: 65cm.



Mini Flex 17 with 1/4"

Am-MiFA-17S Mini flexible arm with 1/4"-W20 screw.Length: 17cm.





Mini Flex 19 with 1/4"

Am-MiFA-19S US \$19.0 Mini flexible arm with 1/4''-W2O screw. Length: 19cm.



Lite Coil Arm 100

Am-LA-100 US \$20.0 Lite coil arm with two female 1/4"-W20 thread ends. Length: 100cm.



Mini Flex 25 with 1/4"

Am-MiFA-25S US \$22.0 Mini flexible arm with 1/4"-W20 screw. Length: 25cm.



Lite Coil Arm mQ 20

Am-LA-20mQ US \$16.0 Lite coil arm with one male mini quick release connector end and one female 1/4"W20 thread end. Length: 20cm.



Mini Flex 11 with Go

Am-MiFA-11Go US \$15.0 Mini flexible arm with GoPro connector. Length: 11cm.



Lite Coil Arm mQ 30

Am-LA-30mQ US \$18.0 Lite coil arm with one male mini quick release connector end and one female 1/4"-W20 thread end. Length: 30cm.



Mini Flex 13 with Go

Am-MiFA-13Go US \$16.0 Mini flexible arm with GoPro connector. Length: 13cm.



Lite Coil Arm mQ 50

Am-LA-50mQ US \$20.0 Lite coil arm with one male mini quick release connector end and one female 1/4"-W20 thread end. Length: 50cm.



Mini Flex 17 with Go

Am-MiFA-17Go US \$18.0 Mini flexible arm with GoPro connector. Length: 17cm.



Lite Coil Arm mQ 80

Am-LA-80mQ US \$22.0 Lite coil arm with one male mini quick release connector end and one female 1/4"W20 thread end. Length: 80cm.



Mini Flex 20 with Go

Am-MiFA-20Go US \$20.0 Mini flexible arm with GoPro connector. Length: 20cm.



Lite Coil Arm mQ 100

Am-LA-100mQ US \$24. Lite coil arm with one male mini quick release connector end and one female 1/4"-W20 thread end. Length: 100cm.

Connectors



Mini Flex 28 with Go

Lite Coil Arm 20

Lite Coil Arm 30

Am-MiFA-28Go US \$24.0 Mini flexible arm with GoPro connector. Length: 28cm.



BJ Base Connector 45T-AL

Am-BJ-BasCon-AL-45T US \$25.0
Aluminum ball joint base connector 45°, for T1
connector and stay slim.



50

Am-LA-20 US \$12.0 Lite coil arm with two female 1/4"W20 thread ends. Length: 20cm.



BJ Base Connector 45-IN

Am-BJ-BasCon-AL-45IN US \$20.0 Aluminum ball joint base connector for Inon strobe.



Am-LA-30 US \$14.0 Lite coil arm with two female 1/4''-W20 thread ends. Length: 30cm.

Lite coil arm with two female 1/4"-W20 thread ends.



BJ Base Connector 68-AL

Am-BJ-BasCon-AL-68 US \$25.0 Aluminum ball joint base connector, height: 68mm.



Lite Coil Arm 80

Lite Coil Arm 50

Am-LA-50

Am-LA-80 US \$18.0 Lite coil arm with two female 1/4''W20 thread ends. Length: 80cm.



BJ Base Connector 75

Am-BJ-BasCon-75 US \$12.0 Ball joint base connector, height:75mm.



BJ Plate GN

Am-BJ-PL-GN US \$30.0 Aluminum ball joint connector with circular plate and accessories for attaching to gat.






香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室

US \$16.0

Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong Email: service@10bar.com Web site: http://www.10bar.com Tel: (852) 2573 3228 Fax: (852) 2811 9180



2025-3-21 I

Page 15 of 50

BI Plate GN-1-AL

Am-BI-PL-GN-1-AL US \$30.0 Aluminum ball joint connector with rectangular plate and accessories for attaching to gates arms and Stay



Connector T-AL

Am-Ct-T AL. Aluminum connector T.



BJ U Connector AL

Am-BJ-UC US \$22.0 Aluminium U shape ball joint connector.



Connector T1

Am-Ct-T1 Connector T1 for C1, flex arm, BJ base, lens holder.



Connector IKQ BJ

Am-Ct-IKQ-BJ US \$25, 0 Connector ball joint head for Ikelite release handle and 10Bar IKQ BJ F.



Connector T1 3/8 AL

Am-Ct-T1-3/8 AL US \$5.0 Aluminum connector T1 3/8 for attaching Ikelite handle.



Connector IKQ BJ F

Am-Ct-IKQ-BJ-F US \$30.0 Connector ball joint quick release handle for IKQ BJ and IKQ T1.



Connector T1A

US \$5.0 Am-Ct-T1A Aluminum connector combines with T1 or T1B to form a 2T



Connector IKQ T1

Am-Ct-IKQ-T1US \$25, 0 Connector T1 head for Ikelite release handle and 10Bar IKQ BJ F.



Connector T1B

Am-Ct-T1B Aluminum connector T1. US \$5.0

US \$6.0



BJ Connector CT

Am-BJ-Ct Aluminium BJ connector for attaching to stay arm.



Connector T1B 60

Am-Ct-T1B-60 Connector same as T1B with 60° radial base.



BJ Lock Connector AL

Am-BJ-LkCon

US \$25.0

US \$22.0

Ball joint with lock connector.



Mini Connector T1

Am-Ct-T1M US \$3.0 Mini connector T1 for C1,flex arm,BJ base,lens holder



2BJ Lock Connector

Am-BI-LkCon2 Two ball joints with lock connector.



Connector 2T Kit

US \$8.0 Am-Ct-2T Connector 2T kit for attaching lens holder, includes connectors T1 and T1A, two stainless steel screws.



2BJ Lock Connector 15

Am-BJ-LkCon2-15 US \$25, 0 Two ball joints with lock connector, length: 15cm.



Connector 2TU Kit

Am-Ct-2TU US \$8,0 Connector 2T kit for attaching lens holder to Ultralight BJ arm.



Connector IN

Am-Ct-IN IIS \$12.0 Connector for Inon strobe to standard mount.



Connector U1

Am-Ct-U1 Connector U1 for standard mount. US \$5.0

US \$11.0



Connector T

 $Am-C\,t-T$ Connector T for mounting handle to 10Bar housings.



Bracket 25

Am-BK-25

Stainless steel band,diameter:25mm.





Torch Adaptor 25F

Am-BK-25P US \$10.0

Plastic adaptor for torch, diameter: 25mm.



Torch Mount S BJ

Am-BK-TMSB US \$25.0 Aluminium cradle with velcro and BJ ball for mounting

diving light diameter 25-50mm.



Bracket 26

Am-BK-26 Stainless steel band, diameter: 26mm. US \$11.0



Torch Mount S Mini Flex

Am-BK-TMSF US \$25.0 Aluminium cradle with velcro and mini flex YS mount for mounting diving light 25-50mm.



Bracket 31

Am-BK-31 US \$11.0

Stainless steel band, connecting to YS mount, diameter: 31mm, use for Diving Light 38 and 53.



Torch Mount S Connector U

mounting diving light diameter 25-50mm.

Am-BK-TMSU US \$25.0 Aluminium cradle with velcro and connector U for

Bracket 40

Am-BK-40 US \$11.0

Stainless steel band, for connecting lite head to YS mount, diameter: 40mm.



Torch Mount L BJ

Am-BK-TMLB US \$25.0 Aluminium cradle with velcro and BJ ball for mounting diving light diameter 50-75mm.



Bracket 44

Am-BK-44US \$11 0

Stainless steel band, for police LED lite, diameter: 44mm.



Torch Mount L Mini Flex

Am-BK-TMLF US \$25.0 Aluminium cradle with velcro and mini flex YS mount for mounting diving light diameter 50-75mm.



Bracket 58-T1

Am-BK-58-T1

Stainless steel band with T1, diameter: 58mm.



Torch Mount L Connector U

Am-BK-TMLU Aluminium cradle with velcro and connector U for mounting diving light diameter 50-75mm.



Bracket 60

Am-BK-60 US \$13.0 Stainless steel band, for Pro-Lite torch, diameter: 60mm.



Torch Hand Strap 25-50

Am-BK-TMLUH50 US \$25.0 Aluminium cradle with velcro and hand strap for mounting diving light diameter 25-50mm.



Bracket 65.5

Am-BK-65, 5 US \$13.0 Stainless steel band, for Hartenberger torch, diameter:



Torch Hand Strap 50-75

Am-BK-TMLUH75

US \$25.0 Aluminium cradle with velcro and hand strap for mounting diving light diameter 50-75mm.



Bracket 81

Am-BK-81 US \$13.0

Stainless steel band, for UK HID 100 torch, diameter: 81mm.



Torch Hand / Arm Mount

Am-BK-TMLUH75

US \$25, 0 Torch Hand / Arm Mount for mounting diving light diameter 25-50 on hand or arm.



Bracket 83 Am-BK-83

US \$13.0 Stainless steel band, for UK C8 torch. Diameter: 83mm.



Torch Mount 25-50 Mini Flex Hot Shoe 9 Am-BK-TMFS509 US \$25. 0

Aluminium cradle with velcro and hand strap for mounting diving light diameter 25-50mm, connector mini flexible arm for mounting on hot shoe, length: 9cm.



Bracket 160-IK

160mm.

Am-BK-160-IK Stainless steel band for Ikelite Pca lite, diameter:



Torch Mount 25-50 Mini Flex Hot Shoe 12 Am-BK-TMFS5012 US \$25.0

Aluminium cradle with velcro and hand strap for mounting diving light diameter 25-50mm, connector mini flexible arm for mounting on hot shoe, length: 12cm.



Torch Mount 50-75 Mini Flex Hot Shoe 9 Am-BK-TMFS759

Aluminium cradle with velcro strap for mounting diving light diameter 50-75mm, connector mini flexible arm for mounting on hot shoe, length: 9cm.



BJ Hot Shoe Connector

Am-BI-HS US \$25.0 Aluminum ball joint connector for mounting on hot shoe.



Torch Mount 50-75 Mini Flex Hot Shoe 12

US \$25.0 Am-BK-TMFS7512 Aluminium cradle with velcro strap for mounting diving light diameter 50-75mm, connector mini flexible arm for



Connector B.J Hot Shoe 50

Am-HS-BJ-50 Aluminum ball joint connector for mounting on hot shoe



Connector C1

mounting on hot shoe, length: 12cm.

Am-Ct-C1 US \$5, 0 Connector ${\tt C1}$ for connecting to T connector.



Connector BJ Hot Shoe 75

Am-HS-BI-75 US \$25.0 Aluminum ball joint connector for mounting on hot shoe length: 75mm.



Connector CU

Am-Ct-CU US \$10.0

Connector CU for connecting T connector and connector standard mount.



Connector Hot Shoe 75N AL

US \$22.0 Am-Ct-HS-75N Aluminium connector for mounting on hot shoe, length:



Go 1/4" Connector

Am-Ct-Go US \$10.0 Go 1/4" Connector plastic with 1/4"-W20 female thread.



Connector Hot Shoe 75C AL

Am-Ct-HS-75C US \$22 0 Aluminium connector with cap lock for mounting on hot shoe, length: 75mm.



Go 1/4" Connector L

Am-Ct-GoL Connector for GoPro housing for attaching to industry standard 1/4"-W20 screw.



Connector Hot Shoe 85N AL

Am-Ct-HS-85N Aluminium connector for mounting on hot shoe, length:



Go 1/4" Al Connector

Am-Ct-GoAL US \$12.0 Go 1/4" Connector aluminum with 1/4"-W20 female thread.



Connector Hot Shoe 100 AL

Am-Ct-Hs-100 Aluminum connector for mounting on hot shoe, length: 100mm.



US \$26.0

Connector Hot Shoe ¼

Am-Ct-HS-1/4 US \$22.0 Connector with standard 1/4"-W20 screw for mounting on



YS Connector F60 AL

Am-CT-YSF-60 US \$15.0 Aluminum YS connector with female 1/4"-W20 thread, for direct mount on monopole pointer or 1/4"-W20 connector, length: 60mm.



Connector Hot Shoe Go 1/4'

Am-Ct-HS-1/4Go US \$26.0 Connector for mounting GoPro housing on hot shoe.



YS Connector F45

Am-CT-YSF-45 US \$10.0 Plastic YS connector with female 1/4"-W20 thread, for direct mount on monopole pointer or 1/4"-W20 connector, length:45mm.



Connector Hot Shoe Go

Am-Ct-HS-Go IIS \$25.0 Aluminium connector for mounting on GoPro housing.



Connector Mini Flex Hot Shoe 7

Am-HS-MiFA-7 US \$18.0 Connector mini flexible arm for mounting on hot shoe,



Connector Hot Shoe T AL

Am-Ct-HS-T Aluminium connector for mounting on hot shoe, hength: 70mm.



US \$25.0

Tel: (852) 2573 3228

Connector Mini Flex Hot Shoe 9

Am-HS-MiFA-9 US \$20.0 Connector mini flexible arm for mounting on hot shoe, length: 9cm.





Connector Mini Flex Hot Shoe 11

IIS \$20.0 Am-HS-MiFA-11 Connector mini flexible arm for mounting on hot shoe,

length: 11cm.



DIY Stay 120A 4

Am-M-120A4 US \$5.0 DIY stay 120mm long with 4mm dia rachet holes on alternate side compatible for flex arms, 1/4"-W20 and T1



Connector Mini Flex Hot Shoe 13

US \$22.0 Am-HS-MiFA-13

Connector mini flexible arm for mounting on hot shoe, length: 13cm.



DIY Stay 120B 4

mini mounts.

Am-M-120B4 DIY stay 120mm long with 4mm dia rachet holes on same side compatible for flex arms,1/4"-W20 and T1 mini

mounts.



Connector Hot Shoe Go 12

Am-HS-MiFAG-12 US \$25, 0

Connector mini flexible arm for mounting on hot shoe, compatible for both GoPro and 1/4"-W20 mount, length: 12cm.



DIY Stay 150A 4

Am-M-150A4 US \$5, 0

DIY stay 150mm long with 4mm dia rachet holes on alternate side compatible for flex arms,1/4"-W20 and T1 mini mounts.



Flex Arm Screw

Am-FA-Screw Flexible arm screw. US \$1.0



DIY Stay 150B 4

Am-M-150B4 US \$5.0 DIY stay 150mm long with 4mm dia rachet holes on same side compatible for flex arms,1/4"-W20 and T1 mini



Knob M

Am-K-MKnob M with M8 screw. US \$5.0

US \$5.0



DIY Stay 120A 1/4"

Am-M-120A IIS \$5 0 DIY stay 120mm long with 1/4"-W20 dia rachet holes on alternate side compatible for flex arms,1/4"-W20 and T1 mini mounts.



Knob L

Am-K-L

Knob L with M8 screw.



DIY Stay 120B 1/4"

Am-M-120B DIY stay 120mm long with 1/4''-W20 dia rachet holes on same side compatible for flex arms,1/4"-W20 and T1 mini



Knob Nut AL

Am-KN-AL Aluminium knob nut. US \$5.0



DIY Stay 150A 1/4"

Am-M-150A US \$5.0 DIY stay 150mm long with 1/4"-W20 dia rachet holes on alternate side compatible for flex arms, 1/4"-W20 and T1



Lock Connector Mount

Am-LkCon-M US \$10.0 Lock connector mount YS Male, 1/4"-W20 Male.



DIY Stay 150B 1/4"

Am-M-150B US \$5.0

DIY stay 150mm long with 1/4"-W20 dia rachet holes on same side compatible for flex arms, 1/4"-W20 and T1 mini



Pistol Grip Mount Am-M-Pm

Pistol grip mount.

US \$18.0



Monopole 45

mini mounts.

Am-M-GM45

Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount,legs are locked with common lock nut system, 3 extendable sections, extended length: 45cm.



Pistol Grip Stay Am-M-Ps

Pistol grip stay.

US \$20.0



Monopole 60

Am-M-GM60

Aluminium monopole,compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 60cm.



DIY Stay Kit

Am-M-DIY DIY stay kit including pistol grip mount, 4 DIY stays and adaptors compatible with GoPro and 1/4"-W20 mount cameras.



Monopole 90

Am-M-GM90

Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 90cm.





Monopole 150

Am-M-GM150 US \$45.0 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with common lock nut

system, 3 extendable sections, extended length: 150cm.



Board Mount

Am-M-Bo US \$15.0 Mount with adhesive for attaching action camera with 1/4"-W20 screw mount on surf boards.



Monopole 45TL

Am-M-GM45TL US \$25.0 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with turn and lock system, 3 extendable sections, extended length: 45cm.



Phone Mount 90

Am-M-PH US \$3.0 Phone Mount grip mobile phone width from 60 to 90mm, with double 1/4''-W20 female thread, for install to tripod or 1/4''-W20 connector,



Monopole 60TL

Am-M-GM60TL US \$25.0 Aluminium monopole, compatible with both GoPro and 1/4"-2WO screw mount, legs are locked with turn and lock system, 3 extendable sections, extended length:60cm.



Chest Mount

Am-M-Cm US \$20.0 Harness for wearing action camera with 1/4"-W20 screw mount on chest.



Monopole 90TL

Am-M-GM90TL US \$30.0 Aluminium monopole, compatible with both GoPro and 1/4"-W20 screw mount, legs are locked with turn and lock system, 3 extendable sections, extended length:90cm.



Camera Mount 1/4'

Am-M-CA US \$20.0 Camera mount with 1/4''-W20 screw connector, camera angle adjustable at 360 degrees.



Monopole 150TL

Am-M-GM150TL US \$40.0 Aluminium monopole, compatible with both GoPro and 1/4''-W20 screw mount, legs are locked with turn and lock system, 3 extendable sections, extended length:150cm.



Head Mount

Am-M-Hd US \$20.0 Head mount for attaching action camera housing with 1/4"-W20 screw mount to head.



Monopole 45 with Universal Grip

Am-M-GM45W

Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 45cm.



Helmet Mount

Am-M-Ht US \$15.0 Helmet mount for attaching action camera housing with 1/4"-W2O screw mount to helmet.



Monopole 60 with Universal Grip

Am-M-GM60W

Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length:60cm.



Light Mount

Am-M-Lm US \$20.0 Light mount for attaching flashlight to helmet.



Monopole 90 with Universal Grip

Am-M-GM90UG U\$ \$55.0 Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length: 90cm.



Mask Hose Mount

Am-M-Mh US \$20.0 Mask and hose mount for attaching action cameras.



Monopole 150 with Universal Grip

Am-M-GM150UG US \$65.0 Aluminium monopole with universal grip for railings and poles, compatible with GoPro and standard 1/4"-W20 screw mount, legs are locked with common lock nut system, 3 extendable sections, extended length:150cm.



Facemask Mount FF

Am-M-FMFF US \$25.0 Facemask mount with flipping 1/4"-W20 female connector.



Go Adaptor Adhesive Mount

Am-M-Adh-Go US \$30.0 Adhesive mount for GoPro housing.



Facemask Mount F

Am-M-FMF US \$22.0 Facemask mount with fixed 1/4''-W20 female connector.



Quick Release BJ Tripod Mount

Am-Madj-HS US \$20.0 Quick release BJ tripod mount.



Facemask Mount M

Am-M-FMM US \$22.0 Facemask mount with fixed 1/4"-W20 male connector.





Rail Mount

Am-M-Rm Rail mount. US \$15.0



Fish Gun Mount

 $$\rm Am\!-\!M\!-\!FGM$$ US \$35.0 Fish gun mount with $1/4''\!-\!W20$ male connector.



Stay Mount

Am-M-ST Stay mount. US \$20.0



Tripod Mount

 $\mbox{Am-M}-\mbox{TM}$ US \$8.0 Tripod mount with $1/4''-\mbox{W}20$ male connector.



Suction Mount

Am-M-Su Suction mount. US \$15.0



Bracket Mount

Am-M-BM Bracket mount with 1/4"-W20 male connector.diameter:63mm.



US \$20.0

Skateboard Mount

Am-M-SBM US \$35.0

Skateboard mount with 1/4"-W2O male connector, waterproof double-sided adhesive, for mount to

the flat plane.



BJ GoPro Connector 8

Am-BJG-8 US \$22.0 Aluminium Ball end with GoPro mount, length:8cm.



Double Sided Suction

Am-M-Dsu Double sided suction, diameter:50mm. US \$3.0



BJ Lock 37 1/4"

Am-BJ-L1-37 US \$18.0 Aluminium BJ lock with 1/4"-W20 screw, length:37mm.



Universal Grip

Am-M-UG US \$30.0 Universal grip for rails, compatible with GoPro, 1/4"-W20 and flexible arm mount.



BJ Lock 57 1/4"

Am-BJ-L1-57 US \$20.0 Aluminium BJ lock with 1/4"-W20 screw, length:57mm.



Skateboard Mount II

 $$\operatorname{Am-M-SBMI}$$ US \$20.0 Skateboard mount II with $1/4''\operatorname{-W20}$ male connector.



BJ Lock 77 1/4'

Am-BJ-L1-77 US \$22.0 Aluminium BJ lock with 1/4"-W20 screw, length:77mm.



Hand Strap Mount

Am-M-HSM US \$20.0 Hand strap mount with 1/4''-W20 male connector, strap can adjustable.



BJ Lock 37 WM8

Am-BJ-LM-37 US \$18.0 Aluminium BJ lock with M8 screw, length:37mm.



U Connector Mount

Am-M-UCM US \$20.0 U connector mount with 1/4''-W20 male connector.



BJ Lock 57 WM8

Am-BJ-LM-57 US \$20.0 Aluminium BJ lock with M8 screw, length:57mm.



Adaptor Mount F

 $$\operatorname{Am}\text{-M}\operatorname{-AMM}$$ US \$20.0 Adaptor mount F with double 1/4"-W20 male connector.



BI Lock 77 WM8

Am-BJ-LM-77 US \$22.0 Aluminium BJ lock with M8 screw,length:77mm.



Adaptor Mount

Am-M-AMF US \$6.0 Adaptor mount F with 1/4"-W20 female connector.



BJ Ball F40

Am-BJ-LF-40 US \$10.0 Aluminium BJ Ball with female 1/4"-W20 thread, length:40mm for direct mount on monopole pointer or 1/4"-W20 connector.



2025-3-21

Page 21 of 50

Prices valid for one month from the date printed below

Email: service@10bar.com Web site: http://www.10bar.com
Tel: (852) 2573 3228 Fax: (852) 2811 9180

YS Lock 40 1/4

Am-YS-LM-40 US \$18.0 Aluminium YS connector with 1/4"-W20 screw, length:40mm.



BI Lock Connector

Am-BJ-LK US \$8.0 1" Ball lock plastic with 1/4"-W20 screw, for lite coil arm.



YS Lock 60 1/4"

Am-YS-LM-60 Aluminium YS connector with 1/4"-W20 screw, length:60mm.



YS Lock Connector

Am-YS-LK YS lock plastic with 1/4''-W2O screw, for lite coil arm.



BJ Lock 70 With 1/4" Connector

IIS \$22 0 Am-BJ-L1-70 Aluminium BJ Lock With 1/4"-W20 connector.Length:70mm.



Hot Shot Mount

Am-YS-LHS US \$10.0 Hot Shot Mount with $1/4 ilde{''}$ -W2O screw,for lite coil arm.



BJ Lock 120 With 1/4" Connector

Am-BJ-L1-120 US \$23.0 Aluminium BJ lock with 1/4"-W20 connector, length:120mm.



Double 1/4" Male connector II

Am-YS-LDMII Double 1/4"W20 male connector, for Lite Coil Arm.



BJ Mount 65

Am-BJ-M65

US \$8.0 Ball joint mount, length:65mm.



Double 1/4" Male connector

Am-YS-LDM US \$3 Double 1/4"-W20 male connector with split ring , US \$3.0 for Lite Coil Arm.



BJ Mount 90 AL

Am-BJ-MAL90

US \$20.0 Aluminium ball joint mount, length:90mm.



Lite Coil Arm 1 to 3 Connector

Am-LA-C

Lite coil arm 1 to 3 connector with 4 no. of 1/4"W20



BJ Mount 150 AL

Am-B.T-MAL150

US \$25.0

Aluminium ball joint mount, length:150mm



Lite Coil Arm 1 to 3 Hot Shoe Connector Am-LA-CH US \$25.0 Lite coil arm 1 to 3 hot shoe connector with 3 no. of 1/4''-W20 screws



BJ Clamp AL w/ knob AL

US \$21.0 Am-BI-C-ALKA Aluminium ball joint clamp with aluminum knob nut, for

aluminium ball joint arms.



Torch Mount 25-50

Am-TM-2550 US \$15.0 Aluminium cradle with velcro and female 1/4"W20 & M5, for mounting diving light diameter 25-50mm.



BJ Clamp L AL

Am-BJ-CL-ALKA

Aluminium ball joint clamp with extra holding strength and aluninum knob, ball centers distance:50mm.



Torch Mount 50-75

Am-TM-5075 Aluminium cradle with velcro and female 1/4"-W20 &

M5, for mounting diving light diameter 50-75mm.



BJ Clamp 3 AL

Am-BT-C-3AL

Aluminium ball joint clamp with aluminum knob nut, for connecting 3 BJ arms in a triangular shape.



Handle Sleeve

Am-HC-107 EVA handle sleeve.diameter: 32mm, internal diameter 9mm, length:107mm.



BJ Clamp 3 T

Am-BJ-C-3T

Aluminium ball joint clamp with aluminum knob nut, for connecting 3 BJ arms in a triangular shape, can be large angle adjustment.



BJ fQ Connector

Am-Bj-fQ US \$12.0 1" Ball plastic mini quick release female connector





BI AL fQ Connector

Am-BJ-fQAL US \$: 1" Ball aluminum quick release female connector US \$18.0



Multi Stay 150B

St-MS-150B US \$40.0 Multi stay 150B, 12 no. female 1/4"-W20 thread for attaching accessaries such as tripod legs or ball joint connectors, width: 59mm, length: 150mm.



YS fQ Connector

Am-YS-fQ US \$12.0 YS plastic mini quick release female connector



Tripod Mini Legs

St-MS-TL US \$7.0 Tripod legs 4 pieces including alan key with adjustable length 25 to 45mm for attaching to Multi Stay



YS AL fQ Connector

Am-YS-fQAL US \$18.0 YS aluminum mini quick release female connector



Space Washer

St-Sp-Ws US \$1.0 Washer for different brands small housing.



Stay & Handle



St-Zfb

Stay Slot 200

St-S1-Bs-200 US \$25.0 Stay with slots and anchor bar, length: 200mm.



Stay Slot Screw

St-Zscrew Screw for stay with slots.

Stay Slot Anchor Bar

stay, complete with stainless steel screws.

US \$3,0

US \$3.0

Stay Slot 250

St-S1-Bs-250 Black stay with slots for double arm, length:250mm.



Stay Slot Screw E

St-Zscrew-E Screw E for stay with slots. US \$4.0

Stav Slot 300F St-S1-Bs-300F

US \$33.0 Stay slot for double arms with universal slots and

anchor bar, length: 300mm.



Stay Screw Step 8

St-Zscrew-ST8

Stay Screw Step 8 with 1/4"-W20 thread, material:aluminum, height:18mm,screw length:8mm.

US \$6.0

Stay Slot 300U

St-S1-Bs-300U US \$30.0 Black stay with slots for double arm, length: 300mm.



Stay Screw Step 10

St-Zscrew-ST10

US \$6, 0 Stay Screw Step 10 with 1/4"-W20

thread, material:aluminum, height:20mm,screw

length:10mm.

Stay Slot 300U Red

St-S1-Bs-300U-R IIS \$30 0 Red stay with slots for double arm, length: 300mm.



Stay Screw Step 13

St-Zscrew-ST13

Stay Screw Step 13 with 1/4"-W20 thread, material:aluminum, height:23mm,screw

length:13mm.



Stay Slot 350F St-S1-Bs-350F

Stay slot for double arms with universal slots and

anchor bar, length: 350mm.



Stay Screw Step 16 St-Zscrew-ST16

Stay Screw Step 16 with 1/4"-W20

thread, material:aluminum, height:26mm, screw

length:16mm.



Stay Slot 350U St-S1-Bs-350U

Black stay with slots for double arm, length: 350mm.



Stay Slim MR

St-Sm-Bs-MR Extension for Stay Slim M US \$10.0

US \$6.0

US \$7.0



Multi Stay 150

US \$35.0

Multi stay 150,8 no.female 1/4"-W20 thread for attaching accessaries such as tripod legs or ball joint connectors, width: 52mm, length: 150mm.





Stay Slim M

St-Sm-Bs-M Stay for small housings, for single arm. US \$20.0



Stay Handle 100

St-Am-100 US \$40.0 Stay with single arm, Length: 140mm, height: 130mm.

Stay Slim M2

St-Sm-Bs-M2 Stay for small housings, for double arm. US \$25.0



Stay Handle 100 II

St-Am-100II US \$40.0 Stay with single arm, Length: 140mm, height: 130mm.



Stay Slim 180

St-Sm-Bs-180 US \$10.0

Stay for small housing, for single arm.



Stay Handle 250D

St-Am-250D US \$100.0 Stay with double arm, length: 250mm, height: 140mm.



Stay Slim 200

St-Sm-Bs-200 US \$10.0

Stay slim for small housing, lite coil arms, flex arms or lite handles, length: 200mm.



Stay Handle 260D

US \$100.0 St-Am-260D Stay with double arm, length:260mm, height:130mm.



Stay Slim 250

St-Sm-Bs-250 US \$12.0

Stay slim for small housing, lite coil arms, flex arms or lite handles, length: 250mm.



Stay Handle 300D

St-Am-300D US \$100, 0 Stay with double arm, length: 300mm, height: 130mm.



Stay Slim 300

St-Sm-Bs-300 Stay slim for small housing, lite coil arms, flex arms

or lite handles, length: 300mm.



Stay Handle 290

St-Am-290 Stay with double arm, length: 290mm, height: 190mm.



Stay Slim 340

St-Sm-Bs-340 US \$16.0 Stay slim for small housing, lite coil arms, flex arms

or lite handles, length: 340mm.



Stay Handle 230D

St-Am-230D US \$100.0 Stay with double arm, length:230mm, height:130mm.



Lite Handle 120

St-Sm-LH-120 US \$8.0 Lite handle for stay slim with female 1/4"-W20 threads,

length: 120mm.



Stay Lite Coil Arm S50

US \$30.0 St-Am-SL50 Lite coil arm Stay S50, stay length:250mm, lite coil arm length: 500mm, Go 1/4 Connector, with 1/4"-W20 male



Space Washer R

St-Sp-R Rectangular washer for stay. US \$1.0



Lite Coil Arm Stay S50 with YS Mount St-Am-SL50YS US \$46.0

Lite coil arm Stay S50, stay length: 250mm, lite coil arm

length: 500mm, Go 1/4 Connector, with YS connector.



Space Washer S St-Sp-S

Washer for stay slim.

IIS \$1.0



Lite Coil Arm Stay S50 with Torch Mount St-Am-SL50TM US \$46.0

Lite coil arm Stay S50, stay length:250mm, lite coil arm length: 500mm, Go 1/4 Connector, with torch mount for mounting diving light diameter 25-50/50-75mm.



Space Washer adj

St-Sp-Wsadj Washer for different brand small housings.



Photo Accessories



Cleaning Pack

Cleaning pack includes:small lens cloth, silicone grease, cotton buds, silica gel & carrying bag.





Cleaning Pack A

PA-CP-A US \$8.0 Cleaning pack includes:small lens cloth, silicone grease, sponge applicator, silica gel & carrying bag.



Grease Silicone 8G

PA-GS-08 Silicone grease for NBR O-ring,weight:8g.



US \$5.0

Cleaning Kit with Box S

PA-CBS US \$10.0 Cleaning kit includes:small lens cloth, silicone grease, cotton buds (10pcs), sponge applicator (5pcs), silica gel(1g x 10pcs), plastic box.



Grease Silicone 40G

PA-GS-40 US \$15.0 Silicone grease for NBR O-ring, weight:40g.



Cleaning Kit with Box L

PA-CBL US \$15.0 Cleaning kit includes:lens cloth, silicone grease, o-ring remover, cotton buds(10pcs), sponge applicator(5pcs), silica gel(2g 10pcs), liquid cleaner, brush & plastic box.



Twin Tank Band 5/16

PA-Band-2X-5/16 US \$72.0 Stainless steel twin tank band with 5/16" nut & bolt.



Liquid Lens Cleaner

PA-CL Liquid lens cleaner and mask defog. US \$4.0



Twin Tank Band M8

PA-Band-2X-M8 US \$72.0 Stainless steel twin tank band with M8 nut & bolt.



Silica Gel Pack 1

PA-CP-SG1 Silica gel,1g x 20 bags. US \$4.0



Band 2X bolt and nut 5/16

PA-Band-2X-5/16-BN US \$20.0 5/16" nut & bolt for twin tank band 5/16.



Silica Gel Pack 2

PA-CP-SG2 Silica gel,2g x 10 bags. US \$4.0



Band 2X Bolt and Nut M8

PA-Band-2X-M8-BN US \$20.0 M8 nut & bolt for stainless steel twin tank band M8.



Silica Sticker

PA-CP-Ss Silica sticker 1g x 5 bags. US \$7.0



Float Marker

LO-FM US \$25.0 High density foam marker for indicating position at sea, complete with float, 10m string, weight and counter weight, width: 9.6cm, length: 22cm.



Silica Swell 2

PA-CP-Sw2 Silica packets,2g x 10 bags. US \$7.0



Diving Flag "A"

LO-DF-A US \$25.0 Diving flag Alpha, height:92cm, width: 150cm



Silica Swell 3

PA-CP-Sw3 Silica packets,3g x 5 bags. US \$7.0



Diving Flag Red

LO-DF-R US \$20.0 Diving flag red, height:63cm, width: 100cm



Grease Silicone 3G

PA-GS-03 US \$3.0 Silicone grease for NBR O-ring, weight:3g.



Free Diving Floating Buoy Cover 70
LO-FBC-70
US \$60.0

Free Diving Floating Buoy cover for tyre inner diameter:70cm.Tyre not included.



Grease Silicone 5G

PA-GS-05 US Silicone grease for NBR O-ring, weight:5g. 10Reg

Soft Skin Lens Cover 70

PA-DC-Ls-70 US \$15.0 4mm neoprene soft skin lens cover for small lens or camera, diameter: 70mm, height: 20mm.





Soft Skin Lens Cover 85

PA-DC-Ls-85 US \$20.0 4mm neoprene soft skin lens cover for small lens or camera, diameter: 85mm, height: 20mm.



Mask Strap

PA-Ms US \$5.0 Mask strap for easy mask removal and put on.



Soft Skin Lens Pouch 90

PA-DC-Ls-90 US \$20.0

4mm neoprene soft skin lens pouch, for lens/camera, diameter:90mm, height:150mm.



Mask Strap B

PA-Ms-B US \$6.0

Mask strap with quick release buckle for easy mask removal and put on.



Dome Port Cover 12

PA-DC-12 US \$10.0

Neoprene cover OD 120mm for small size dome port. diameter: 120mm.

Dome Port Weight Belt 25



O-ring Remover

PA-OR-RM

O-ring remover, thick:0.5mm.



US \$2.0

US \$2.0

US \$4.0

US \$6.0

Optical Fiber

US \$37.0

US \$37.0

O-ring ID 30

PA-OR-30

O-ring with diametrer under 30mm.



PA-DC-25

Dome Port Cover 15 PA-DC-15 US \$15.0

Dome port adjustable weight belt for port neck diameter

75-130mm with pocket to hold 0.5kg lead weight or shot

Neoprene cover OD 150mm for small size dome port, diameter: 150mm.



US \$10.0

US \$20.0

US \$12.0

US \$15.0

US \$10.0

O-ring ID 30-80

PA-0R-3080

O-ring with diameter: 30-80mm.



Dome Port Cover 18


PA-DC-18 Neoprene cover for small size dome port, diameter:180mm.



O-ring ID 80

PA-OR-80

O-ring with diameter over 80mm.



Dome Port Cover 24

PA-DC-24

Neoprene cover for small size dome port, diameter: 240mm.



Optical Fiber 1m

Optic fiber cable with small diffuser for Nano

flash, length: 1m.



50

Strobe cover for SEA & SEA D1, D2.



Strobe Cover 330

Strobe Cover D2

PA-SC-D2

PA-SC-330 US \$12.0 Strobe Cover 330, for Inon Z330, Z240, D2000.

Strobe Cover 330 with Rubbing Stick

Strobe Cover 330 with rubbing stick, for Inon Z330,



Optical Fiber IN 2X

Optical Fiber IN

OF-IN

US \$70.0 Optic fiber cable with small diffuser connecting to double sensors for Inon strobes, length: 2m.

Optic fiber cable for Inon flash, synchronized, length:



Strobe Cover 2000

PA-SC-2000

PA-SC-330ST

Z240, D2000.

Strobe Cover 2000, for Inon S-2000.



Optical Fiber IN S

OF-IN-S

Optic fiber cable with small diffuser for Inon flash, synchronized, length: 2m.



Optical Fiber NA

Optic fiber cable with small diffuser, synchronized with Nauticam DSLR housing, length:2m.





Optical Fiber NA-IN

US \$37.0 Optic fiber cable for Inon flashes, synchronize with Nauticam DSLR housings, length:2m.



Multi Core Optical Fiber IN 2X

OF-MC-IN-2X US \$1: Multi core optic fiber cable with small diffuser US \$110.0 connecting to double sensors for Inon strobes, length: 2m.



Optical Fiber NA-IN 2X

OF-NA-IN 2X

Optic fiber cable for connecting two Inon flashes, synchronized with Nauticam DSLR housings, length:2m.



Multi Core Optical Fiber IN S

Multi core optic fiber cable with small diffuser for Inon flash, synchronized, length: 2m.



Optical Fiber NA-SSH

OF-NA-SSH US \$37.0

Optic fiber cable for Sea & Sea flashes, synchronized with Nauticam DSLR housing, length: 2m.



Multi Core Optical Fiber NA

OF-MC-NA US \$60.0 Multi core optic fiber cable with small

diffuser.synchronized with Nauticam DSLR housing. length: 2m.



Optical Fiber NA-SSH 2X

OF-NA-SSH-2X US \$70.0

Optic fiber cable for connecting two Sea & Sea flashes, synchronized with Nauticam DSLR housings, length:2m.



Multi Core Optical Fiber NA-IN

US \$60.0

Multi core optic fiber cable for Inon flashes, synchronize with Nauticam DSLR housings, length: 2m.



Optical Fiber SSH 2M

OF-SSH-2m US \$37 0

Optic fiber cable with small diffuser, synchronized with Sea & Sea strobes, length: 2m.



Multi Core Optical Fiber NA-IN 2X

OF-MC-NAIN- 2X US \$110.0

Multi core optic fiber cable for connecting two Inon flashes, synchronized with Nauticam DSLR housings, length: 2m.



Optical Fiber SSH IN

OF-SSH-IN

Optic fiber cable for Inon strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housings, length:2m.



Multi Core Optical Fiber NA-SSH US \$60.0

OF-MC-NASSH

Multi core optic fiber cable for Sea & Sea flashes, synchronized with Nauticam DSLR housing, length: 2m.



Optical Fiber SSHL 2M

OF-SSHL-2m US \$40.0

Optic fiber cable with small diffuser and SSHL cap, synchronized with Sea & Sea strobes, length:2m.



Multi Core Optical Fiber NA-SSH 2X US \$110.0

OF-MC-NASSH-2X

Multi core optic fiber cable for connecting two Sea & Sea flashes, synchronized with Nauticam DSLR housings, length: 2m.



Optical Fiber SSHL IN

US \$40.0 OF-SSHL-IN

Optic fiber cable for Inon strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housings, length:2m.



Multi Core Optical Fiber SSH 2M

OF-MC-SSH2m

Multi core optic fiber cable with small diffuser, synchronized with Sea & Sea strobes, length:



Optical Fiber SSH-SSH

OF-SSH-SSH

Optic fiber cable for Sea & Sea strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housing, length:2m.



Multi Core Optical Fiber SSH IN

OF-MC-SSHIN US \$60.0

Multi core optic fiber cable for Inon strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housings, length: 2m.



Multi Core Optical Fiber 1m

US \$40.0 OF-MC-1m

Multi core optic fiber cable with small diffuser for Nano flash, length:1m.



Multi Core Optical Fiber SSHL 2M

OF-MC-SSHL2m US \$60.0

Multi core optic fiber cable with small diffuser and SSHL cap. synchronized with Sea & Sea strobes, length:2



Multi Core Optical Fiber IN

OF-MC-IN

US \$60.0

Multi core optic fiber cable for Inon flash, synchronized, length: 2m.



Multi Core Optical Fiber SSHL IN

OF-MC-SSHLIN US \$60.0

Multi core optic fiber cable for Inon strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housings, length:2m.





Multi Core Optical Fiber SSH-SSH

OF-MC-SSHSSH US \$60.0

Multi core optic fiber cable for Sea & Sea strobes, synchronized with Nauticam mirrorless IL, Nauticam compact, Sea & Sea housing, length: 2m.



Optical Fiber Clamp

OF-ZCp US \$10.0

Clamp for attaching to strobe sensor, for regular or small size housings.



Optic Fiber Base Connector SS/NA

OF-BC-SS US \$8.0 Optic fiber base connector for cap SSH & cap NA.



Diffuser Bk

PA-Df-Bk US \$5.0

Black diffuser with 3M dual lock fastener for attaching



Optic Fiber Base Connector SS 2X

OF-BC-SS-2X US \$10.0

Optic fiber base connector for two SSH caps



Diffuser Kit S

PA-Df-K-S US \$13.0

Diffuser kit includes:diffuser S, screws, allen key and 3M dual lock fasteners.



Optic Fiber Base Connector SSNA with Dua

OF-BC-SSW US \$10.0

Optic fiber base connector for cap SSH & cap NA with



Diffuser Kit L

PA-Df-K-L US \$13.0

Diffuser kit includes:diffuser L,screws,allen key and 3M dual lock fasteners.



Optical Fiber Sticker S

OF-Stk-S US \$3.0

3M dual lock fastener for optical fiber cable, small size, 2 pcs.



Diffuser S

PA-Df-S US \$5.0

Small size diffuser with 3M dual lock fasteners for attaching to flash housings.



Optical Fiber Sticker

OF-Stk-2X US \$3.0 3M dual lock fastener for optical fiber cable,2 pcs.



Diffuser L

PA-Df-L

Large size diffuser with 3M dual lock fasteners for attaching to flash housings.



Optical Fiber Cap-SSH

OF-Zcap-SSH US \$4.0

Cap for connecting optical fiber cable to Nauticam mirrorless, Nauticam compact, Sea & Sea housings and strobes.



BAK

50

Optical Fiber Cap-SSHL

OF-Zcap-SSHL US \$6.0

Cap for connecting optical fiber cable to Nauticam mirrorless, Nauticam compact, Sea & Sea housings and flashes, L shape.



Bulkhead CN PA-BH-CN

PA-BH-CN US \$25.0

Sync Cord

6 pin bulkhead for connecting to sync cord and strobe



Optical Fiber Cap NA

OF-Zcap-NA US \$4.0 Cap for connecting optical fiber cable to Nauticam DSLR

housing.



Bulkhead NK

PA-BH-NK US \$25.0

5 pin bulkhead for connecting to sync cord and strobe plug.



Optical Fiber Adaptor Cap-IN to SSH OF-Zcap-INSSH US \$5.0

Plastic cap for connecting optical fiber cable with Sea

& Sea connector to Inon strobe sensor.



Bulkhead SCM6 PA-BH-SCM6

PA-BH-SCM6 US \$30.0

Bulkhead S6 for connecting to hot shoe on Canon cameras, male:6 pin.



Optical Fiber Cap-IN

OF-Zcap-IN

US \$4.0

Plastic cap for connecting optical fiber cable to Inon strobe sensor.



Bulkhead SNM5

PA-BH-SNM5 US \$30.0 Bulkhead S6 for Nikon cameras, male:5 pin.



Hot Shoe Bracket CN

PA-HS-Bt-CN6 US Hot shoe bracket for Canon cameras, 6 pin.





Hot Shoe Bracket NK

PA-HS-Bt-NK5 US \$25.0

Hot shoe bracket for Nikon cameras, 5 pin.



Sync Cord CNM6-NKM3(2)

SvC-6P2P US \$77.0

2 pin sync cord for connecting Nikon connector strobe to 10Bar Canon camera housing.



Hot Shoe Bracket OP

PA-HS-Bt-OP5 US \$25.0

Hot shoe bracket for Olympus cameras, 5 pin.



Sync Cord CNM6-SSM5(2)

SyC-6P2P-SS US \$77.0

2 pin sync cord for connecting Sea & Sea / Inon strobes to 10Bar Canon 400D housings, Non-TTL.



Hot Shoe Plug CN2

PA-HS-PG-CN2 US \$25, 0

Connecting 10Bar housing bulkhead to Canon camera hot shoe, 2 pin conection, Non-TTL.



Sync Cord OPM5-SSM5

SyC-05S5 US \$77.0

5 pin sync cord for connecting Sea & Sea / Inon strobes to Olympus camera housings.



Hot Shoe Plug CN6

PA-HS-PG-CN6 US \$25.0

Connecting 10Bar housing bulkhead to Canon camera hot shoe, 6 pin conection, E-TTL compatible.



Sync Cord SHF6 2X

SyC-SHF6-2X US \$85.0

6 pin sync cord for connecting 10Bar Canon Speedlite 580EX II flash housing to 10Bar Canon 40D housing.



Hot Shoe Plug NK2

PA-HS-PG-NK2 US \$25 0

Connecting 10Bar housing bulkhead to Nikon camera hot shoe, 2 pin connection, Non-TTL.

Sync Cord SHF6-CNM6

SyC-SHF6-CN6

US \$85.0 6 pin sync cord for connecting 10Bar Canon 40D,G9 camera housings to 10Bar Canon Speedlite 580EX II flash housings.



Hot Shoe Plug NK5

PA-HS-PG-NK5

Connecting 10Bar housing bulkhead to Nikon camera hot shoe, 5 pin connection, I-TTL compatible.



Sync Cord SHF6-SSM5(2)

SyC-SHF6-SS2

2 pin sync cord for connecting SCM6 connector housings to Sea & Sea / Inon strobes, Non-TTL.



Hot Shoe Plug OP2

PA-HS-PG-OP2 US \$25.0

Connecting 10Bar housing bulkhead to Olympus camera hot shoe, 2 pin connection, Non-TTL.



Sync Cord NKM5-SSM5

US \$77.0 5 pin sync cord for connecting Sea & Sea / Inon strobes to 10Bar Nikon D70, CP8800, CP8700 camera housings.



Hot Shoe Plug OP5

PA-HS-PG-OP5

US \$25, 0

Connecting 10Bar housing bulkhead to Olympus camera hot shoe, 5 pin connection, TTL compatible.



Sync Cord Cap

Sv-Z-cap Sync cord cap. US \$4.0



Sync Cord OPM5-NKM5

SyC-50 US \$77.0

pin sync cord for connecting Nikon connector to Olympus housing.



Sync Cord Cap 2X

Sy-Z-cap-2X Sync cord cap 2X. US \$5.0



Sync Cord NKM5 2X

SvC-5P 2X

US \$77.0

5 pin sync cord for connecting 10Bar Nikon Speedlite flash housings to 10Bar Nikon camera housings, TTL



Sync Cord Cap SSF

Sv-Z-cap-SSF

US \$4.0 Sync cord cap for 10Bar Sea & Sea sync cord plug F.



Sync Cord CNM6 2X

SyC-6P

6 pin sync cord for connecting 10Bar Canon Speedlite flash housings to 10Bar Canon 400D camera housings, TTL compatible.



Sync Cord Cap SSM

Sy-Z-cap-SSM

Sync cord cap for 10Bar, Sea & Sea sync cord plug M.





Lanyard & Sports Accessories



Weight Belt 150 Plastic

US \$7.5

Weight Belt plastic buckle nylon webbing 1.5m long

Free Diving Safety Cable S

PA-Lv-SRB US \$38.0 Free Diving Safety Cable with swivel stainless steel

buckles, length: 100cm, diameter: 4mm.



Weight Belt 150 SS304

US \$9.5

Weight Belt SS304 buckle nylon webbing 1.5m long

Reef Hook R Set

PA-Ly-RhC US \$8, 8 Reef hook SS316 with polyester rope length:2m,

Coil 100 SS5

PA-Co-S-100S5

US \$10.0

PU covered coil lanyard with stainless steel fitting, diameter: 5mm, length: 100cm.



Reef Hook C Set

PA-Ly-RhC US \$12.0

Stainless steel reef hook with PU coat stainless steel wire Coil lanyard length:100cm, diameter:4mm.



Snap Cord

PA-Lv-Sn

US \$2.0

Quick connecting elastic cord and nylon string for attaching filter or lens to arms.



Reef Hook R Set

PA-Lv-RhC

US \$12.0 Stainless steel reef hook with PU coat stainless steel wire Coil lanyard length:100cm, diameter:4mm.



Nylon Lanyard

PA-Ly-Ny

US \$2.0

Nylon lanyard for housing and flashlight.



Reef Hook 2C Set

PA-Ly-Rh2C

Stainless steel reef hook double with PU coat stainless steel wire Coil lanyard length:100cm, diameter:4mm.

US \$14.0

US \$1.5



Float Lanyard

PA-Ly-Fy

Float lanyard for housing and flashlight.



Reef Hook Q Set

PA-Ly-RH Q

Stainless steel reef hook with Quick release swivel buckles, PU coat stainless steel wire.length:100cm, diameter:4mm.



Simply Constructed Wire Strand Lanyard : PA-Ly-W-SS3SC US \$10.0

Simply Constructed PU covered coil lanyard, diameter 3mm, length:100cm, Slingshot ropes are available in

blue, red, green and black



Reef Hook 2Q Set PA-Ly-RH2 Q

US \$22.0 Stainless steel reef hook double with Quick release swivel buckles, PU coat stainless steel

wire.length:100cm, diameter:4mm.



Wire Strand Lanyard SS3

PA-Lv-W-SS3

US \$12.0

PU covered coil lanyard, diameter 3mm, length: 100cm, Slingshot ropes are available in blue, red, green and



Sling Webbing 30

PA-Lv-HS30

US \$25, 0 Sling Webbing 30cm long 25mm diameter with 2 stainless steel swivel snap hook buckles, PU coat stainless steel

wire.length:100cm, diameter:4mm.



Wire Strand Lanyard SS4

PA-Ly-W-SS4

US \$15.0

Red PU covered coil lanyard, diameter 4mm, length: 120cm.




Key Chain Wire Strap SS13.5

PA-KC-S13

Key Chain Wire Strap,length: 13.5cm,stainless

steel, assorted color.



Wire Strand Lanyard SS5

PA-Lv-W-SS5

US \$18.0


Blue PU covered coil lanyard with stainless steel fittting, diameter:5mm, length:100cm.



Key Chain Wire Strap SS15

PA-KC-S15

US \$1.5 Key Chain Wire Strap,length: 15cm,stainless steel, assorted color.



Free Diving Safety Cable

PA-Ly-SR

Free diving safety cable with stainless steel

buckles, length: 100cm, diameter: 4mm.



Key Chain Wire Strap SS18

PA-KC-S18

Key Chain Wire Strap,length: 18cm,stainless steel, assorted color.





Seahorse Key Chain Bottle Opener

Seahorse key chain bottle opener, length: 76mm, assorted color.



Diving Knife Titanium BC6

PA-KF-BC6 US \$40.0 Diving Knife BC6, material:α +β titanium

alloy, hardness: HRC 35, blade length: 2.75", suitable for fitting on BCD or Weight Belt with two optional angles.




Shark Key Chain Bottle Opener

Shark key chain bottle opener, length: 70mm, assorted



Snorkel Holder PA-SH

US \$2.0 Snorkel holder.



Turtle Key Chain Bottle Opener

PA-KC-TL IIS \$2.5 Turtle key chain bottle opener, length: 52mm, assorted color.



Fish Bone Key Chain

Su-Kc Plastic key chain. US \$1.0



Dolphin Key Chain Bottle Opener

US \$2.5 PA-KC-DP Dolphin key chain bottle opener, length: 70mm, assorted



LED MWB Light

PA-MK-LWBJ US \$20.0 Anodized aluminum mini LED super bright white light complete with Ball Swivel Mount Mimi.batteries 3*AG13/LR44.



Gourd Key Chain Bottle Opener

US \$2.5 PA-KC-GD Gourd key chain bottle opener, length: 55mm, assorted color.



LED MW Light

PA-MK-L US \$15.0 Anodized aluminum mini LED super bright white light with batteries 3*AG13/LR44.



Monopole Pointer 200

PA-BS-200 Monopole Pointer 200, anodized aluminumwith 1/4"-20 thread, length 200mm



LED MW Light L

PA-MK-LL Anodized aluminum mini LED Light 20 lumen with rechargable battery 16340. Charger included.



Monopole Pointer 350

PA-BS-350 US \$5.0 Anodized aluminum monopole pointer with 1/4"-W20 thread, length: 345mm.



Ball Swivel Mount Mini

PA-MK-WBJ US \$15.0 Ball Swivel Mount Mini with two 1/4"-W20 thread connectors for mounting to housing, light, arm or stay with 1/4"-W20 thread.



Monopole Pointer Extendable 300

PA-BS-EXT300 US \$16.0 Anodized aluminum monopole pointer with 1/4"-W20 thread, 2 extendable sections, extented length: 300mm.



Rattle 100

PA-BZ-100 US \$8.0 Anodized aluminum rattle with 1/4"-W20

threads, length: 100mm, buoyancy: +0.08kg. for pointer or as handle for camera housings



Monopole Pointer Extendable 450

PA-BS-EXT450 US \$18.0 Anodized aluminum monopole pointer with 1/4"-W20 thread, 2 extendable sections, extented length: 450mm.



Rattle 150

PA-BZ-150

Anodized aluminum rattle with 1/4"-W20

threads, length:150mm, buoyancy:+0.12kg for pointer or as handle for camera housings



Monopole Pointer Extendable 600

PA-BS-EXT600 IIS \$20.0 Anodized aluminum monopole pointer with 1/4"-W20 thread, 2 extendable sections, extented length: 600mm.



Rattle 100 P190

PA-BP-300 Anodized aluminum rattle with 1/4"-W20 thread, pointer length 190mm, total length: 300mm, buoyancy: +0.05kg. for pointer or as handle for camera housings



Nose clip

PA-Ly-Cp-Nc Nose clip aluminum for free diving US \$30.0

Reel 10 PA-R-10 Reel with 10m line.

US \$16.0

2025-3-21





Fax: (852) 2811 9180

Finger Spool Reel AL 3545 K10

PA-RFW-AL3545 US \$15.0

Aluminium finger spool, outer diameter:35mm, width: 45mm, centre hole: 25mm, Kevlar cord length: 10m, with ss snap hook.



Hand Spool Reel 9080 K100 PA-HSR-9080

US \$45.0 Hand spool reel,outer diameter: 90mm, width:80mm, Kevlar cord length:80m, with ss snap hook and nylon



Finger Spool Reel NY 7525 N20

PA-RFW-AL3545

Nylon finger spool, outer diameter:75mm,

width:25mm, centre hole:25mm, Nylon cord length:20m, with SS316 snap hook.



Finger Spool Reel AL 6035S

PA-RFW-AL6035 Finger Spool Reel AL 6035 with Spindle and 15m cord



Finger Spool Reel AL 4030 K10

PA-RFW-AL4030 US \$15.0

Aluminium finger spool, outer

diameter:40mm, width:30mm, centre hole:25mm, Keylar cord length:10m, with ss snap hook.



Finger Spool Reel NY 7526 L20

PA-RFW-NY7526 US \$9.0

Nylon finger spool, outer

diameter: 75mm, width: 26mm, centre hole diameter:25mm, nylon cord length:20m, with SS316 snap



Finger Spool Reel AL 4040 K20

PA-RFW-AL4040 IIS \$20.0

Aluminium finger spool, outer

diameter:40mm, width:40mm, centre hole:25mm, Kevlar cord length:20m, with ss snap hook.



Finger Spool Reel NY 7526 L20S

PA-RFW-NY7526 US \$10.5

Nylon finger spool,outer

diameter: 75mm, width: 26mm, centre hole

diameter:25mm, nylon cord length:20m, with Spindle and SS316 snap hook.



Finger Spool Reel AL 5530 K30

PA-RFW-AL5530

US \$20.0

Aluminium finger spool, outer

diameter:55mm, width:30mm, centre hole:20mm, Kevlar cord length:30m, with ss snap hook.



Finger Spool Reel NY 8245 L50S US \$17.5

PA-RFW-NY7526

Nylon finger spool,outer

diameter:82mm, width:45mm, centre hole diameter:25mm, nylon cord length:50m, with spindle S316 snan hook.



Finger Spool Reel AL 5540 K40

PA-RFW-AL5540

US \$25.0

Aluminium finger spool, outer

diameter:55mm, width:40mm, centre hole:20mm, Kevlar cord length: 40m, with ss snap hook.



Finger Spool Reel NY 8245 L50 US \$16.0

PA-RFW-NY7526

Nylon finger spool, outer

diameter:82mm, width:45mm, centre hole diameter: 25mm, nylon cord length: 50m, with S316 snap hook.



Finger Spool Reel AL 5550 K50

PA-RFW-AL5550

US \$30.0

Aluminium finger spool outer

diameter:55mm, width:50mm, centre hole:20mm, Kevlar cord length: 50m, with ss snap hook.



Inflatable Marker Buoy Round

IIS \$20.0 Inflatable marker buoy diameter:35cm. With water filling compartment for stablising.



Finger Spool Reel AL 7030 K20

PA-RFW-AL7030

US \$30.0

Aluminium finger spool, outer

diameter:70mm, width:30mm, centre hole

diameter:35mm, Kevlar cord length:20m, with ss snap hook.



Inflatable Marker Buoy Oval

US \$30.0

Inflatable marker buoy width: 31cm, length: 86cm. With water filling compartment for stablising and connectors for towing and anchoring.



Finger Spool Reel AL 7030C K20

PA-RFW-AL7030C

US \$35.0

Aluminium finger spool with curves, outer diameter:70mm, width:30mm, centre hole

diameter: 35mm, Kevlar cord length: 20m, with ss snap hook.



Surface Marker Tube

PA-SMB

US \$35.0 Surface marker tube for diver, width: 13.5cm, length:

120cm. with finger spool and 10m Kevlar cord.



Finger Spool Reel AL 7040 K30

PA-RFW-AL7040 Aluminium finger spool, outer

US \$35.0

Tel: (852) 2573 3228

diameter:70mm, width:40mm, centre hole diameter:35mm, Kevlar cord length:30m with ss snap hook.

length:50m, with ss snap hook.



Surface Marker Tube L

PA-SMBL

US \$40.0 Surface marker tube for diver, width:13.5cm, length:150cm.with finger spool and 10m Kevlar cord.



Finger Spool Reel AL 7050 K50

PA-RFW-AL7050

US \$40.0

Aluminium finger spool, outer diameter:70mm, width:50mm, centre hole:35mm, Kevlar cord



Surface Marker Tube XL

PA-SMBXL

US \$45.0 Surface marker tube for diver, width: 13.5cm, length:200cm. With finger spool and 10m Kevlar cord.





Surface Marker Tube DBO

PA-SMB-D80 US \$37.0 Surface Marker Tube DBO, L 150cm x W 18cm, with Duck Bill, LP/Oral valve & logo "Diver Below" hook.



Split Ring 25

PA-MR-020 US \$0.8 Split Ring 25, outer diameter 25mm, inner diameter 22mm, material SS303..



Retractor 55

PA-PB US \$15.0 Retractor with 1m Kevlar cord, diameter:55mm.



Slide Buckle 50x23

MW-MR-030 US \$1.5 Slide Buckle for 50mm webbing 50x23, material:SS 316

Magnetic Holder

PA-MH-HSII US \$13.0 Magnetic holder with plastic swivel hook, ss wire strap and two split ring, static holding force approx. 2.5kg, diameter:23mm, length:32mm. Spare o-ring for tank valve



Split Ring 30

MW-MR-030 US \$1.0 Split Ring 30, outer diameter:30mm,inner



Magnetic Holder Elastic Cord

PA-MH-PCII US \$13.0 Magnetic holder with plastic swivel hook, elastic cord, ss wire strap or split ring, static holding force approx. 2.5kg, diameter: 23mm, length: 32mm. Spare oring for tank valve stored.



Shackle U4 SS304

diameter: 25mm. material: SS 304.

MW-MR-U4304 US \$1.3 Shackle U, bolt diameter 4mm, material SS304.



Magnetic Hose Holder

PA-MH-HS
US \$15.0
Magnetic holder for hose (diameter 9-12mm), with
plastic swivel hook, ss wire straps and split
rings, static holding force approx. 2.5kg, diameter:23mm,
length:42mm. Spare o-ring for tank valve stored.



Shackle U4 SS316

MW-MR-U4316 US \$1.4 Shackle U, bolt diameter 4mm, material SS316.



Magnetic Hose Holder Elastic Cord

PA-MH-PC US \$15.0 Magnetic holder for hose (diameter 9-12mm), with elastic cord, static holding force approx. 2.5kg, diameter: 23mm, length: 42mm. Spare o-ring for tank valve stored.



Shackle U5 SS304

MW-MR-U5 US \$1.4 Shackle U, bolt diameter 5mm, open max 9mm, material SS304.



OBAR

Metalwork

50

Shackle U6 SS304

MW-MR-U6 US \$1.8 Shackle U, bolt diameter 6mm, open max 9mm, material SS304.



Slide Buckle Db 50x38

US \$2.0

Slide Buckle with bent D- ring for 50mm webbing, material:SS316

Shackle U8 SS304

MW-MR-U8 US \$2.0 Shackle U, bolt diameter 8mm, open max 9mm, material

SS304.



Slide Buckle Dw 50x43x43

US \$2.5

Slide Buckle with welded D- ring for 50mm webbing, material:SS316

Shackle U10 SS304

MW-MR-U10 US \$2.2

Shackle U, bolt diameter 10mm, open max 9mm, material SS304.



Tool Wrench

Su-SN-TL US \$3.5 Tool screw nut, six fix wrench sizes:5.5, 7, 8, 10, 11mm.



Shackle H5 SS316

MW-MR-H5 US \$1.5 Shackle Horse Shoe, bolt diameter 5mm, material SS316



Tool Regulator

Su-RG-TL US \$4.0 Tool regulator, six fix wrench sizes :14, 14.5, 16, 17, 17.5, 24mm. with two pins wrench size 2mm and 3mm diameters center to center distance from 9mm to 32mm.



Hanging Buckle 55 SS304

MW-HB-55 US \$2.

Hanging Buckle, hole diameter:11mm, length:55mm, open max:8mm, material:SS 304.





PA-MR-020 US \$0.8 Split Ring 20, outer diameter 20mm, inner diameter 17mm, material SS303..





Hanging Buckle 70 SS304

MW-HB-70 US \$3.0 Hanging Buckle, hole diameter:13mm,length:70mm,open max:12mm, material:SSI 304.



Lock Ring Triangle 50 SS304

MW-LT-50 US \$1.8 Lock Ring Triangle, height 50mm, line diameter 5mm, material SS304.



Swivel Buckle 4 SS304

MW-SB-4 US \$1.5 Swivel Buckle, hole diameter 12mm, line diameter 4mm, length 47mm, material SS304.



Lock Ring Ellipse 3.5 SS304

MW-LE-37 US \$1.6 Lock Ring Ellipse, width 37mm, line diameter 3.5mm, material SS304.



Snap Hook Swivel 65 SS316

MW-SB-65SS316 US \$4.0 Snap Hook Swivel, hole diameter:12mm, length:65mm, open max:8mm. material:SS316.



Lock Ring Ellipse 4.0 SS304

MW-LE-43 US \$1.8 Lock Ring Ellipse, width 43mm, line diameter 4mm, material SS304



Swivel Buckle 5 SS304

MW-SB-5 US \$1.8 Swivel Buckle, hole diameter 12mm, line diameter 4mm, length 58mm, material SS304.



Carabina C32 SS304

MW-CB-32 US \$2.0 Carabina C, hole diameter 4mm, length 32mm, open max 8mm, material SS304.



Snap Hook Swivel 80 SS304

MW-SB-80 US \$4.0 Snap Hook Swivel, hole diameter:17mm, length:80mm, open max:10mm, material:SS 304.



Carabina D40 SS304

MW-MB-D40 US \$2.0 Carabina D, hole diameter 8mm, length 40mm, open max 8mm, material SS304.



Snap Hook Double 90 SS304

MW-SB-D90 US \$3.3 Snap Hook Double, length:89mm, open max:10mm, material:SS



Carabina S40 SS304

MW-CB-S40 US \$1.4 Carabina S for attaching to lanyard. length 40mm, open max 6mm, line diameter 4mm, material SS304.



Snap Hook Double 90 SS316

MW-SB-D90S US \$3.8 Snap Hook Double, length:89mm, open max:10mm, material:SS



Carabina S60 SS316

MW-CB-S50 US \$1.5 Carabina S for attaching to lanyard. length 60mm, open max 6mm, line diameter 4mm, material SS304.



Snap Hook Double 100 SS304

MW-SB-D100 US \$4.5 Snap Hook Double, length 100mm, open max 10mm, material



Carabina S50 SS316

MW-CB-S50 US \$1.5 Carabina S for attaching to lanyard. length 50mm, open max 6mm, line diameter 4mm, material SS316.



Snap Hook Double 115 SS304

MW-SB-D115 US \$4.5 Snap Hook Double, length 115mm, open max 13mm, material SS304.



Quick Release Buckles 50 SS304

MW-QR-50 US \$3.3 Quick release buckles, hole diameter 14mm, length 50mm, open max 12mm, material SS304.



Trigger Swivel Hook 65 SS316

MW-TSH-65 US \$4.7 Trigger Swivel Hook, length 65mm, open max 12mm, material SS316.



Quick Release Swivel Buckles 70 SS304 $_{\mbox{\scriptsize MW-QR-}70}$ US \$3.8

Quick release swivel buckles, hole diameter 13mm, length 67mm, open max:18mm, material SS304.



Lock Ring Triangle 30 SS304

MW-LT-30 US \$1.6 Lock Ring Triangle, height 30mm, line diameter 3mm, material SS304.



Quick Release Swivel Buckles 70 SS316 MW-QR-S70 US \$4.0 Quick release swivel buckles, hole diameter 13mm,

Quick release swivel buckles, hole diameter 13mm, length 67mm, open max:18mm, material SS316.





Reef Hook R150x2 SS316

MW-HR-R150x2 US \$5.0 Hook for Reef Hook Set, double hooks, length 150mm, material SS316



Diving Light 38

L0-Led-38 US \$50.0 Diving light with rotary magnetic safety switch, 1000 lumen with progressive brightness adjustment, made of anodized aluminum, depth rating: 60m, length: 138mm, bezel diameter:38mm



Reef Hook R150 SS316

MW-HR-R150 Hook only for Reef Hook Set, length 150mm, material



Diving Light 38 M

LO-Led-38M US \$50.0 Diving light 38 M,300 lumen.5 modes, depth rating: 60m, length:140mm, bezel diameter:38mm



Rope Clamp 6 SS316

MW-RC-6 US \$1.5 Rope Clamp for 6mm wire, material SS316



LED Ultra Light Head

LO-LED-HEU US \$180, 0 LED light head connects to LED light power pack, 10W, 800



Rope Cap 10 SS316

MW-RC-10 US \$4.5 Rope Cap for 10mm rope, SS316



LED 36 Studio Light

LO-LED-36 US \$200.0 Compact and light weight with 36 LED lights powerful light intensity, 1000 lumens powered by 4 x 18650 built-in Li-ion batteries and included with multi voltage charger wide angle flood beam up to 160 degrees



Belt Buckle 50x40

MW-BB-5040 US \$2, 5 Belt Buckle for 50mm webbing, material:SS316



Snoot Laser S-2000

LO-LED-SN-S2000 Snoot with laser pointer for Inon S-2000. Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



Belt Buckle 50x40

MW-BB-504019 Belt Buckle 50x40 US \$2.8



Snoot Laser Z-240

LO-LED-SN-Z240 Snoot with laser pointer for Inon Z-240. Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



Slide Buckle Curve 50x22

MW-SB-5022 Slide Buckle Curve 50x22 US \$1.8



Snoot Laser Ultra Max

LO-LED-SN-UM US \$150.0 Snoot with laser pointer for Ultra Max.Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



Slide Buckle 50x36

MW-SB-5036 Slide Buckle 50x36 US \$2, 2

US \$2, 2



Snoot Laser YS-110

US \$150.0 LO-LED-SN-YS110 Snoot with laser pointer for Sea & Sea YS-110. Light sensor will automatic cut-off laser when flash is fired.Laser angle adjustable.



Slide Buckle Saw Tooth 52x23

MW-SB-5223

Slide Buckle Saw Tooth 52x23



Snoot YS-D1/2

LO-LED-SN-YSD1 Snoot with target light tube for Sea & Sea YS-D1/YS-D2.Flash's built-in target light is used instead of a red laser pointer.



Slide Buckle D 50x43x19

MW-SB-504319 US \$2.5 Slide Buckle with welded D ring 50x43x19



Laser Pointer

LO-LED-FH-LA US \$75.0 Red laser pointer for mounting on strobe, snoot, spear gun etc.Laser angle adjustable.



Slide Buckle T 50x50

MW-SB-5050 Slide Buckle T SS304 50x50 US \$2.5



Laser Pointer Underwater

LO-LED-FH-HLAL Laser Pointer for underwater housing.Depth Rating 50m. Charger and rechargeable battery include.





Light & Optics



2025-3-21

香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室

Snoot Center Laser S-2000

LO-LED-SN-S2000C US \$170.0 Snoot with center laser pointer for Inon S-2000.Light sensor will automatic cut-off laser when flash is fired.



Snoot Adjustable 75-100

FL-Ft-AD175100 US \$55.0 Snoot can be adjusted for torch with bezel diameter 75-



Snoot Center Laser Z-240

LO-LED-SN-Z240C Snoot with center laser pointer for Inon Z-240. Light sensor will automatic cut-off laser when flash is fired.



Snoot 38 Condenser F15

FL-Ft-CL38F15 US \$40.0 Snoot 38 condenser F15 with focus length 50mm, for torch with bezel diameter 38mm. For underwater macro photography.



Snoot Center Laser Z-330

LO-LED-SN-Z330C US \$170.0 Snoot with center laser pointer for Inon Z-330.Light sensor will automatic cut-off laser when flash is fired.



Snoot 38 Condenser F35

FL-Ft-CL38F35 US \$40.0 Snoot 38 condenser F35 with focus length 25mm, for torch with bezel diameter 38mm. For underwater macro photography.



Snoot Center Laser YS-D1/2

LO-LED-SN-YSD1C US \$180.0 Snoot with center laser pointer for Sea & Sea YS-D1/2.Light sensor will automatic cut-off laser when flash is fired.



Snoot 53 Condenser F15

FL-Ft-CL53F15 US \$40.0 Snoot 53 condenser F15 with focus length 50mm, for torch with bezel diameter 53mm. For underwater macro photography.



Snoot Center Laser YS-110 Alpha

LO-LED-SN-YS110C US \$180.0 Snoot with center laser pointer for Sea & Sea YS-110 Alpha.Light sensor will automatic cut-off laser when flash is fired.



Snoot 53 Condenser F35

FL-Ft-CL53F35 US \$40 0 Snoot 53 condenser F35 with focus length 25mm, for torch with bezel diameter 53mm. For underwater macro photography.



Snoot Center Laser DS-161

LO-LED-IK-DS161 Snoot with center laser pointer for Ikelite DS-161.Light sensor will automatic cut-off laser when flash is fired.



Snoot Adjustable 25-50 Condenser F15

FL-Ft-ADJ2550F15 US \$40.0 Snoot condenser F15 with focus length 50mm, can be adjusted for torch with bezel diameter 25-50mm. For underwater macro photography.



Snoot Center Laser SS-1

LO-LED-DV-SS1 US \$200.0 Snoot with center laser pointer for I-Divesite SS-1 Strobe.Laser will cut-off when flash is fired.Optional Snoot S, M, L, T for video light available.



Snoot Adjustable 50-75 Condenser F15 FL-Ft-ADJ5075F15 US \$55.0

Snoot condenser F15 with focus length 50mm, can be adjusted for torch with bezel diameter 50-75mm. For underwater macro photography.



Laser Center Pointer 70

US \$90.0 LO-LED-FH-LAC70 Red laser pointer for mounting on snoot with 70mm diameter tube.Light sensor will automatic cut-off laser when flash is fired.



Snoot Adjustable 25-50 Condenser F35

FL-Ft-AD12550F35 US \$40.0 Snoot condenser F35 with focus length 25mm, can be adjusted for torch with bezel diameter 25-50mm. For underwater macro photography.



Laser Center Pointer 90

LO-LED-FH-LAC90 IIS \$90 0 Red laser pointer for mounting on snoot with 90mm diameter tube.Light sensor will automatic cut-off laser when flash is fired.



Snoot Adjustable 50-75 Condenser F35

| FL-Ft-ADJ5075F35 US \$55.0 Snoot condenser F35 with focus length 25mm, can be adjusted for torch with bezel diameter 50-75mm. For underwater macro photography.



Snoot Adjustable 25-50

FL-Ft-AD12550 US \$30.0 Snoot can be adjusted for torch with bezel diameter 25-



Snoot Adjustable 25-50 Condensers F15 X FL-Ft-CL2550P35 US \$85. 0

Snoot with two movable F15 condensers, focus length 50mm. Adjustable to fit light source with bezel diameter 25 to 50mm. For underwater macro photography.



Snoot Adjustable 50-75

FL-Ft-ADJ5075 Snoot can be adjusted for torch with bezel diameter 50-75mm.



Snoot Adjustable 50-75 Condensers F15 X FL-Ft-CL5075P35 US \$90.0

Snoot with two moveable F15 condensers, focus length 50mm. Adjustable to fit light source with bezel diameter 50 to 75mm. For underwater macro photography.





Snoot Condenser 38

FL-Ft-SC38 US \$15.0

Snoot with condenser for torch with bezel diameter 38mm.



Bag Soft M

PA-Bg-S-M US \$2, 2 Soft bag for equipment storage. Size (Approx.):25cm(L) x

22cm(W).



Snoot Condenser 38 with Diving Light 38

FL-Ft-SC38DLM torch with bezel diameter 38mm.

US \$65.0 Snoot with condenser and diving light. Snoot will fit

Bag Soft L

PA-Bg-S-L US \$2.5 Soft bag for equipment storage.Size(Approx.):35cm(L) x



Snoot Condenser 22 with Filters

FL-Ft-SC22F US \$25, 0

Snoot with condenser and multi color filter.For torch with bezel diameter 22mm.



Bag TPU A5

PA-Bg-TPU-A5

Soft bag with two inner pockets. mesh partiction and outside velcro for stacking up, 24cm x 16cm.



US \$5.0

Snoot Condenser 38 with Filters

US \$25.0

Snoot with condenser and multi color filter. For torch with bezel diameter 38mm.



Bag TPU A4

PA-Bg-TPU-A4 US \$8.0

Soft bag with two inner pockets, mesh partiction and outside velcro for stacking up, 32cm x 23cm.



Snoot Condenser 38 Filters Torch

FL-Ft-SC38FD US \$75.0 Snoot with condenser and multi color filter and torch 38. Snoot will fit torch with bezel diameter 38mm.



Dry Bag MO3

PA-Bg-Dry-M03 US \$3,0 Dry bag. Size(Approx.):17cm(L) x 11cm(W).



Bag & Sling

50


Dry Bag MO8

PA-Bg-Dry-M08 Dry bag. Size(Approx.):23.5cm(L) x 14.5cm(W).



Bag Soft CO1

PA-Bg-S-C01 US \$1.6 Soft bag for carrying lens.Size(Approx.):16cm(L) x 11cm(W).





Dry Bag M09

PA-Bg-Dry-M09 US \$5.0 Dry bag. Size(Approx.):21cm(L) x 14cm(W).



Bag Soft CO2

PA-Bg-S-C02 Soft bag for carrying lens. Size(Approx.):18cm(L) x 14cm(W).



Dry Bag HD1

PA-Bg-Dry-HD1 US \$8,0 Heavy duty dry bag with buckle.Size(Approx.):30cm(L) x 20cm(W).



Bag Soft CO3

PA-Bg-S-C03 US \$2.0 Soft bag for carrying lens. Size(Approx.):23cm(L) x 18cm(W).



Dry Bag HD2

PA-Bg-Dry-HD2 US \$10.0 Heavy duty dry bag with buckle.Size(Approx.):45cm(L) x



Bag Soft CO4

PA-Bg-S-C04 Soft bag for carrying lens. Size (Approx.):28cm(L) x 20cm(W).



Drv Bag HD3

PA-Bg-Dry-HD3 US \$12.0 Heavy duty dry bag with buckle.Size(Approx.):55cm(L) x



Bag Soft XS PA-Bg-S-XS

US \$1.5 Soft bag for equipment storage.Size(Approx.):12cm(L) x

12cm(W).



Dry Bag UL2

PA-Bg-Dry-UL2 US \$8.0

Ultra light dry bag with buckle and carabina. Size(Approx.):45cm(L) x 30cm(W).



Bag Soft S

PA-Bg-S-S Soft bag for equipment storage.Size(Approx.):20cm(L) x 18cm(W).





Folder Bag 2525

PA-Bg-FB-2525 US \$4.0

Folder bag with mesh partition. Size(Approx.):25cm(L) x 25cm(W).



Soft Pocket M

PA-Bg-SP-M Soft Pocket M for weights or storage.

Size(Approx.):12cm(L) x 11cm(W).



US \$6.0

Folder Bag 2533

PA-Bg-FB-2533

Folder bag with mesh partition. Size(Approx.):25cm(L) x



Bag Nylon Sling Sub

PA-Bg-NS-SUB US \$32.0 Soft sling bag with wet compartment for storing umbella and bottle, 22cm x 10cm.



Mesh Carrying Bag S with SS Handle

PA-Bg-Carr-MES US \$14.0 Mesh carrying bag S with SS handle and frame. Openning diameter:22cm.



Bag Nylon Sling Lub

PA-Bg-NS-LUB US \$45.0 Soft sling bag with wet compartment for storing umbella and bottle, 22cm x 16m.



Mesh Carrying Bag L with SS Handle

PA-Bg-Carr-MEL US \$16.0 Mesh carrying bag L with stainless steel handle and frame. Opening diameter:27cm.



Bag Neoprene Sling Web

PA-Bg-NE-WED US \$34.0 Soft neoprene sling bag for camera housings with SS316 buckle.



Bag Carrying ZL

PA-Bg-Carr-ZL US \$9.0 Carry bag ZL with shoulder strap. Size(Approx.):20cm(W) x 23cm(H) x 15cm(D).



Bag Neoprene Sling ZA

PA-Bg-NE-ZA US \$36.0 Soft neoprene sling bag for camera housings with zinc alloy buckle.



Bag Carrying M

PA-Bg-Carr-M Neoprene hand carry bag. Size(Approx.):35cm(W) x



Bag Neoprene Sling SS

PA-Bg-NE-SS Soft neoprene sling bag for camera housings with SS316



Air Photo Bag

PA-Bg-Ab US \$50.0 Inflatable Photo bag for storage, carrying or washing camera housing and accessories. Size:45cm(L) x 35cm(W) x 35cm(H).



Sling PO.4 ZA

PA-SL-P04ZA US \$2.5 Sling 8mm diameter 0.4m length with zinc alloy buckles for mobile phone.



Carrying Bag 45

PA-Bg-CB45 US \$16.0 Carrying bag 45, size: 45cm(L) x 35cm(W) x 35cm(H), for air photo bag.



Sling P1.0 ZA

US \$2.7 PA-SL-P10ZA Sling 8mm diameter 1.0m length with zinc alloy buckles for mobile phone.



Weight Pocket 1

PA-Bg-WPI US \$5.0 Weight Pocket . Size 12cm(L) x 8cm(W).



Sling P1.2 ZA

PA-SL-P12ZA US \$2, 7 Sling 8mm diameter 1.2m length with zinc alloy buckles for mobile phone.



Weight Pocket 2

PA-Bg-WPIJ US \$7.0 Weight Pocket with 2 compartments. Each compartment size (Approx.): 12cm(L) x 8cm(W).



Sling Pl.5 ZA

PA-SL-P15ZA US \$3.0 Sling 8mm diameter 1.5m length with zinc alloy buckles for mobile phone.



Weight Procket 3

PA-Bg-WPIII Weight Pocket with 3 compartments. Each compartment size(Approx.): 12cm(L) x 8cm(W).



Sling P1.8 ZA

PA-SL-P18ZA Sling 8mm diameter 1.8m length with zinc alloy buckles for mobile phone.





Sling B1.2 ZA

PA-SL-B127A US \$3.0

Sling 10mm diameter 1.2m length with zinc alloy buckles for mobile phone.



Cylinder Spine

BC-SpI-CB170 US \$24.0

Cylinder Spine SS304 with cam band for holding cylinder to backplate



Sling B1.5 ZA

PA-SL-B15ZA

Sling 10mm diameter 1.5m length with zinc alloy buckles for mobile phone.



AL Loops Footman

BC-Loop US \$2.0

Aluminum attachment with SS304 screw to backplate for one piece webbing through loops



Sling B1.8 ZA

for mobile phone.

PA-SL-B18ZA US \$3.5 Sling 10mm diameter 1.8m length with zinc alloy buckles



Shoulder Pad pair 52

BC-SP52 US \$16.0 Pair of Shoulder Pad with 3 pairs of velcro holder for

backplate webbing, length 52cm, width 7cm.



Sling B2.0 ZA

PA-SL-B20ZA US \$3.5

Sling 10mm diameter 2.0m length with zinc alloy buckles for mobile phone.



Shoulder Pad pair 52C

BC-SP52C US \$18.0 Pair of Shoulder Pad with 3 pairs of velcro holder for backplate webbing, chest strape and buckle, length 52cm width 7cm



Sling B2.2 ZA

for mobile phone.

PA-SL-B22ZA US \$3, 8 Sling 10mm diameter 2.2m length with zinc alloy buckles



Weight Pocket WP1

US \$20.0 BC-WP1 Weight Pocket with quick release, size:22cm(L) x 12cm(W).



i-BCD

Air Bladder Wing

Wing bladder with 15kg lift, material: TPU double-sided coating 840 denier nylon fabric with dump valve and airway.inflator



i-BCD W1 BP1 BC-W1-BP1

US \$490.0 Integrated Buoyancy Control Device with 15kg lift, 840D

TPU double-sided wing bladder, aluminum back plate, backpad, i-Spine, weight and utility pockets



Harness Mount HM1

BC-HM1 US \$70.0 Harness mount, size approx.:50cm(L) x 40cm(W)



i-BCD W1 HM1

IBCD-W1-HM1 Integrated Buoyancy Control Device with 15kg lift, 840D TPU double-sided wing bladder, soft harness mount, i-

Spine, weight and utility pockets



Dump Valve EV1

BC-EV1 US \$6, 0 Dumping valve, welding TPU , diameter:52mm, height:20mm.



i-BCD T TRCD-T

Bladder i-BCD T, material: TPU double-sided coating 840

denier nylon fabric with dump valve and airway.inflator



Dump Valve non-welding EVNW

BC-EVNW US \$22.0

Dumping valve, non-welding with tightening connector and gasket, diameter:52mm, height:30mm.



Backplate BP1

US \$120.0 Backplates anodized aluminum, size approx.40cm(L) x

30cm(W) x 0.3cm (Tk) with one-piece webbing, footman loops, crotch strap



Airwav A119

BC-AW119 IIS \$42.0 Airway with inflator, diameter:28mm, length:53cm.



Backplate BP

BC-BP US \$120.0

Backplates anodized aluminum, size approx.40cm(L) x 30cm(W) x 0.3cm (Tk) with Shoulder and Wraist webbing, crotch strap



Airway A120

BC-AW120

Airway with inflator and top dump vlave, diameter:28mm, length:53cm.



Backplate BPO AL w/o harmess

Backplates anodized aluminum, size approx.40cm(L) x

30cm(W) x 0.3cm (Tk)





I-Spine SP1

US \$14.0 I-Spine, Size(Approx.):30cm(L) x 5.8cm(W), material:SS

304 with M8 screw



Airway Holder AH2

BC-AH2 US \$3.6

Airway Holder with 2 velcro for securing hoses and webbing, size(Approx.):20cm(L) x 5cm(W).



Backpad P1

BC-P1 US \$16.0

Backpad, size(Approx.):38cm(L) x 23cm(W).



Webbing Holder WH60

Webbing Holder for securing air bladder to webbing of

back plate or pad, size approx. 12cm(L) x 2.5cm(W).



Backpad P2

BC-P2 US \$14.0

Backpad, size(Approx.):30cm(L) x 24cm(W).



D-ring

BC-DRg50-304 US \$1.6

D-ring, height:56mm, core diameter: 5mm, material:SS304.



Shoulders Webbing SW1

US \$16.0 Shoulders Webbing SW1, size (Approx.):3.3m(L) x 5cm(W).



D-ring Slider B50 SS304 4x50x30

US \$2.0 BC-DRg50-304

D-ring SS304, width 50mm, height:30mm core diameter: 6mm, material:SS304.



Wraist Webbiong WW1

BC-WW1 US \$14.0 Wraist Webbiong WW1, size(Approx.):1.5m(L) x 5cm(W).



D-ring SS304 4x40x37

BC-DRg50-304 US \$1.2 D-ring SS304, width 40mm, height:37mm, core diameter:

4mm, material:SS304.



Fasten Screw FS14

US \$1.0 BC-FS14 Fasten Screw , M8 , material:SS304.



D-ring Slider SS304 4x50x30

BC-DRg50-304 D-ring SS304, width 50mm, height:30mm core diameter:

6mm, material:SS304.



Utility Bag UB1

US \$8.0 Utility Bag, size(Approx.):6cm(L) x 5cm(W).



D-ring SS304 4x25x22

BC-DRg50-304 US \$0.5 D-ring SS304, width 25mm, height:22mm, core diameter:

4mm, material:SS304.



Cylinder Band 170

BC-CvB170 US \$10.0 Cylinder Band , size(Approx.):170cm(L) x 5cm(W).trimable



D-ring SS304 4x30x27

US \$0.6 BC-DRg50-304 D-ring SS304, width30mm, height:27mm, core diameter:

4mm, material:SS304.



Cylinder Band 90

BC-CyB90 US \$8.0 Cylinder Band , size(Approx.):90cm(L) x 5cm(W).trimable



D-ring SS316 5x53x42

BC-DRg50-304 US \$2.0

D-ring SS316, width 53mm, height:42mm, core diameter: 5mm, material:SS304.

Cvlinder Band 70

BC-CvB70 US \$8.0 Cylinder Band , size(Approx.):70cm(L) x 5cm(W).trimable



D-ring SS304 5x50x47

BC-DRg50-304 IIS \$1.8 D-ring SS304, width 50mm, height:47mm, core diameter:5mm, material:SS304.



Airway Holder AH1

BC-AH1 Airway Holder with velcro for securing hoses,

size(Approx.):10cm(L) x 5cm(W).

D-ring SS304 6x50x47

BC-DRg50-304

D-ring SS304, width 50mm, height:47mm, core diameter: 6mm, material:SS304.



Carrying Bag CB1

Carrying Bag, size(Approx.):60cm(L) x 55cm(W).



i-ROV B123930D

IROV-DIY-B123930D US \$450.0

i-ROV B123930D DIY Kit complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 30m cable, NOT included: battery and charger.



Carrying Bag CB2

BC-CB2 US \$8.0 Carrying Bag, size(Approx.):250cm(L) x 55cm(W).



i-ROV B123910P

IROV-DIY-B123910P

i-ROV B123910P plug and play set complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 10m cable, NOT included: battery and charger.



BC Hose SQ27

BC-LH-SQ27 US \$28.0 BC Inflator hose with Cien connector (Seaquest), 70cm (27') long black braided



i-ROV B123915P

TROV-DTY-B123915P US \$380, 0

i-ROV B123915P plug and play set complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 15m cable, NOT included: battery and charger.



BC Hose SD27"

BC-LH-SD277 US \$26.0 BC Inflator hose with standard connector, 70cm (27') long black braided



i-ROV B123920P

IROV-DIY-B123920P US \$400.0

i-ROV B123920P plug and play set complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 20m cable, NOT included: battery and charger.



BC hose SD12"

BC-LH-SD12 US \$26.0 BC Inflator hose with standard connector, 30cm (12') long black braided



i-ROV B123930P

TROV-DTY-B123930P

i-ROV B123930P plug and play set complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 30m cable, NOT included: battery and



BC hose SD21"

BC-LH-SD21 BC Inflator hose with standard connector, 53cm (21') long black braided



U/W Camera USB0810

IROV-CM-USB0810

Underwater USB Camera with 10m cable, depth rating 20m, camera diameter 8mm with adjustable LED light, view angle 70 degree, formate JPEG/AVI



BC hose SD9'

BC-LH-SD9 US \$22.0 BC Inflator hose with standard connector, 23cm (9') long black braided



U/W Camera USB0815

TROV-CM-USB0815

US \$100.0

US \$450 0

Underwater USB Camera with 15m cable, depth rating 20m, camera diameter 8mm with adjustable LED light, view angle 70 degree, formate JPEG/AVI



Webbing Loop Connector

BC-LH-CN Webbing Loop Connector US \$3, 6



U/W Camera USB0820

IROV-CM-USB0820

US \$120.0

Underwater USB Camera with 20m cable, depth rating 20m, camera diameter 8mm with adjustable LED light, view angle 70 degree, formate JPEG/AVI



ROV & CubeSat

U/W Camera USB0830 TROV-CM-USB0830

Underwater USB Camera with 30m cable, depth rating 20m, camera diameter 8mm with adjustable LED light, view angle 70 degree, formate JPEG/AVI



-ROV B123910D

TROV-DTY-B123910D

US \$360.0

i-ROV B123910D DIY Kit complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 10m cable, NOT included: battery and charger.



Control Box 115

RB-CB-115

US \$1.0

Control Box 115*90*55mm with cutting for switch



i-ROV B123915D

IROV-DIY-B123915D

US \$380.0

-ROV B123915D DIY Kit complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 15m cable, NOT included: battery and charger.



Switch KCD4 6*3 auto reset

RB-SK-KCD63 Switch KCD4 6*3 auto reset US \$1.0



i-ROV B123920D

IROV-DIY-B123920D

-ROV B123920D DIY Kit complete with parts and components including 12ED pipe fittings, M39 Thrusters x3, 20m cable, NOT included: battery and charger.





Switch KCD4 6*4

RB-SK-KCD64 Switch KCD4 6*4 US \$1.0

US \$0.2

US \$0.3



Cable Power Supply 2Px0.5 1.5m US \$1.5

Power Supply Cable length: 1.5m wire dia: 0.75mm2



Wire connector FF

RB-WC-FF

Wire connector FF length: 80mm



Tether Cable

RB-TC-6P Tether Cable 6p*0.3mm2 length 20m

US \$25.0

Wire connector FFM

RB-WC-FFM

Wire connector FFM length: 80mm



Battery Lead Acid 5ah with charger

RB-BL-50 US \$14.0 Battery Lead Acid 5ah with charger

Wire connector F

Wire connector F length: 120mm

US \$0.2

Water Pump Motor 12V 750gpm modified

Water Pump Motor 12V 750gpm modified



Fuse 5A

RB-FS-5A Fuse 5A

US \$0, 2



M39 Thrusters

RB-PM-M39 US \$35.0 M39 Thrusters, 12V, Aluminum housing, blue, silver and black available for selection.



Fuse 20A

RB-FS-20A Fuse 20A

US \$0.2

US \$0.2

US \$0.6

US \$0.5

US \$0.3



Propeller 55mm 3 blades

RB-PL-553

Propeller 55mm 3 blades



Wire Cap Screw

RB-SW-WC

Wire Cap Screw



Shaft Extension 60mm

RB-SE-60

Shaft Extension 60mm

US \$2.0

Cable Gland M14*1.5 4-8mm

RB-CG-M14

Cable Gland M14*1.5 4-8mm



Hose Grip 16-25mm SS304

RB-HG-1625

US \$1.0 Hose Grip 16-25mm SS304



Cable Gland M10*1.5 3-6.5mm

RB-CG-M10

Cable Gland M10*1.5 3-6.5mm



Hose Grip 27-51mm SS304

RB-HG-2751 Hose Grip 27-51mm SS304

US \$1.0

US \$0.5

US \$3.0



PVC Pipe 12mm dia 500mm long

RB-PVC-20500

PVC Pipe 12mm dia 500mm long



PVC Pipe 20mm dia 500mm long

RB-PVC-20500

PVC Pipe 20mm dia 500mm long



Cable Control 6Px0.3x15

RB-PSC

Control Cable length: 15m 6P wire dia: 0.3mm2



PVC Elbow Connector

RB-PVC-CN PVC Elbow Connector US \$2.5





PVC T Connector

RB-PVC-TCN PVC T Connector US \$3.8



Cable Connector 5P

RB-CBC-5P US \$16.0 Waterproof Cable Connector 5p cable diameter 7.2mm, depth rating 100m



EPE Foam Rod 18mm dia

RB-EPE-R18

EPE Foam Rod 18mm dia,1M long

US \$0.2

US \$0, 2



Cable Connector 6P

RB-CBC-6P US \$18.0 Waterproof Cable Connector 6p cable diameter 7.8mm, depth rating 100m



EPE Foam Rod 10mm dia

RB-EPE-R10

EPE Foam Rod 10mm dia, 0.4M long



Cable Connector 8P

RB-CBC-8P US \$20.0 Waterproof Cable Connector 8p cable diameter 6.2mm, depth rating 100m



EPE Foam Tube 20mm dia

RB-EPE-R20 US \$0.2 EPE Foam Tube ext dia 30mm int dia 20mm,1M long



Pressure Relief Valve M10

RB-PR-M10 US \$20.0 Pressure Relief Valve for connectng to underwater container with 10mm hole, depth rating 100m



EPE Foam Tube 30下x10mm dia

RB-EPE-R20 US \$0.2 EPE Foam Tube ext dia 30mm int dia 20mm,1M long



Backfill Adaptor M10

RB-BA-M10 US \$16.0 Backfill Adaptor connecting to Pressure Relief Valve for vacuum and gas filling



 $\overline{\text{C}}$ able Tie Reusable 4x150x50

 $$\operatorname{RB-CT-R}$$ US \$0.5 Cable Tie Reusable 4mm wide 150mm long 50pcs



Vent Plug M10

RB-VP-M10 US \$12.0 Vent Plug for connectng to underwater container with 10mm hole, depth rating 100m



Carabiner

RB-CB Carabiner US \$1.0




Cable Connector 3-6 M10

RB-CC-36-M10 US \$16.0 Cable Connector for 3-6mm diameter cable connectng to underwater container with 10mm hole, depth rating 100m



Cable Thimble

RB-CB Cable Thimble US \$0.5



Cable Connector 6-8 M10

RB-CC-68-M10 US \$20.0 Cable Connector for 6-8mm diameter cable connectng to underwater container with 10mm hole, depth rating 100m



Cable Connector 2P

RB-CBC-2P US \$10.0 Waterproof Cable Connector 2p cable diameter 5mm, depth

rating 100m

Switch Connector 5A M10

RB-SC-5A-M10 US \$28.0 On-off switch for connecting to underwater container with 10mm hole, 5A, depth rating 100m



Cable Connector 3P

RB-CBC-3P US \$12.0 Waterproof Cable Connector 3p cable diameter 7.3mm, depth rating 100m



Switch Connector 3A M10

RB-SC-M10 US \$28.0 On-off switch for connecting to underwater container with 10mm hole, 3A, depth rating 100m



Cable Connector 4P

 $$\rm RB\text{-}CBC\text{-}4P$$ US \$14.0 Waterproof Cable Connector 4p cable diameter 7mm, depth rating 100m



Switch Connector 3A M10

RB-SC-3A-M10 US \$18.0 On-off switch for connecting to underwater container with 10mm hole, 3A, depth rating 100m





Blank Connector M10

RB-BC-M10 US \$6.0 Blank Connector for connectng to underwater container with 10mm hole, depth rating 100m



BOV 120 with WMD regulator BL-HC-BOV120

BOV 120 with WMD regulator

IIS \$840.0



Underwater Tube Container AC1020

RB-UTC-AC1020 US \$100.0 Underater Tube Container Acrylic 100mm diameter 200mm length, depth rating 100m



iBOV

BL-HC-BOV120 iBOV

US \$760.0



Underwater Tube Container AC1025

RB-UTC-AC1025 US \$110.0 Underater Tube Container Acrylic, 100mm diameter 250mm length, depth rating 100m



Hose Cap

BL-HC-CP Hose Cap for 1.5" adaptor, POM US \$9.0



Underwater Tube Container AC1030

US \$120.0 RB-UTC-AC1030 Underater Tube Container Acrylic 100mm diameter 300mm length, depth rating 100m



Adapter stub to scrubber lid male threa

Adapter stub to scrubber lid male threads NPT 1.5",



Tech & Rebreather

DSV mushroom / flapper replacements 2pc

BL-DSV-FL US \$4.0 Silicone mushroom / flapper, 2 pcs one way valve, replacement part for Dive Surface Valve



DSV Standard Straight

Dive Surface Valve, simple on/off with lever, one handed actuation, can be switched R or L, user preference, incorporated HUD mount fixture.



Mouthpieces large bite

BL-DSV-LB Mouthpieces large bite US \$4.4



DSV Straight with lock rings

BL-DSV-SSL US \$300.0 Dive Surface Valve with lock rings, simple on/off with lever, one handed actuation, can be switched R or L, user preference, incorporated HUD mount fixture.



Mouthpiece Retaining Strap MRS1

US \$24.0 PA-Ly-Cp-MRS1 Mouthpiece Retaining Strap with Silicone Lip Seal



DSV 120 degree conversion kit

BL-DSV-M120Kit Conversion kit for Dive Surface Valve straight with lock rings to change angle between hoses to 120 degree



Mouthpiece Retaining Strap QR MRS2

PA-Ly-Cp-MRS2 US \$26.0 Mouthpiece Retaining Strap with Silicone Lip Seal and quick release neoprene head strape



DSV 120

BL-DSV-M120 Dive Surface Valve with lock rings and 120 degree between hoses angle, can be switched R or L, user preference, incorporated HUD mount fixture.



Breathing hose 1.5" - 10"

 $$\rm BL-BH-1510$ US \$18.0 EPDM hoses with 1.5" ID cuffs, stretch 30cm to 75cm (10.5" to 30"). US \$18.0



DSV threaded straight adapter sets US \$100.0

DSV threaded straight adapter sets for DSV Mouthpiece Standard Straight



Breathing Hose Clamps 1.5" ID POM BL-BH-CL15 IIS \$2.0

Hose clamps, height:10.5mm, material:POM, locking with screws, suitable for locking diameter: 36-40mm.



Hose Stub Elbows 90 with Lock Rings

BL-HC-90L US \$100.0 Hose Stub Elbows 90 degree (pair) with Lock Rings for 1.5" hose, POM



RD1 Counterlung

BL-CL-RD1 Counter lungs are heavy duty reinforced PU, multiple SS grommet fixation points,4L volume per lung,MSR style threaded port.



Y adapters for DSV/BOV BL-HC-YA

Y adapters for DSV/BOV

US \$110.0



-piece replacement o-rings - 224 BL-TP-OR224 US \$2.0

Γ-piece replacement o-rings - 224.



RD1 Scrubber Canister with rod/discs Rb-RD1-Scubber

5.5 lb (2.25kg) axial design cast acrylic with protective neoprene sleeve, delrin/POM lids with double o-ring seals, 3/8" NPT thru-lid ports (2x each lid),1.5" NPT primary opening



T-piece

BL-TP-T

T-piece, POM, with hose clamps



US \$120.0

Terrestrial Scrubber for Non-Diving App Rb-RD1-SCNO US \$240.0

Terrestrial Scrubber for Non-Diving Applications



T-pieces Adj. OPRV

BL-TP-OPRV US \$240.0

Adjustable OPRV with protective exhaust screens, include baffle to direct water into counterlungs, supplied with required hose clamps.



RD1 Scrubber Springs

Rb-RD1-Scubber-Spr

RD1 Scrubber Springs



T-pieces ADV

BL-TP-ADV US \$400.0

ADV features reliable and time-tested WMD internalsinclude baffle to direct water into counterlungs, supplied with required hose clamps.



RD1 Scrubber Thrust plate

Rb-RD1-Scubber-TP RD1 Scrubber Thrust plate US \$8.0

US \$6, 0



Assembly screws for ADV

BL-TP-SR

Screws for fixing ADV to T-piece



RD1 Scrubber filter bag

Rb-RD1-Scubber-FB RD1 Scrubber filter bag US \$4.0



ADV blanking plate BL-TP-BP

ADV blanking plate



RD1 Scrubber Screen SS304

Rb-RD1-Scubber-FB RD1 Scrubber Screen SS304 US \$10.0



Manual Addition Valves (MAV)

BL-TP-MAV US \$140.0 MAV blocks provide a centralized location for all gas routing, BC cartridge style buttons, 9/16-18 UNF ports, supplied with 3/8-24 UNF bushing adapters.



RD1-Stud 3/8"-16 x 7"

Rb-RD1-Scubber-Rnd RD1-Stud 3/8"-16 x 7"

US \$3.0



Special MAV

BL-TP-MAVSP Special MAV

US \$120.0

US \$2,0

US \$9.0



RD1 Wing nut 3/8"-16

Rb-RD1-Scubber-Wnut RD1 Wing nut 3/8"-16

US \$2.0



Over Pressure Relief Valve for T-piece BL-TP-OPT

Adjustable OPRV for T-piecewith protective exhaust

screen



RD1 Lock nut 3/8"-16

Rb-RD1-Scubber-Nut RD1 Lock nut 3/8"-16

US \$1.0



Assembly Screws Counter Lung

US \$0.6 BL-TP-ASL Assembly screws counter lung, diameter:10mm.



RD1 Spring washer 3/8" Rb-RD1-Scubber-SW

RD1 Spring washer 3/8"

US \$0.6



Cam-lock Elbows for RD1 scrubber

BL-TP-CLE

Nylon 90-degree elbows with cam-lock style disconnects to fit to the RD1 scrubber canister, NPT threads.



RD1 Washer 3/8"

Rb--Scrubber-Wsr RD1 Washer 3/8"

US \$0.2





RD1 evacuation pump

US \$10.0 Hand Pump QD Cein 9/16-18 male x2(bulb pump only, no hose/fittings)



Stand Cage Leg 5"

US \$20.0 Sd-Sd-LE5 Stand Cage Aluminum Legs 4pcs with screws and washers



Hand Pump quick release assembly

Hand Pump QD Cein male amd 9/16-18 male



Spine H Aluminum 400 with bolt, washer & Rb-HSpine400 US \$40.0

Spine H Aluminum 400mm long with bolt, washer & nut



Drain Whip

through the lid

Rb-HP-DW US \$60.0 Fits to scrubber lid, place on exhalation side, Includes Q/D for option use/removal, Includes on/off slider to disable when not in use



Spine H Aluminum 350 with bolt, washer (Rb-HSpine350 US \$3,500.0

Spine H Aluminum 350mm long with bolt, washer & nut



Sensor Holder push on version

Accommodates 1, 2, 3, or 4 cells (M16 thread) in either friction fits to the primary 1.5" thread passing



Spine H Aluminum 300 with bolt, washer a Rb-HSpine300

Spine H Aluminum 300mm long with bolt, washer & nut



Sensor Flush Assembly

Rb-SsF US \$40 0 Can be fit to the inhalation canister lid, position tubing near sensor faces, plumb to diluent MAV to verify sensors/wick condensate



Spine H Aluminum 250 with bolt, washer a Rb-HSpine250 US \$36.0 Spine H Aluminum 250mm long with bolt, washer & nut US \$36.0



Hotwater spider valves with GHT fitting

Hotwater spider valves with GHT fitting



Spine H Aluminum 200 with bolt, washer & Rb-HSpine200 Spine H Aluminum 200mm long with bolt, washer & nut

RD1 scrubber fans, supply with M3x35 sc US \$10.0

RD1 scrubber fans, supply with M3x35 screws



Spine H Aluminum 150 with bolt, washer Rb-HSpine150 US \$30.0

Spine H Aluminum 150mm long with bolt, washer & nut



EAC Adapter Kits for the RD1

US \$100.0 Rb-EAC EAC Adapter Kits for the RD1



Spine H Aluminum 100 with bolt, washer
Rh-HSpine100 US \$28.0

Spine H Aluminum 100mm long with bolt, washer & nut



RD1 Stand Set

Sd-Sd-Set RD1 Stand Set (all components incl 5" cage, black anodized



O-ring 4x127mm ID RbA-ORg4x127NBR

O-ring 4x127mm ID

US \$1.0



Stand Bottom Plate

Sd-Sd-PL Stand Bottom Plate US \$28.0



Valve Knob Replacement Kit

Cv-Valve Knob K Valve Knob Replacement Kit US \$36.0



Stand Connection Block

Sd-Sd-BK Stand Connection Block US \$13.0



Valve Knob Extension 30 Cy-Valve Knob E30

Valve Knob Extension 30

US \$16.0





Valve Knob Extension 45

Cy-Valve Knob E45 Valve Knob Extension 45

IIS \$18.0



Adaptor NPT 3/8" male to M12x1.5 female ACA-N38FM1215F US \$6.0 RD1 thru-port options port bushing NTP 3/8" male to M12x1.5 female



Valve Knob Extension Universal Noodle S

Cy-Valve Knob U Valve Knob Extension Universal Noodle Set



Adaptor NPT 3/8" male to M14x1.5 female AcA-N38FM1415F US \$6.0 RD1 thru-port options port bushing NTP 3/8" male to M12x1.5 female



Cylinder Clamp (118-140) and hose retail

Cy-Clamp HR 118 Cylinder Clamp (118-140) and hose retainer



Adaptor NPT 3/8" male to NPT1/4 "female AcA-N38MN14F US \$6.0

RD1 thru-port options port bushing 3/8" male to NPT 1/4" female

 $\overline{ ext{Q}} ext{D}$ Cein female to 9/16-18 male ABO4

AcA-QDCLF91618M

QD Cein female to 9/16-18 male AB04



Adaptor NPT 3/8" male to 9/16-18 female AcA-N38M916F

Adaptor NPT 3/8" male to 9/16-18 female



QD Cein female to 3/8-24 male AB01 US \$24.0

AcA-QDCF3824M

QD Cein female to 3/8-24 male AB01



Adaptor NPT 3/8" male to 3/8"-24 female

AcA-N38M3824F Adaptor NPT 3/8" male to 3/8"-24 female



QD Cein male to 3/8-24 male MA02 AcA-QDCM3824M US \$6.0

QD Cein male to 3/8-24 male MAO2



Adaptor NPT 3/8" elbow male to 3/8"-16 AcA-N38M3816F US Adaptor NPT 3/8" elbow male to 3/8"-16 female

 \overline{QD} Standard male to 3/8-24 male (MAO3) AcA-QDSM3824M QD Standard male to 3/8-24 male (MAO3)



Adaptor 9/16"-18 male to 3/8"-24 female US \$6.0

AcA-N916M38F Adaptor 9/16"-18 male to 3/8"-24 female



Slide Switch with colour o-rings indica AcA-SSNRV3824F2 US \$ Slide Switch with colour o-rings indicator and US \$30.0

integrated Non Return Valve 3/8-24 female x2



Adaptor 9/16"-18 male to 3/8"-24 male

AcA-N916M38M Adaptor 9/16"-18 male to 3/8"-24 male



Slide Switch with indicator 9/16"-18 fer

AcA-91618FSMSS US \$20.0 Slide Switch with indicator 9/16"-18 female scuba to

male scuba



Adaptor 9/16"-18 male to male

AcA-N916MM Adaptor 9/16"-18 male to male



Adaptor NPT 3/8" male to PG7 female AcA-N38MPG7F US \$6.0

RD1 thru-port options port bushing NTP 3/8" male to PG7



Adaptor 9/16"-18 male to NPT 1/4" male AcA-N916M14M US \$6.0

Adaptor 9/16"-18 male to NPT 1/4" male



Adaptor NPT 3/8" male to M10x1.5 female AcA-N38FM1015F

AcA-N38FM1015F US \$6.0 RD1 thru-port options port bushing NTP 3/8" male to

M12x1.5 female



Adaptor 9/16"-18 female to long hose ba AcA-N916FL Adaptor 9/16"-18 female to long hose bart





Page 47 of 50

Prices valid for one month from the date printed below

Fax: (852) 2811 9180

 $\overline{\text{Adaptor 9/16}''-18}$ female to 3/8''-24 male AcA-N916F38M Adaptor 9/16"-18 female to 3/8"-24 male US \$6.0



Splitter LP 3/8"-24 female x3 US \$20.0

Splitter LP 3/8"-24 SS316 female x3



Adaptor 3/8"-24 female to male extension

Adaptor 3/8"-24 female to male extension



Over Pressure Relief Valve 3/8"-24 male AcA-N38M US \$4.0

Over Pressure Relief Valve 3/8"-24 male



Adaptor 3/8"-24 male to NPT 1/4" male AcA-N38M14M US \$6.0

Adaptor 3/8"-24 male to NPT 1/4" male



Plug NPT 3/8" SS316 with o-ring AcA-N38MNPT

Plug NPT 3/8" with o-ring



Adaptor 3/8"-24 male to male

AcA-N38MM US \$6.0 Adaptor 3/8"-24 male to male



Plug 3/8-24" with o-ring AcA-N38M

Plug 3/8-24" with o-ring



IIS \$2.5

Pressure Testing Pot

Bushing NPT 1/4" male to 3/8"-24 female AcA-N14M38F

Bushing NPT 1/4" male to 3/8"-24 female



Non-return Valve 3/8"-24 female inlet t AcA-N38F2N US \$12.0

Non-return Valve 3/8"-24 female inlet to 3/8"-24 female



Bushing 9/16"-18 male to 3/8"-24 female

AcA-N916M38F Bushing 9/16"-18 male to 3/8"-24 female



Pressure Testing Pot 180T

PT-180T


US \$6, 200, 0 Pressure Testing Port 180 litre, SS304 with quick release turn lock and vertical lefting cover.Depth Rating:50/100m, External

Dimensions:630x740x2400mm,Internal Dimensions:510dia x 880mm, Quick Access Port Opening:300x230mm, Gross



60

AcA-N716MF Adaptor HP 7/16"-20 female to male extension



Pressure Testing Pot 180C

Pressure Testing Port 180 litre, SS304 with quick release turn lock and vertical lefting cover.Depth Rating:50/100m,External

Dimensions:630x795x1740mm.Internal Dimensions:510dia x 880mm, Quick Access Port Opening:300x230mm, Gross



Swivel HP 180 degree T 7/16"-20 FMF

Swivel LP 120 degree 9/16"-18 female s

Swivel LP 120 degree 9/16"-18 female scuba to male

Swivel HP 180 degree T 7/16"-20 FMF

AcA-N716T

AcA-N916FM120

AcA-N916FM90

scuba



Pressure Testing Pot 114C

PT-114C US \$4,000,0

Pressure Testing Port 114 litre, SS304 with quick release turn lock and vertical lefting cover.Depth Rating:50/100m,External

Dimensions:555x720x1390mm,Internal Dimensions:406dia x 665mm, Quick Access Port Opening:180x190mm, Gross



Pressure Testing Pot 23Q

US \$620.0 Pressure Testing Port 23 litre, SS304 with quick access port.Depth Rating:50/100m,External Dimensions:345dia x 380mm, Internal Dimensions:315dia x 300mm, Quick Access Port Opening:230x200mm, Gross Weight:37kg.



Swivel LP 90 degree 3/8"-24 female to 1 AcA-N38FM90 US \$15.0 Swivel LP 90 degree 3/8"-24 female to male

Swivel LP 90 degree 9/16"-18 female sc

Swivel LP 90 degree 9/16"-18 female scuba to male

Tel: (852) 2573 3228

US \$18.0

US \$20.0



Pressure Testing Pot 31Q PT-31Q

US \$720.0 Pressure Testing Port 31 litre, SS304 with quick access port. Depth Rating: 50/100m, External Dimensions: 345dia x 480mm, Internal Dimensions:315dia x 400mm, Quick Access Port Opening:230x200mm, Gross Weight:44kg.



Pressure Testing Pot 39Q


Pressure Testing Port 39 litre, SS304 with quick access port.Depth Rating:50/100m, External Dimensions:345dia x 580mm, Internal Dimensions:315dia x 500mm, Quick Access Port Opening:230x200mm, Gross Weight:51kg.





香港新蒲崗五芳街31-33號永顯工廠大廈5樓D室 Flat D, 5/F., Wing Hin Fty. Bldg., 31-33 Ng Fong St., San Po Kong, Kowloon, Hong Kong Email: service@10bar.com

Web site: http://www.10bar.com Fax: (852) 2811 9180



Pressure Testing Pot 2.5Q

PT-2, 50 US \$450.0

Pressure Testing Port 2.5 litre, SS304 with quick access port. Depth Rating: 50/100m, External Dimensions: 150dia x 216mm, Internal Dimensions:127dia x 200mm, Quick Access Port Opening:105x70mm, Gross Weight:5kg.



Mask MF with Prescription Lens

PA-MK-MFPL US \$110.0

Mask with anodized magnetic aluminium frame for mounting multifunction accessaries, with a pair prescription lens:-2.0, -3.0, -4.0, -5.0.



Pressure Testing Pot 3.8Q

PT-3.8Q US \$520.0

Pressure Testing Port 3.8 litre, SS304 with quick access port.Depth Rating:50/100m,External Dimensions:150dia x 316mm, Internal Dimensions: 127dia x 300mm, Quick Access Port Opening: 105x70mm, Gross Weight: 6kg.



Mask MF Flip Frame

PA-MK-MFF

Mask MF with flip magnetic frame and corrective lens ± 1.0 to ± 6.0 at increment of 0.5



Pressure Testing Pot 7Q

PT-7Q IIS \$580 0

Pressure Testing Port 7 litre, SS304 with quick access port. Depth Rating:50/100m, External Dimensions:240dia x 216mm, Internal Dimensions:211dia x 200mm, Quick Access Port Opening:170x125mm, Gross Weight:11kg.



Mask MF Flip Frame LED MWB

PA-MK-MFL US \$140.0

Mask MF with flip magnetic frame, corrective lens ± 1.0 to ± 6.0 at increment of 0.5 and LED MWB.



Pressure Testing Pot 11.5Q

US \$620.0 PT-11.5Q

Pressure Testing Port 11.5 litre, SS304 with quick access port. Depth Rating: 50/100m, External Dimensions:240dia x 316mm, Internal Dimensions:211dia x

300mm, Quick Access Port Opening:170x125mm, Gross Weight: 13kg.



Flip Frame MF

PA-MK-FII

filters.

US \$45.0

Flip Magnetic Frame with corrective Lens for Mask MF ± 1.0 to ± 6.0 at increment of 0.5.

Flip Magnetic Frame with ressivecorrective Lens for Mask MF +6.5 to +10.0 at increment of 0.5 or colour



Pressure Testing Pot 14Q

PT-14Q US \$680 0

Pressure Testing Port 14 litre, SS304 with quick access port.Depth Rating:50/100m, External Dimensions:240dia x 416mm, Internal Dimensions:211dia x 400mm, Quick Access Port Opening:170x125mm, Gross Weight:15kg.



Scuba & Free Diving

US \$16.0

Flip Frame MF Bifocus

Flip Frame MF Progressive

PA-MK-FII

US \$65.0

Flip Magnetic Frame with bifocus corrective Lens for Mask MF +/-1.0 to +/-6.0 at increment of 0.5. Lead time 2 weeks.



Mask 2011

SA-MS-2011

Mask dual Lens optional compatible prescription lens

available, head band mount on frame



Flip Frame MF II

PA-MK-FII US \$65.0 Flip Magnetic Frame with corrective Lens for Mask MF

+6.5 to +10.0 at increment of 0.5 or colour filters.



Mask 238

Mask dual Lens optiomal compatible prescription lens available, head band mount on skirt.



PA-MK-FM

Flip Frame MF with Adjustable Mount US \$70.0

Flip frame can be attached to most framed masks. The Flip Frame can come with corrective lens from ± 1.0 to \pm 6.0 in 0.5 increment.



Mask 117 SA-MS-117

US \$21.0

Mask single Lens, silicone skirt



Flip Frame MF II with Adjustable Mount PA-MK-FMII

Flip frame with adjustable mount can be attached to most framed masks. The Flip Frame can come with corrective lens from +6.5 to +10.0 at increment of 0.5. or colour filters.



Mask 17J

SA-MS-17J

US \$13.0

Mask single Lens for junior, silicone skirt



Flip Frame Adjustable Mount PA-MK-M

Flip frame adjustable mount can be attached to most framed masks for installing flip frame with corrective



Mask 228

SA-MS-228 Mask free diving PC lens silicone skirt

US \$15.5



Prescription Lens MF

PA-MK-FL Prescription Lens for Mask MF -2.0, -3.0, -4.0 and -5.0.



Mask MF

Mask with anodized magnetic aluminum frame for mounting multifunction accessaries and corrective lens.





Prescription Lens 2011

PA-MK-2011 US \$36. 0 Prescription Lens for Mask 2011 and many other models - 1.5, -2.0, -2.5, -3.0, -3.5, -4.0, -4.5, -5.0, -5.5, -6.0, +2.0, +3.0, +4.0, +4.5



Snorkel S192 SA-SM-S192

Snorkel soft silicone with storage clam

US \$15.0

Fins 7101

SA-FN-7101 US \$24.0 Fins open foot pocket with quick release buckle, S/M(5-8) M/L(9-12)



Fins 168

SA-FN-168 US \$42.0

Fins open foot pocket with quick release buckle S/M (6-8) M/L (8-10) L/XL (10-13)



Fins 367 XS

SA-FN-367-XXXS US \$20.0

Fins full foot pocket XXXS(12-1) XXS(1-3) XS(3-5)



Fins 367 S/M

SA-FN-367-XS Fins full foot pocket S(5-7) M(7-9) US \$25.0



Fins 367 L/LX

SA-FN-367-M US \$28.0

Fins full foot pocket L(9-11) XL(11-13)



Fins 170

SA-FN-170

US \$30.0 Fins with adjustable strap and quick release buckle, PP and TPR rubber strap S/M(6-8),M/L(8-10), L/LX(10-13)



Fins 190

SA-FN-190 US \$90.0 Fins free diving PP blade XS/S(5-6) S/M(7-8) M/L(8-10)

XL/XXL (11-12)



Snorkel S193

SA-SM-S193

Snorkel silicone mouthpiece with hard clip



Snorkel S162

SA-SM-S162 US \$5.5 Snorkel silicone mouthpiece with soft holder



Snorkel S207

SA-SM-S207

US \$14.0 Snorkel full dry top with purge valve



